Index of Authors and Titles

Adzick, N. S. *See* Lorenz, H. P.

Aghayan, M., Rao, L. V., Smith, R. M., Jarett, L., Charron, M. J., Thorens, B. and Heyner, S. Developmental expression and cellular localization of glucose transporter molecules during mouse preimplantation development **115**, 305

Akimenko, M. A. *See* Ekker, M.

Akiyama, T. and Okada, M. Spatial and developmental changes of mitochondrial respiratory activity in early *Drosophila* embryos **115**, 1175

Al-Awqati, Q. *See* Herzlinger, D.

Alberts, B. M. *See* Theurkauf, W. E.

Albrecht, U. *See* Breier, G.

Alexander, C. M. *See* Behrendtsen, O.

Alexiou, M. and Leese, H. J. Purine utilisation, de novo synthesis and degradation in mouse preimplantation embryos **114**, 185

Allen, K. *See* Chang, W. S.

Allen, V. W. and Kropf, D. L. Nuclear rotation and lineage specification in *Pelvetia* embryos **115**, 873

Altshuler, D. and Cepko, C. A temporally regulated, diffusible activity is required for rod photoreceptor development in vitro **114**, 947

Alvarado-Mallart, R.-M. *See* Bally-Cuif, L.

Ambrosio, L. *See* Lantz, V.

Anderson, D. J. *See* Johnson, J. E.

Anderson, I. *See* Thorp, B. H.

Anderson, K. V. *See* Chasan, R.

Anderson, K. V. *See* Ferguson, E. L.

Andres, A. J. and Cherbas, P. Tissue-specific ecdysone responses: regulation of the *Drosophila* genes *Eip28/29* and *Eip40* during larval development **116**, 865

Andres, V., Nadal-Ginard, B. and Mahdavi, V. *Clox*, a mammalian homeobox gene related to *Drosophila cut*, encodes DNA-binding regulatory proteins differentially expressed during development **116**, 321

Angerer, L. M. *See* Gagnon, M. L.

Angerer, L. M. *See* Reynolds, S. D.

Angerer, R. C. *See* Gagnon, M. L.

Angerer, R. C. *See* Reynolds, S. D.

Angres, B. *See* Muller, A. H. J.

Anjard, C., Pinaud, S., Kay, R. R. and Reymond, C. D. Overexpression of *Dd PK2* protein kinase causes rapid development and affects the intracellular cAMP pathway of *Dictyostelium discoideum* **115**, 785

Armstrong, N. A. *See* McClay, D. R.

Arora, K. and Nusslein-Volhard, C. Altered mitotic domains reveal fate map changes in *Drosophila* embryos mutant for zygotic dorsoventral patterning genes **114**, 1003

Artavanis-Tsakonas, S. *See* Xu, T.

Artinger, K. B. *See* Lallier, T.

Artinger, K. B. and Bronner-Fraser, M. Notochord grafts do not suppress formation of neural crest cells or commissural neurons **116**, 877

Artinger, M. *See* Bronner-Fraser, M.

Asou, H. *See* Marret, S.

Azzawi, M. *See* Geada, A. M. C.

Auwerx, J. *See* Staels, B.

Bacon, J. P. and Blagburn, J. M. Ectopic sensory neurons in mutant cockroaches compete with normal cells for central targets **115**, 773

Bally-Cuif, L., Alvarado-Mallart, R.-M., Darnell, D. K. and Wassef, M. Relationship between *Wnt-1* and *En-2* expression domains during early development of normal and ectopic met-mesencephalon **115**, 999

Bandman, E. *See* Gardahaut, M. F.

Bard, S. *See* Jahoda, C. A. B.

Barker, D. *See* Wu, H.

Bastmeyer, M. *See* Gotz, M.

Bautch, V. L. *See* Wang, R

Bayer, T. A. and Campos-Ortega, J. A. A transgene containing *lacZ* is expressed in primary sensory neurons in zebrafish **115**, 421

Beanan, M. J. and Strome, S. Characterization of a germ-line proliferation mutation in *C. elegans* **116**, 755

Beckendorf, S. K. *See* Panzer, S.

Becker, D. L., LeClerc-David, C. and Warner, A. The relationship of gap junctions and compaction in the preimplantation mouse embryo **1992 Supplement,** 113

Becker, T. and Macagno, E. R. CNS control of a critical period for periphral induction of central neurons in the leech **116**, 427

Beddington, R. S. P., Rashbass, P. and Wilson, V. *Brachyury* - a gene affecting mouse gastrulation and early organogenesis **1992 Supplement,** 157

Bedford, M. T. *See* Orr-Urtreger, A.

Behrendtsen, O., Alexander, C. M. and Werb, Z. Metalloproteinases mediate extracellular matrix degradation by cells from mouse blastocyst outgrowths **114**, 447

Beisson, J. *See* Jerka-Dziadosz, M.

Belkin, A. M. *See* Duband, J.-L.

Bellen, H. J., D'Evelyn, D., Harvey, M. and Elledge, S. J. Isolation of temperature-sensitive diphtheria toxins in yeast and their effects on *Drosophila* cells **114**, 787

Bender, W. *See* Simon, J.

Bennett, D. C. *See* Spanakis, E.

Bennett, M. F. *See* Nieto, M. A.

Bennett, R. L. and Hoffman, F. M. Increased levels of the *Drosophila* Abelson tyrosine kinase in nerves and muscles: subcellular localization and mutant phenotypes imply a role in cell-cell interactions **116**, 953

Bentley, D. *See* Chang, W. S.

Bienz, M. *See* Tremml, G.

Bienz, M. *See* Castelli-Gair, J.

Birk, D. E. *See* Hahn, R. A.

Biswal, S. *See* Yancey, S. B.

Black, S. D. *See* Hardin, J.

Blagburn, J. M. *See* Bacon, J. P.

Blair, S. S. *engrailed* expression in the anterior lineage compartment of the developing wing blade of *Drosophila* **115**, 21

Blauer, M., Kohonen, J., Leivonen, I., Vilja, P and Tuohimaa, P. Inhibitin α- and β_A-subunit immunoreactivity in the chicken embryo during morphogenesis **115**, 1079

Blum, M. *See* De Robertis, E. M.

Bodmer, R. *See* Rao, Y.

Bolce, M. E., Hemmati-Brivanlou, A., Kushner, P. D. and Harland, R. M. Ventral ecoderm of *Xenopus* forms neural tissue, including hindbrain, in response to activin **115**, 681

Bolz, J. *See* Gotz, M.

Boncinelli, E. *See* Dekker, E.-J.

Borg, B. *See* Ciapa, B.

Bork, T. *See* Morrison-Graham, K.

Bortier, H. and Vakaet, L. C. A. Fate mapping the neural plate and the intraembryonic mesoblast in the upper layer of the chicken blastoderm with xenografting and time-lapse videography **1992 Supplement,** 93

Bossinger, O. and Schierenberg, E. Transfer and tissue-specific accumulation of cytoplasmic components in embryos of *Caenorhabditis elegans* and *Rhabditis dolichura*: in vivo analysis with a low-cost signal enhancement device **114**, 317

Boucaut, J.-C. *See* Umbhauer, M.

Boucaut, J.-C. *See* Shi, D.-L.
Boucaut, J.-C. *See* Delarue, M.
Bouhidel, K. *See* Lachaume, P.
Boulet, A. M. *See* Lamka, M. L.
Bouvet, P. *See* Legagneux, V.
Bowen-Pope, D. F. *See* Schatteman, G. C.
Bowen-Pope, D. F. *See* Morrison-Graham, K.
Bowerman, B., Tax, F. E., Thomas, J. H. and Priess, J. R. Cell interactions involved in development of the bilaterally symmetrical intestinal valve cells during embryogenesis in *Caenorhabditis elegans* **116**, 1113
Bowman, J. L., Sakai, H., Jack, T., Weigel, D., Mayer, U. and Meyerowitz, E. M. *SUPERMAN*, a regulator of floral homeotic genes in *Arabidopsis* **114**, 599
Braga, V. M. M., Pemberton, L. F., Duhig, T. and Gendler, S. J. Spatial and temporal expression of an epithelial mucin, Muc-1, during mouse development **115**, 427
Braisted, J. E. and Raymond, P. A. Regeneration of dopaminergic neurons in goldfish retina **114**, 913
Brakefield, P. M. *See* French, V.
Brandhorst, B. P. *See* Nisson, P. E.
Breier, G., Albrecht, U., Sterrer, S. and Risau, W. Expression of vascular endothelial growth factor during embryonic angiogenesis and endothelial cell differentiation **114**, 521
Brenner, H. R., Herczeg, A. and Slater, C. R. Synapse-specific expression of acetylcholine receptor genes and their products at original synaptic sites in rat soleus muscle fibres regenerating in the absence of innervation **116**, 41
Brickell, P. M. *See* Rowe, A.
Brill, G., Vaisman, N., Neufeld, G. and Kalcheim, C. BHK-21-derived cell lines that produce basic fibroblast growth factor, but not parental BHK-21 cells, initiate neuronal differentiation of neural crest progenitors **115**, 1059
Bronner-Fraser, M. *See* Serbedzija, G. N.
Bronner-Fraser, M. *See* Lallier, T.
Bronner-Fraser, M. *See* Artinger, K. B.
Bronner-Fraser, M., Artinger, M., Muschler, J. and Horwitz, A. F. Developmentally regulated expression of α_6 integrin in avian embryos **115**, 197
Brookman, J. J., Toosy, A. T., Shashidhara, L. S. and White, R. A. H. The 412 retrotransposon and the development of gonadal mesoderm in *Drosophila* **116**, 1185
Brower, D. L. *See* Bunch, T. A.
Brown, J. M. *See* Izpisua-Belmonte, J. -C.
Brown, K. D. *See* Vaughan, T. J.
Brown, N. A. *See* Hoyle, C.
Brown, S. A. N. *See* Friesel, R.
Bryson, L. *See* Cserjesi, P.
Buck, C. R. *See* Mullen, R. J.
Buffenstein, R. *See* Shamley, D. R.
Bunch, T. A. and Brower, D. L. *Drosophila* PS2 integrin mediates RGD-dependent cell-matrix interactions **116**, 239
Burden, S. J. *See* Jo, S. A.
Burden, S. J. *See* Simon, A. M.
Burkhardt, A. *See* Strange, R.
Bustin, M. *See* Clarke, H. J.

Cabrera, C. V. The generation of cell diversity during early neurogenesis in *Drosophila* **115**, 893
Campos, A. R., Fischbach, K.-F. and Steller, H. Survival of photoreceptor neurons in the compound eye of *Drosophila* depends on connections with the optic ganglia **114**, 355
Campos-Ortega, J. A. *See* Bayer, T. A.
Candia, A. F., Hu, J., Crosby, J., Lalley, P. A., Noden, D., Nadeau, J. H. and Wright, C. V. E. *Mox-1* and *Mox-2* define a novel homeobox gene subfamily and are differentially expressed during early mesodermal patterning in mouse embryos **116**, 1123
Capovilla, M., Eldon, E. D. and Pirrotta, V. The *giant* gene of *Drosophila* encodes a b-ZIP DNA-binding protein that regulates the expression of other segmentation gap genes **114**, 99
Carette, M. J. M. and Ferguson, M. W. J. The fate of medial edge epithelial cells during palatal fusion in vitro: an analysis by Dil labelling and confocal microscopy **114**, 379
Caron, L. A. *See* Xu, T.
Carroll, S. B. *See* Skeath, J. B.
Casal, J. *See* Leptin, M.
Castelli-Gair, J., Muller, J. and Bienz, M. Function of an *Ultrabithorax* minigene in imaginal cells **114**, 877
Cate, R. L. *See* di Clemente, N.
Cepko, C. *See* Lillien, L.
Cepko, C. *See* Altshuler, D.
Cepko, C. L. *See* Guillemot, F.
Cereghini, S., Ott, M.-O., Power, S. and Maury, M. Expression patterns of vHNF1 and HNF1 homeoproteins in early postimplantation embryos suggest distinct and sequential developmental roles **116**, 783
Chahine, K. G., Walke, W. and Goldman, D. A 102 base pair sequence of the nicotinic acetylcholine receptor delta-subunit gene confers regulation by muscle electrical activity **115**, 213
Chakrabarti, A., Matthews, G., Colman, A. and Dale, L. Secretory and inductive properties of *Drosophila wingless* protein in *Xenopus* oocytes and embryos **115**, 355
Chambon, P. *See* Ruberte, E.
Chan, C.-T. J. *See* Poirier, F.
Chandrasekhar, A., Ennis, H. L. and Soll, D. R. Biological and molecular correlates between induced dedifferentiation and spore germination in *Dictyostelium* **116**, 417
Chang, P. *See* Sardet, C.
Chang, S., Fan, J. and Nayak, J. Pathfinding by cranial nerve VII(facial) motorneurons in the chick hindbrain **114**, 815
Chang, W. S., Serikawa, K., Allen, K. and Bentley, D. Disruption of pioneer growth cone guidance in vivo by removal of glycosyl-phosphatidylinositol-anchored cell surface proteins **114**, 507
Chapman, V. *See* Wu, H.
Charbonneau, M. *See* Grandin, N.
Charnay, P. *See* Nieto, M. A.
Charron, M. J. *See* Aghayan, M.
Chasan, R., Jin, Y. and Anderson, K. V. Activation of the *easter* zymogen is regulated by five other genes to define dorsal-ventral polarity in the *Drosophila* embryo **115**, 607
Chen, G. *See* Peters, K. G.
Cherbas, P. *See* Andres, A. J.
Cheung, H.-K. *See* Frank, L. H.
Cheung, H.-K., Serano, T. L. and Cohen, R. S. Evidence for a highly selective RNA transport system and its role in establishing the dorsoventral axis of the *Drosophila* egg **114**, 653
Chevalier, S. *See* Legagneux, V.
Chevere-Colon, I. *See* Garcia-Arraras, J. E.
Chiang, A. *See* Simon, J.
Chory, J. A genetic model for light-regulated seedling development in *Arabidopsis* **115**, 337
Christian, J. L. *See* Kimelman, D.
Chuong, C. M., Ting, S., Widelitz, R. B. and Lee, Y.-S. Mechanism of skin morphogenesis. II. Retinoic acid modulates axis orientation and phenotypes of skin appendages **115**, 839
Ciapa, B., Borg, B. and Whitaker, M. Polyphosphoinositide

metabolism during the fertilization wave in sea urchin eggs **115**, 187
Clark, R. *See* Wang, R
Clark, W. H. Jr. *See* Hertzler, P. L.
Clarke, H. J., Oblin, C. and Bustin, M. Developmental regulation of chromatin composition during mouse embryogenesis: somatic histone H1 is first detectable at the 4-cell stage **115**, 791
Clayton, L. *See* Sefton, M.
Clerk, A., Strong, P. N. and Sewry, C. A. Characterisation of dystrophin during development of human skeletal muscle **114**, 395
Clifford, R. and Schupbach, T. The *torpedo* (DER) receptor tyrosine kinase is required at multiple times during *Drosophila* embryogenesis **115**, 853
Close, M. J. *See* Tannahill, D.
Coelho, C. N. D. *See* Ros, M. A.
Coelho, C. N. D., Upholt, W. B. and Kosher, R. A. Role of the chicken homeobox-containing genes *GHox-4.6* and *GHox-8* in the specification of positional identities during the development of normal and polydactylous chick limb buds **115**, 629
Coffman, J. A. *See* Hardin, J.
Cohen, R. S. *See* Frank, L. H.
Cohen, R. S. *See* Cheung, H.-K.
Collarini, E. J. *See* Pringle, N. P.
Collarini, E. J., Kuhn, R., Marshall, C. J., Monuki, E. S., Lemke, G. and Richardson, W. D. Down-regulation of the POU transcription factor SCIP is an early event in oligodendrocyte differentiation in vitro **116**, 193
Colman, A. *See* Chakrabarti, A.
Coltey, P. *See* Cuadros, M. A.
Coltey, P. M. *See* Couly, G. F.
Conlon, R. and Rossant, J. Exogenous retinoic acid rapidly induces anterior ectopic expression of murine *Hox-2* genes in vivo **116**, 357
Cortese, R. *See* Lazzaro, D.
Costantini, F. *See* Lee, J. J.
Cotanche, D. A. *See* Tilney, L. G.
Couly, G. F., Coltey, P. M. and le Douarin, N. M. The developmental fate of the cephalic mesoderm in quail-chick chimeras **114**, 1
Courtot, C., Frankhauser, C., Simanis, V. and Lehner, C. F. The *Drosophila* cdc25 homolog *twine* is required for meiosis **116**, 405
Cowing, D. W. and Kenyon, C. Expression of the homeotic gene *mab-5* during *Caenorhabditis elegans* embryogenesis **116**, 481
Cox, E. C. *See* Vocke, C. D.
Crain, W. R. *See* Nisson, P. E.
Crawley, A. *See* Izpisua-Belmonte, J.-C.
Crocker, L. *See* Powell, B.
Crosby, J. *See* Candia, A. F.
Crossley, J. M. *See* Storey, K. G.
Cserjesi, P., Lilly, B., Bryson, L., Wang, Y., Sassoon, D. A. and Olson, E. A. MHox: a mesodermally restricted homeodomain protein that binds an essential site in the muscle creatine kinase enhancer **115**, 1087
Cuadros, M. A., Coltey, P., Nieto, M. C. and Martin, C. Demonstration of a phagocytic cell system belonging to the hemopoietic lineage and originating from the yolk sac in the early avian embryo **115**, 157
Cui, X. and Doe, C. Q. *ming* is expressed in neuroblast sublineages and regulates gene expression in the *Drosophila* central nervous system **116**, 943
Cumberledge, S., Szabad, J. and Sakonju, S. Gonad formation and development requires the *abd-A* domain of the bithorax complex in *Drosophila melanogaster* **115**, 395
Currie, W. B. *See* Larson, R. C.

D'Evelyn, D. *See* Bellen, H. J.
Dalby, B. and Glover, D. M. 3′ non-translated sequences in *Drosophila* cyclin B transcripts direct posterior pole accumulation late in oogenesis and peri-nuclear association in syncytial embryos **115**, 989
Dale, L. *See* Chakrabarti, A.
Dale, L., Howes, G., Price, B. M. J. and Smith, J. C. Bone morphogenetic protein 4: a ventralising factor in early *Xenopus* development **115**, 573
Darnell, D. K. *See* Bally-Cuif, L.
Darribere, T. *See* Delarue, M.
Davidson, D. R. *See* Steel, K. P.
Dawe, R. K. and Freeling, M. The role of initial cells in maize anther morphogenesis **116**, 1077
Debby, A. *See* Eyal-Giladi, H.
DeFrances, M. C., Wolf, H. K., Michalopoulos, G. K. and Zarneger, R. The presence of hepatocyte growth factor in the developing rat **116**, 387
Dekker, E.-J., Pannese, M., Houtzager, E., Timmermans, A., Boncinelli, E. and Durston, A. *Xenopus* Hox-2 genes are expressed sequentially after the onset of gastrulation and are differentially inducible by retinoic acid **1992 Supplement,** 195
Delannet, M. and Duband, J.-L. Transforming growth factor-β control of cell-substratum adhesion during avian neural crest cell emigration in vitro **116**, 275
Delarue, M., Sanchez, S., Johnson, K. E., Darribere, T. and Boucaut, J.-C. A fate map of superficial and deep circumblastoporal cells in the early gastrula of *Pleurodeles waltl* **114**, 135
Del Buono, R., Fleming, K. A., Morey, A. L., Hall, P. A. and Wright, N. A. A nude mouse xenograft model of fetal intestine development and differentiation **114**, 67
Delpech, B. *See* Marret, S.
De Magistris, L. *See* Lazzaro, D.
Denburg, J. L. *See* Norbeck, B. A.
Dent, M. A. R. *See* Sumi, Y.
De Robertis, E. M. *See* Storey, K. G.
De Robertis, E. M., Blum, M., Niehrs, C. and Steinbeisser, H. *goosecoid* and the organizer **1992 Supplement,** 167
De Simone, V. *See* Lazzaro, D.
DeSimone, D. W. *See* Shi, D.-L.
di Clemente, N., Ghaffari, S., Pepinsky, R. B., Pieau, C., Josso, N., Cate, R. L. and Vigier, B. A quantitative and interspecific test for biological activity of anti-Müllerian hormone: the fetal ovary aromatase assay **114**, 721
Dilworth, S. M. *See* Hopwood, N. D.
DiNardo, S. *See* Gonczy, P.
Do, M.- S. *See* Orr-Urtreger, A.
Doe, C. Q. Molecular markers for identified neuroblasts and ganglion mother cells in the *Drosophila* central nervous system **116**, 855
Doe, C. Q. *See* Cui, X.
Doherty, P., Skaper, S. D., Moore, S. E., Leon, A. and Walsh, F. S. A developmentally regulated switch in neuronal responsiveness to NCAM and N-cadherin in the rat hippocampus **115**, 885
Doll, T. *See* Weisshaar, B.
Domingo, C. *See* Keller, R.
Dominguez, V., Pina, B. and Suau, P. Histone H1 subtype synthesis in neurons and neuroblasts **115**, 181
Doniach, T. Induction of anteroposterior neural pattern in *Xenopus* by planar signals **1992 Supplement,** 183

Donoghue, M. J., Patton, B. L., Sanes, J. R. and Merlie, J. P. An axial gradient of transgene methylation in murine skeletal muscle: genomic imprint of rostrocaudal position **116**, 1101
Drager, U. *See* McCaffery, P.
Duband, J.-L. *See* Delannet, M.
Duband, J.-L., Belkin, A. M., Syfrig, J., Thiery, J. P. and Koteliansky, V. E. Expression of α1 integrin, a laminin-collagen receptor, during myogenesis and neurogenesis in the avian embryo **116**, 585
Duboule, D. *See* Izpisua-Belmonte, J.-C. (2 papers)
Duhig, T. *See* Braga, V. M. M.
Durston, A. *See* Dekker, E.-J.

Ede, D. A. *See* Izpisua-Belmonte, J.-C
Eichele, G. *See* Sundin, O.
Eisen, J. S. *See* Pike, S. H.
Eisenbach, L. *See* Orr-Urtreger, A.
Ekker, M., Wegner, J., Akimenko, M. A. and Westerfield, M. Coordinate embryonic expression of three zebrafish *engrailed* genes **116**, 1001
Eldon, E. D. *See* Capovilla, M.
Elledge, S. J. *See* Bellen, H. J.
Ellinger-Ziegelbauer, H. *See* Gawantka, V.
Ennis, H. L. *See* Chandrasekhar, A.
Ettensohn, C. A. Cell interactions and mesodermal cell fates in the sea urchin embryo **1992 Supplement,** 43
Evans, R. M. *See* Oro, A. E.
Eyal-Giladi, H., Debby, A. and Harel, N. The posterior section of the chick's area pellucida and its involvement in hypoblast and primitive streak formation **116**, 819

Fallon, J. F. *See* Ros, M. A.
Fan, J. *See* Chang, S.
Frankhauser, C. *See* Courtot, C.
Fassler, R. *See* Wu, H.
Fehon, R. G. *See* Xu, T.
Feige, J.-J. *See* Shi, D.-L.
Felsenfeld, G. *See* Minie, M.
Feng, Y. *See* Norbeck, B. A.
Ferguson, E. L. and Anderson, K. V. Localized enhancement and repression of the activity of the TGF-β family member, *decapentaplegic*, is necessary for dorsal-ventral pattern formation in the *Drosophila* embryo **114**, 583
Ferguson, M. W. J. *See* MacKenzie, A.
Ferguson, M. W. J. *See* Carette, M. J. M.
Ferrand, R. *See* Gardahaut, M. F.
Fessard, C. *See* Marret, S.
Fickenscher, H. *See* Poleev, A.
Fidler, A. *See* Poleev, A.
Finkelstein, R. *See* Wieschaus, E.
First, N. L. *See* Hagemann, L. J.
Fischbach, K.-F. *See* Campos, A. R.
Fischer-Vize, J. A., Vize, P. D. and Rubin, G. M. A unique mutation in the *Enhancer of split* gene complex affects the fates of the mystery cells in the developing *Drosophila* eye **115**, 89
Fischer-Vize, J. A., Rubin, G. M. and Lehmann, R. The *fat facets* gene is required for *Drosophila* eye and embryo development **116**, 985
Fjose, A. *See* Krauss, S.
Flamme, I. and Risau, W. Induction of vasculogenesis and hematopoiesis in vitro **116**, 435
Flanders, K. C. *See* Mahmood, R.
Fleming, K. A. *See* Del Buono, R.
Fleming, T. P., Javed, Q. and Hay, M. Epithelial differentiation and intercellular junction formation in the mouse early embryo **1992 Supplement,** 105
Fontaine-Perus, J. *See* Gardahaut, M. F.
Forrest, D. *See* Sjoberg, M.
Francke, U. *See* Wu, H.
Franco del Amo, F. *See* Smith, D. E.
Franco del Amo, F., Smith, D. E., Swiatek, P. J., Gendron-Maguire, M., Greenspan, R. J., McMahon, A. P. and Gridley, T. Expression pattern of *Motch*, a mouse homolog of *Drosophila Notch*, suggests an important role in early postimplantation mouse development **115**, 737
Frank, D. and Harland, R. M. Localized expression of a *Xenopus* POU gene depends on cell-autonomous transcriptional activation and induction-dependent inactivation **115**, 439
Frank, L. H., Cheung, H.-K. and Cohen, R. S. Identification and characterization of *Drosophila* female germ line transcriptional control elements **114**, 481
Fraser, A. *See* Jagerbauer, E.-M.
Fraser, N. *See* Nurcombe, V.
Fraser, S. E. *See* Serbedzija, G. N.
Freeling, M. *See* Dawe, R. K.
Freeman, M., Kimmel, B. E. and Rubin, G. M. Identifying targets of the *rough* homeobox gene of *Drosophila*: evidence that *rhomboid* functions in eye development **116**, 335
French, V. and Brakefield, P. M. The development of eyespot patterns on butterfly wings: morphogen sources or sinks? **116**, 103
Fridmacher, V., Locquet, O. and Magre, S. Differential expression of acidic cytokeratins 18 and 19 during sexual differentiation of the rat gonad **115**, 503
Friederich, V. *See* Ruberte, E.
Friesel, R. and Brown, S. A. N. Spatially restricted expression of fibroblast growth factor receptor-2 during *Xenopus* development **116**, 1051
Friis, R. R. *See* Strange, R.
Fujimoto, H. *See* Ueda, T.
Fukuta, M. *See* Ueno, K.
Fundele, R. *See* Jagerbauer, E.-M.
Furner, I. J. *See* Leyser, H. M. O.
Furner, I. J. and Pumfrey, J. E. Cell fate in the shoot apical meristem of *Arabidopsis* thaliana **115**, 755

Gache, C. *See* Lepage, T.
Gagnon, M. L., Angerer, L. M. and Angerer, R. C. Posttranscriptional regulation of ectoderm-specific gene expression in early sea urchin embryos **114**, 457
Gaillard, J. A. *See* Maunoury, R.
Gallego, R. *See* Martinez, S.
Garcia-Aragon, J., Lobie, P. E., Muscat, G. E. O., Gobius, K. S., Norstedt, G. and Waters, M. J. Prenatal expression of the growth hormone (GH) receptor/binding protein in the rat: a role for GH in embryonic and fetal development? **114**, 869
Garcia-Arraras, J. E., Lugo-Chinchilla, A. M. and Chevere-Colon, I. The expression of neuropeptide Y immunoreactivity in the avian sympathoadrenal system conforms with two models of coexpression development for neurons and chromaffin cells **115**, 617
Gard, D. L. *See* Schroeder, M. M.
Gardahaut, M. F., Fontaine-Perus, J., Rouaud, T., Bandman, E. and Ferrand, R. Developmental modulation of myosin expression by thyroid hormone in avian skeletal muscle **115**, 1121
Garreau de loubresse, N. *See* Jerka-Dziadosz, M.
Gaudette, M. F. *See* Nisson, P. E.
Gaunt, S. J. *See* Geada, A. M. C.
Gawantka, V., Ellinger-Ziegelbauer, H. and Hausen, P. β_1-integrin is a maternal protein that is inserted into all newly

formed plasma membranes during early *Xenopus* embryogenesis **115**, 595
Geada, A. M. C., Gaunt, S. J., Azzawi, M., Shimeld, S. M., Pearce, J. and Sharpe, P. T. Sequence and embryonic expression of the murine *Hox-3.5* gene **116**, 497
Geiger, B. *See* Goncharova, E. J.
Geijo, E. *See* Martinez, S.
Gendler, S. J. *See* Braga, V. M. M.
Gendron-Maguire, M. *See* Franco del Amo, F.
Gennissen, A. *See* Russell, J.
Ghaffari, S. *See* di Clemente, N.
Ghiglione, C. *See* Lepage, T.
Gilardi-Hebenstreit, P. *See* Nieto, M. A.
Gilbert, S. F. *See* Sainio, K.
Gilula, N. B. *See* Risek, B.
Gilula, N. B. *See* Sainio, K.
Girard, N. *See* Marret, S.
Girault, J-M *See* Saint-Jeannet, J-P
Glover, D. M. *See* Dalby, B.
Gluckman, P. D. *See* Klempt, M.
Gobius, K. S. *See* Garcia-Aragon, J.
Goldman, D. *See* Chahine, K. G.
Goldstein, R. S. and Kalcheim, C. Determination of epithelial half-somites in skeletal morphogenesis **116**, 441
Goncharova, E. J., Kam, Z. and Geiger, B. The involvement of adherens junction components in myofibrillogenesis in cultured cardiac myocytes **114**, 173
Gonczy, P., Viswanathan, S. and DiNardo, S. Probing spermatogenesis in *Drosophila* with P-element enhancer detectors **114**, 89
Gonzalez-Reyes, A., Macias, A. and Morata, G. Autocatalysis and phenotypic expression of *Drosophila* homeotic gene *Deformed*: its dependence on polarity and homeotic gene function **116**, 1059
Goode, S., Wright, D. and Mahowald, A. The neurogenic locus *brainiac* cooperates with the *Drosophila* EGF receptor to establish the ovarian follicle and to determine its dorsal-ventral polarity **116**, 177
Goodman, C. S. *See* McAllister, L.
Gotz, M., Novak, N., Bastmeyer, M. and Bolz, J. Membrane-bound molecules in rat cerebral cortex regulate thalamic innervation **116**, 507
Gould, A. P. and White, R. A. H. *Connectin*, a target of homeotic gene control in *Drosophila* **116**, 1163
Gould, J. H. *See* Moffat, K. G.
Graf, T. *See* Queva, C.
Grandin, N. and Charbonneau, M. Intracellular free Ca^{2+} changes during physiological polyspermy in amphibian eggs **114**, 617
Grasser, F. A. *See* Queva, C.
Gray, G. E. and Sanes, J. R. Lineage of radial glia in the chicken optic tectum **114**, 271
Greene, B. *See* Smith, L. G.
Greenspan, R. J. *See* Franco del Amo, F.
Gridley, T. *See* Smith, D. E. (2 papers)
Gridley, T. *See* Franco del Amo, F.
Griffith, C. M. and Hay, E. D. Epithelial-mesenchymal transformation during palatal fusion: carboxyfluorescein traces cells at light and electron microscopic levels **116**, 1087
Grunewald, B. *See* Leptin, M.
Grunwald, G. B. *See* Roark, E. F.
Gruss, P. *See* Poleev, A.
Gruss, P. *See* Puschel, A. W.
Guenet, J.-L. *See* Poirier, F.
Guillemot, F. and Cepko, C. L. Retinal fate and ganglion cell differentiation are potentiated by acidic FGF in an in vitro assay of early retinal development **114**, 743
Gurdon, J. B. *See* Hopwood, N. D.
Gurdon, J. B., Kao, K., Kato, K. and Hopwood, N. D. Muscle gene activation in *Xenopus* requires intercellular communication during gastrula as well as blastula stages **1992 Supplement**, 137
Gustavson, E. *See* Kuhn, D. T.
Guthrie, S. and Lumsden, A. Motor neuron pathfinding following rhombomere reversals in the chick embryo hindbrain **114**, 663

Hagemann, L. J. and First, N. L. Embryonic cytoplasmic extracts rescue murine androgenones to the blastocyst stage **114**, 997
Hahn, R. A. and Birk, D. E. β-D xyloside alters dermatan sulfate proteoglycan synthesis and the organization of the developing avian corneal stroma **115**, 383
Hainski, A. M. and Moody, S. A. *Xenopus* maternal RNAs from a dorsal animal blastomere induce a secondary axis in host embryos **116**, 347
Hake, S. *See* Smith, L. G.
Hall, P. A. *See* Del Buono, R.
Han, B. *See* Wagner, M.
Hardin, J. *See* McClay, D. R.
Hardin, J., Coffman, J. A., Black, S. D. and McClay, D. R. Commitment along the dorsoventral axis of the sea urchin embryo is altered in response to $NiCl_2$ **116**, 671
Harel, N. *See* Eyal-Giladi, H.
Harland, R. M. *See* Bolce, M. E.
Harland, R. M. *See* Frank, D.
Harris, L. L., Talian, J. C. and Zelenka, P. S. Contrasting patterns of c-*myc* and N-*myc* expression in proliferating, quiescent, and differentiating cells of the embryonic chicken lens **115**, 813
Harrison, M. R. *See* Lorenz, H. P.
Hartenstein, A. Y., Rugendorff, A., Tepass, U. and Hartenstein, V. The function of the neurogenic genes during epithelial development in the *Drosophila* embryo **116**, 1203
Hartenstein, V. *See* Hartenstein, A. Y.
Harvey, M. *See* Bellen, H. J.
Hasan, G. and Rosbash, M. *Drosophila* homologs of two mammalian intracellular Ca^{2+}-release channels: identification and expression patterns of the inositol 1,4,5-triphosphate and the ryanodine receptor genes **116**, 967
Hatada, Y. *See* Stern, C. D.
Hausen, P. *See* Gawantka, V.
Hausen, P. *See* Muller, A. H. J.
Hawkins, R. K. *See* Sanyal, S.
Hay, E. D. *See* Griffith, C. M.
Hay, M. *See* Fleming, T. P.
Heasman, J., Torpey, N. and Wylie, C. The role of intermediate filaments in early *Xenopus* development studied by antisense depletion of maternal mRNA **1992 Supplement**, 119
Heath, J. K. *See* Nurcombe, V.
Heikinheimo, K. *See* Miettinen, P. J.
Hemmati-Brivanlou, A. *See* Bolce, M. E.
Henry, J. J., Klueg, K. N. and Raff, R. A. Evolutionary dissociation between cleavage, cell lineage and embryonic axes in sea urchin embryos **114**, 931
Herbst, E. W. *See* Jagerbauer, E.-M.
Herczeg, A. *See* Brenner, H. R.
Herlaar, E. *See* Nurcombe, V.
Herrmann, B. G. *See* Schulte-Merker, S.
Hertzler, P. L. and Clark, W. H. Jr. Cleavage and gastrulation in the shrimp *Sicyonia ingentis*: invagination is accompanied by oriented cell division **116**, 127

Herzlinger, D., Koseki, C., Mikawa, T. and Al-Awqati, Q. Metanephric mesenchume contains multipotent stem cells whose fate is restricted after induction **114**, 565
Heuer, J. G. and Kaufman, T. C. Homeotic genes have specific functional roles in the establishment of the *Drosophila* embryonic peripheral nervous system **115**, 35
Heyner, S. *See* Aghayan, M.
Higashinakagawa, T. *See* Ueda, T.
Hime, G. and Saint, R. Zygotic expression of the pebble locus is required for cytokinesis during the postblastoderm mitoses of *Drosophila* **114**, 165
Hinz, U., Wolk, A. and Renkawitz-Pohl, R. *Ultrabithorax* is a regulator of β3 tubulin expression in the *Drosophila* visceral mesoderm **116**, 543
Hirobe, T. Basic fibroblast growth factor stimulates the sustained proliferation of mouse epidermal melanoblasts in a serum-free medium in the presence of dibutyryl cyclic AMP and keratinocytes **114**, 435
Ho, R. K. *See* Schulte-Merker, S.
Ho, R. K. Cell movements and cell fate during zebrafish gastrulation **1992 Supplement,** 65
Hodgins, M.B. *See* Kam, E.
Hoffman, F. M. *See* Bennett, R. L.
Hofmann, M.-C. *See* Narisawa, S.
Hogan, B. L. M. *See* Jones, C. M.
Holland, L. Z. *See* Holland, P. W. H.
Holland, N. D. *See* Holland, P. W. H.
Holland, P. W. H., Holland, L. Z., Williams, N. A. and Holland, N. D. An amphioxus homeobox gene: sequence conservation, spatial expression during development and insights into vertebrate evolution **116**, 653
Hope, J. *See* Manson, J.
Hoppe, P. *See* Simon, A. M.
Hopwood, N. D. *See* Gurdon, J. B.
Hopwood, N. D., Pluck, A., Gurdon, J. B. and Dilworth, S. M. Expression of XMyoD protein in early *Xenopus laevis* embryos **114**, 31
Horne, K. A. *See* Jahoda, C. A. B.
Horne, K. A. and Jahoda, C. A. B. Restoration of hair growth by surgical implantation of follicular dermal sheath **116**, 563
Horvitz, H. R. *See* Yuan, J.
Horwitz, A. F. *See* Bronner-Fraser, M.
Hotary, K. B. and Robinson, K. R. Evidence of a role for endogenous electrical fields in chick embryo development **114**, 985
Houtzager, E. *See* Dekker, E.-J.
Howard, J. E. *See* Smith, J. C.
Howes, G. *See* Dale, L.
Hoyland, J. *See* Sun, F. Z.
Hoyle, C., Brown, N. A. and Wolpert, L. Development of left/right handedness in chick heart **115**, 1071
Hu, J. *See* Candia, A. F.
Huang, X. *See* Sun, F. Z.
Hui, C.-C. *See* Ueno, K.
Hutchins, A.-M. *See* Klempt, M.

Ignotz, G.G. *See* Larson, R. C.
Ihara, S. and Motobayashi, Y. Wound closure in foetal rat skin **114**, 573
Irish, V. F. and Sussex, I. M. A fate map of the *Arabidopsis* embryonic shoot apical meristem **115**, 745
Isaacs, H. V. *See* Tannahill, D.
Isaacs, H. V. *See* Slack, J. M. W.
Isaacs, H. V., Tannahill, D. and Slack, J. M. W. Expression of a novel FGF in the *Xenopus* embryo. A new candidate inducing factor for mesoderm formation and anteroposterior specification **114**, 711
Izpisua-Belmonte, J. -C., Brown, J. M., Crawley, A., Duboule, D. and Tickle, C. *Hox-4* gene expression in mouse/chicken heterospecific grafts of signalling regions to limb buds reveals similarities in patterning mechanisms **115**, 553
Izpisua-Belmonte, J.-C., Ede, D. A., Tickle, C. and Duboule, D. The mis-expression of posterior *Hox-4* genes in *talpid* (ta^3) mutant wings correlates with the absence of anteroposterior polarity **114**, 959

Jack, T. *See* Bowman, J. L.
Jackson, I. J. *See* Steel, K. P.
Jaenisch, R. *See* Wu, H.
Jagerbauer, E.-M., Fraser, A., Herbst, E. W., Kothary, R. and Fundele, R. Parthenogenetic stem cells in postnatal mouse chimeras **116**, 95
Jahoda, C. A. B. *See* Horne, K. A.
Jahoda, C. A. B. *See* Reynolds, A. J.
Jahoda, C. A. B. Induction of follicle formation and hair growth by vibrissa dermal papillae implanted into rat ear wounds: vibrissa-type fibres are specified **115**, 1103
Jahoda, C. A. B., Horne, K. A., Mauger, A., Bard, S. and Sengel, P. Cellular and extracellular involvement in the regeneration of the rat lower vibrissa follicle **114**, 887
Jakowlew, S. B. *See* Thorp, B. H.
James, P. S. *See* Vaughan, T. J.
Jan, L. Y. *See* Rao, Y.
Jan, Y. N. *See* Rao, Y.
Jansen, H. G. *See* Sanyal, S.
Jarett, L. *See* Aghayan, M.
Javed, Q. *See* Fleming, T. P.
Jeffery, W. R. A gastrulation center in the ascidian egg **1992 Supplement,** 53
Jennings, R. W. *See* Lorenz, H. P.
Jerka-Dziadosz, M., Garreau de loubresse, N. and Beisson, J. Development of surface pattern during division in *Paramecium* II. Defective spatial control in the mutant *kin241* **115**, 319
Jessell, T. M. *See* Ruiz i Altaba, A.
Jessell, T. M. *See* Wagner, M.
Jin, Y. *See* Chasan, R.
Jo, S. A. and Burden, S. J. Synaptic basal lamina contains a signal for synapse-specific transcription **115**, 673
Johansen, T. *See* Krauss, S.
Johnson, G. E. *See* Slack, J. M. W.
Johnson, J. E., Zimmerman, K., Saito, T. and Anderson, D. J. Induction and repression of mammalian *achaete-scute* homologue (MASH) gene expression during neuronal differentiation of P19 embryonal carcinoma cells **114**, 75
Johnson, K. E. *See* Delarue, M.
Johnson, M. H. *See* Sefton, M.
Johnston, P. *See* Noordermeer, J.
Jones, C. M., Lyons, K. M., Lapan, P. M., Wright, C. V. E. and Hogan, B. L. M. DVR-4 (Bone Morphogenetic Protein-4) as a posterior-ventralizing factor in *Xenopus* mesoderm induction **115**, 639
Josso, N. *See* di Clemente, N.

Kalcheim, C. *See* Brill, G.
Kalcheim, C. *See* Goldstein, R. S.
Kam, E. and Hodgins, M.B. Communication compartments in hair follicles and their implication in differentiative control **114**, 389
Kam, Z. *See* Goncharova, E. J.
Kao, K. *See* Gurdon, J. B.
Kapur, R. P., Yost, C. and Palmiter, R. D. A transgenic model for studying development of the enteric nervous system in

normal and aganglionic mice **116**, 167
Kato, K. *See* Gurdon, J. B.
Kaufman, M. H. *See* Manson, J.
Kaufman, T. C. *See* Heuer, J. G.
Kawamura, K. and Kikuyama, S. Evidence that hypophysis and hypothalamus constitute a single entity from the primary stage of histogenesis **115**, 1
Kay, R. R. *See* Anjard, C.
Keller, R. *See* Shih, J. (3 papers)
Keller, R., Shih, J. and Domingo, C. The patterning and functioning of protrusive activity during convergence and extension of the *Xenopus* organiser **1992 Supplement,** 81
Kenyon, C. *See* Waring, D. A.
Kenyon, C. *See* Cowing, D. W.
Kerridge, S. *See* Roder, L.
Kessel, M. Respecification of vertebral identities by retinoic acid **115**, 487
Kikuyama, S. *See* Kawamura, K.
Kimelman, D. and Maas, A. Induction of dorsal and ventral mesoderm by ectopically expressed *Xenopus* basic fibroblast growth factor **114**, 261
Kimelman, D., Christian, J. L. and Moon, R. T. Synergistic principles of development: overlapping patterning systems in *Xenopus* mesoderm induction **116**, 1
Kimmel, B. E. *See* Freeman, M.
Kimura, K.-I. *See* Usui, K.
Kimura, T. *See* Minie, M.
Kinloch, R., Mortillo, S. and Wassarman, P. Transgenic mouse eggs with functional hamster sperm receptors in their zona pellucida **115**, 937
Kinutani, M. *See* Watanabe, M.
Kitamura, K., Takiguchi-Hayashi, K., Sezaki, M., Yamamoto, H. and Takeuchi, T. Avian trunk neural crest cells express a melanogenic trait during early migration from the neural tube: observations with the new monoclonal antibody, "MEBL-1" **114**, 367
Klempt, M., Hutchins, A.-M., Gluckman, P. D. and Skinner, S. J. M. IGF binding protein-2 gene expression and the location of IGF-I and IGF-II in fetal rat lung **115**, 765
Klier, F. G. *See* Risek, B.
Klueg, K. N. *See* Henry, J. J.
Kobayashi, S. *See* Maeda, H.
Kohonen, J. *See* Blauer, M.
Kornberg, T. B. *See* Kuhn, D. T.
Korzh, V. *See* Krauss, S.
Koseki, C. *See* Herzlinger, D.
Kosher, R. A. *See* Coelho, C. N. D.
Kosher, R. A. *See* Ros, M. A.
Koshimizu, U., Watanabe, D., Tajima, Y. and Nishimune, Y. Effects of W (c-*kit*) gene mutation on gametogenesis in male mice: agametic tubular segments in W^f/W^f testes **114**, 861
Koteliansky, V. E. *See* Duband, J.-L.
Koteliansky, V. *See* Saint-Jeannet, J.-P.
Kothary, R. *See* Jagerbauer, E.-M.
Krauss, S., Korzh, V., Fjose, A. and Johansen, T. Expression of four zebrafish *wnt*-related genes during embryogenesis **116**, 249
Krieg, P. A. *See* Ovsenek, N.
Kropf, D. L. *See* Allen, V. W.
Kuhn, D. T., Sawyer, M., Packert, G., Turenchalk, G., Mack, J. A., Sprey, Th. E., Gustavson, E. and Kornberg, T. B. Development of the *D. melanogaster* caudal segments involves suppression of the ventral regions of A8, A9 and A10 **116**, 11
Kuhn, R. *See* Collarini, E. J.
Kumar, N. M. *See* Sainio, K.
Kuo, A. *See* Leder, A.
Kushner, P. D. *See* Bolce, M. E.

Lachaume, P., Bouhidel, K., Mesure, M. and Pinon, H. Spatial and temporal expression of the I factor during oogenesis in *Drosophila melanogaster* **115**, 729
Lafont, F., Rouget, M., Triller, A., Prochiantz, A. and Rousselet, A. In vitro control of neuronal polarity by glycosaminoglycans **114**, 17
Lagunowich, L. A. *See* Roark, E. F.
Lalley, P. A. *See* Candia, A. F.
Lallier, T., Leblanc, G., Artinger, K. B. and Bronner-Fraser, M. Cranial and trunk neural crest cells use different mechanisms for attachment to extracellular matrices **116**, 531
Lamina, P. *See* Spanakis, E.
Lamka, M. L., Boulet, A. M. and Sakonju, S. Ectopic expression of UBX and ABD-B proteins during *Drosophila* embryogenesis: competition, not a functional hierarchy, explains phenotypic suppression **116**, 841
Landis, S. C. *See* Rao, M. S.
Lantz, V., Ambrosio, L. and Schedl, P. The *Drosophila orb* gene is predicted to encode sex-specific germline RNA-binding proteins and has localized transcripts in ovaries and early embryos **115**, 75
Lapan, P. M. *See* Jones, C. M.
Larson, R. C., Ignotz, G.G. and Currie, W. B. Platelet derived growth factor (PDGF) stimulates development of bovine embryos during the fourth cell cycle **115**, 821
Lawrence, P. A. *See* Noordermeer, J.
Lazzaro, D., De Simone, V., De Magistris, L., Lehtonen, E. and Cortese, R. LFB1 and LFB3 homeoproteins are sequentially expressed during kidney development **114**, 469
Leblanc, G. *See* Lallier, T.
LeClerc-David, C. *See* Becker, D. L.
Leder, A., Kuo, A., Shen, M. M. and Leder, P. In situ hybridization reveals co-expression of embryonic and adult α globin genes in the earliest murine erythrocyte progenitors **116**, 1041
Leder, P. *See* Leder, A.
le Douarin, N. M. *See* Rong, P. M.
le Douarin, N. M. *See* Couly, G. F.
le Douarin, N. M. *See* Ordahl, C. P.
Lee, J. J., Radice, G., Perkins, C. P. and Costantini, F. Identification and characterization of a novel, evolutionarily conserved gene disrupted by the murine *Hβ58* embryonic lethal transgene insertion **115**, 277
Lee, K.-H. *See* Wu, H.
Lee, M.-O. *See* McCaffery, P.
Lee, Y.-S. *See* Chuong, C. M.
Leese, H. J. *See* Alexiou, M.
Lefcort, F., Venstrom, K., McDonald, J. A. and Reichardt, L. F. Regulation of expression of fibronectin and its receptor, $\alpha_5\beta_1$, during development and regeneration of peripheral nerve **116**, 767
Legagneux, V., Bouvet, P., Omilli, F., Chevalier, S. and Osborne, H. B. Identification of RNA-binding proteins specific to *Xenopus* Eg maternal mRNAs: association with the portion of Eg2 mRNA that promotes deadenylation in embryos **116**, 1193
Lehmann, R. *See* Fischer-Vize, J. A.
Lehner, C. F. *See* Courtot, C.
Lehtonen, E. *See* Sainio, K.
Lehtonen, E. *See* Lazzaro, D.
Leivonen, I. *See* Blauer, M.
Lemaistre, M. *See* Schimmang, T.
Lemke, G. *See* Collarini, E. J.
Lemke, G. *See* Weinmaster, G.

Lengyel, J. A. *See* Pignoni, F.
Leon, A. *See* Doherty, P.
Leonard, N. *See* Maunoury, R.
Lepage, T., Ghiglione, C. and Gache, C. Spatial and temporal expression pattern during sea urchin embryogenesis of a gene coding for a protease homologous to the human protein BMP-1 and to the product of the *Drosophila* dorsal-ventral patterning gene *tolloid* **114**, 147
Leptin, M., Casal, J., Grunewald, B. and Reuter, R. Mechanisms of early *Drosophila* mesoderm formation **1992 Supplement,** 23
Lettice, L. A. *See* Slack, J. M. W.
Levi, G. *See* Saint-Jeannet, J-P
Leyser, H. M. O. and Furner, I. J. Characterisation of three shoot apical meristem mutants of *Arabidopsis thaliana* **116**, 397
Li, F. *See* Strange, R.
Lillien, L. and Cepko, C. Control of proliferation in the retina: temporal changes in responsiveness to FGF and TGFα **115**, 253
Lilly, B. *See* Cserjesi, P.
Lobie, P. E. *See* Garcia-Aragon, J.
Locquet, O. *See* Fridmacher, V.
Lonai, P. *See* Orr-Urtreger, A. (2 papers)
Longaker, M. T. *See* Lorenz, H. P.
Lorenz, H. P., Longaker, M. T., Perkocha, L. A., Jennings, R. W., Harrison, M. R. and Adzick, N. S. Scarless wound repair: a human fetal skin model **114**, 253
Louvard, D. *See* Maunoury, R.
Luer, K. and Technau, G. M. Primary culture of single ectodermal precursors of *Drosophila* reveals a dorsoventral prepattern of intrinsic neurogenic and epidermogenic capabilities at the early gastrula stage **116**, 377
Lugo-Chinchilla, A. M. *See* Garcia-Arraras, J. E.
Luider, T. M., Peters-van der Sanden, M. J. H., Molenaar, J. C., Tibboel, D., van der Kamp, A. W. M. and Meijers, C. Characterization of HNK-1 antigens during the formation of the avian enteric nervous system **115**, 561
Lumsden, A. *See* Guthrie, S.
Lyons, G. *See* Ros, M. A.
Lyons, K. M. *See* Jones, C. M.

Maas, A. *See* Kimelman, D.
Macagno, E. R. *See* Becker, T.
Macdonald, P. M. The *Drosophila pumilio* gene: an unusually long transcription unit and an unusual protein **114**, 221
Macias, A. *See* Gonzalez-Reyes, A.
Mack, J. A. *See* Kuhn, D. T.
MacKenzie, A., Ferguson, M. W. J. and Sharpe, P. T. Expression patterns of the homeobox gene, *Hox-8* in the mouse embryo suggest a role in specifying tooth initiation and shape **115**, 403
Maeda, H., Yamagata, A., Nishikawa, S., Yoshinaga, K., Kobayashi, S., Nishi, K. and Nishikawa, S.-I. Requirement of c-*kit* for development of intestinal pacemaker system **116**, 369
Magre, S. *See* Fridmacher, V.
Mahdavi, V. *See* Andres, V.
Mahmood, R., Flanders, K. C. and Morriss-Kay, G. M. Interactions between retinoids and TGF βs in mouse morphogenesis **115**, 67
Mahowald, A. *See* Goode, S.
Manson, J., West, J. D., Thomson, V., McBride, P., Kaufman, M. H. and Hope, J. The prion protein gene: a role in mouse embryogenesis? **115**, 117
Marret, S., Delpech, B., Asou, H., Girard, N. and Fessard, C. 0-2A progenitor proliferation is influenced by Type-q astrocyte-secreted hyaluronan **116**, 0
Marshall, C. J. *See* Collarini, E. J.
Martin, C. *See* Cuadros, M. A.
Martin, G. R. *See* Niswander, L.
Martinez Arias, A. *See* Skaer, H.
Martinez, S., Geijo, E., Sanchez-Vives, M. V., Puelles, L. and Gallego, R. Reduced junctional permeability at interrhombomeric boundaries **116**, 1069
Mason, W. *See* Sun, F. Z.
Matthews, G. *See* Chakrabarti, A.
Matus, A. *See* Weisshaar, B.
Matzner, U., von Figura, K. and Pohlmann, R. Expression of the two mannose 6-phosphate receptors is spatially and temporally different during mouse embryogenesis **114**, 965
Mauger, A. *See* Jahoda, C. A. B.
Maunoury, R., Robine, S., Pringault, E., Leonard, N., Gaillard, J. A. and Louvard, D. Developmental regulation of villin gene expression in the epithelial cell lineages of mouse digestive and urogenital tracts **115**, 717
Maury, M. *See* Cereghini, S.
Mayer, U. *See* Bowman, J. L.
McAllister, L., Goodman, C. S. and Zinn, K. Dynamic expression of the cell adhesion fasciclin 1 during embryonic development in *Drosophila* **115**, 267
McBride, P. *See* Manson, J.
McCaffery, P., Lee, M.-O., Wagner, M. A., Sladek, N. E. and Drager, U. Asymmetrical retinoic acid synthesis in the dorsoventral axis of the retina **115**, 371
McClay, D. R. *See* Hardin, J.
McClay, D. R., Armstrong, N. A. and Hardin, J. Pattern formation during gastrulation in the sea urchin embryo **1992 Supplement,** 33
McDonald, J. A. *See* Lefcort, F.
McGrew, L. L. *See* Otte, A. P.
McGrew, L. L., Otte, A. P. and Moon, R. T. Analysis of *Xwnt-4* in embryos of *Xenopus laevis*: A *Wnt* family member expressed in the brain and floor plate **115**, 463
McKeown, M. *See* Oro, A. E.
McMahon, A. P. *See* Franco del Amo, F.
Meijers, C. *See* Luider, T. M.
Melancon, E. F. *See* Pike, S. H.
Merlie, J. P. *See* Donoghue, M. J.
Mesure, M. *See* Lachaume, P.
Meyerowitz, E. M. *See* Bowman, J. L.
Michalopoulos, G. K. *See* DeFrances, M. C.
Miettinen, P. J. and Heikinheimo, K. Transforming growth factor-alpha (TGF-α) and insulin gene expression in human fetal pancreas **114**, 833
Mikawa, T. *See* Herzlinger, D.
Millan, J. L. *See* Narisawa, S.
Miller, J. B. *See* Miner, J. H.
Miner, J. H., Miller, J. B. and Wold, B. J. Skeletal muscle phenotypes initiated by ectopic MyoD in transgenic mouse heart **114**, 853
Minie, M., Kimura, T. and Felsenfeld, G. The developmental switch in the embronic ρ-globin expression is correlated with erythroid lineage-specific differences in transcription factor levels **115**, 1149
Mitrani, E. *See* Ziv, T.
Moazed, D. and O'Farrell, P. H. Maintenance of the *engrailed* expression pattern by *polycomb* group genes in *Drosophila* **116**, 805
Moffat, K. G., Gould, J. H., Smith, H. K. and O'Kane, C. J. Inducible cell ablation in *Drosophila* by cold-sensitive ricin A chain **114**, 681
Mohler, J. and Vani, K. Molecular organization and embryonic expression of the *hedgehog* gene involved in cell-cell

communication in segmental patterning of *Drosophila* **115**, 957
Molenaar, J. C. *See* Luider, T. M.
Monuki, E. S. *See* Collarini, E. J.
Moody, S. A. *See* Hainski, A. M.
Moon, R. T. *See* McGrew, L. L.
Moon, R. T. *See* Kimelman, D.
Moon, R. T. *See* Otte, A. P.
Moor, R. M. *See* Sun, F. Z.
Moore, S. E. *See* Doherty, P.
Moore, T. F. and Whittingham, D. G. Imprinting of phosphoribosyltransferases during preimplantation development of the mouse mutant, *Hprt*$^{b\text{-}m3}$ **115**, 1011
Morata, G. *See* Gonzalez-Reyes, A.
Morey, A. L. *See* Del Buono, R.
Morris, R. J. *See* Sumi, Y.
Morrison-Graham, K. *See* Schatteman, G. C.
Morrison-Graham, K., Schatteman, G. C., Bork, T., Bowen-Pope, D. F. and Weston, J. A. A PDGF receptor mutation in the mouse (*Patch*) perturbs the development of a non-neuronal subset of neural crest-derived cells **115**, 133
Morriss-Kay, G. *See* Ruberte, E.
Morriss-Kay, G. M. *See* Mahmood, R.
Mortillo, S. *See* Kinloch, R.
Motobayashi, Y. *See* Ihara, S.
Mudhar, H. S. *See* Pringle, N. P.
Mullen, R. J., Buck, C. R. and Smith, A. M. NeuN, a neuronal specific nuclear protein in vertebrates **116**, 201
Muller, A. H. J., Angres, B. and Hausen, P. U-cadherin in *Xenopus* oogenesis and oocyte maturation **114**, 533
Muller, J. *See* Castelli-Gair, J.
Mundlos, S. *See* Poleev, A.
Muscat, G. E. O. *See* Garcia-Aragon, J.
Muschler, J. *See* Bronner-Fraser, M.

Nadal-Ginard, B. *See* Andres, V.
Nadeau, J. H. *See* Candia, A. F.
Nagarajan, L. *See* Tessarollo, L.
Nagel, J. *See* Nagel, M.-D.
Nagel, M.-D. and Nagel, J. Erythroid colony formation by fetal rat liver and spleen cells in vitro: inhibition by a low relative molecular mass component of fetal spleen **114**, 213
Naito, M. *See* Watanabe, M.
Nardelli-Haefliger, D. and Shankland, M. *Lox2*, a putative leech segment identity gene, is expressed in the same segmental domain in different stem cell lineages **116**, 697
Narisawa, S., Hofmann, M.-C., Ziomek, C. A. and Millan, J. L. Embryonic alkaline phosphatase is expressed at M-phase in the spermatogenic lineage of the mouse **116**, 159
Nasir, A. *See* Reynolds, S. D.
Nathanson, N. M. *See* Otte, A. P.
Nayak, J. *See* Chang, S.
Nelson, B. H. and Weisblat, D. A. Cytoplasmic and cortical determinants interact to specify ectoderm and mesoderm in the leech embryo **115**, 103
Ness, S. A. *See* Queva, C.
Neufeld, G. *See* Brill, G.
Niehrs, C. *See* De Robertis, E. M.
Nieto, M. A., Bennett, M. F., Sargent, M. G. and Wilkinson, D. G. Cloning and developmental expression of *Sna*, a murine homologue of the *Drosophila* snail gene **116**, 227
Nieto, M. A., Gilardi-Hebenstreit, P., Charnay, P. and Wilkinson, D. G. A receptor protein tyrosine kinase implicated in the segmental patterning of the hindbrain and mesoderm **116**, 1137
Nieto, M. C. *See* Cuadros, M. A.
Nishi, K. *See* Maeda, H.
Nishi, M. *See* Sainio, K.
Nishida, H. Regionality of egg cytoplasm that promotes muscle differentiation in embryo of the ascidian, *Halocynthia roretzi* **116**, 521
Nishikawa, S. *See* Maeda, H.
Nishikawa, S. I. *See* Palacios, R.
Nishikawa, S.-I. *See* Maeda, H.
Nishimune, Y. *See* Koshimizu, U.
Nisson, P. E., Gaudette, M. F., Brandhorst, B. P. and Crain, W. R. Mutually exclusive expression of the *Strongylocentrotus purpuratus* Spec1 gene and its *Lytechinus pictus* homologue in cells of hybrid embryos **114**, 193
Niswander, L. and Martin, G. R. *Fgf-4* expression during gastrulation, myogenesis, limb and tooth development in the mouse **114**, 755
Noden, D. *See* Candia, A. F.
Noordermeer, J., Johnston, P., Rijsewijk, F., Nusse, R. and Lawrence, P. A. The consequences of ubiquitous expression of the *wingless* gene in the *Drosophila* embryo **116**, 711
Norbeck, B. A., Feng, Y. and Denburg, J. L. Molecular gradients along the proximal-distal axis of embryonic insect legs: possible guidance cues of pioneer axon growth **116**, 467
Norris, W. E. *See* Storey, K. G.
Norstedt, G. *See* Garcia-Aragon, J.
Nothiger, R. *See* Szabad, J.
Novak, N. *See* Gotz, M.
Nurcombe, V., Fraser, N., Herlaar, E. and Heath, J. K. MK: a pluripotential embryonic stem-cell-derived neuroregulatory factor **116**, 1175
Nusse, R. *See* Noordermeer, J.
Nusse, R. *See* Russell, J.
Nusslein-Volhard, C. *See* Schulte-Merker, S.
Nusslein-Volhard, C. *See* Arora, K.

O'Farrell, P. H. *See* Moazed, D.
O'Kane, C. J. *See* Moffat, K. G.
Obinata, M. *See* Ohneda, O.
Oblin, C. *See* Clarke, H. J.
Ochi, O. *See* Watanabe, M.
Ohneda, O., Yanai, N. and Obinata, M. Combined action of c-Kit and erythropoietin on erythroid progenitor cells **114**, 245
Okada, M. *See* Akiyama, T.
Olate, J. *See* Otte, A. P.
Olson, E. A. *See* Cserjesi, P.
Omilli, F. *See* Legagneux, V.
Opperman, L. A. *See* Shamley, D. R.
Ordahl, C. P. and le Douarin, N. M. Two myogenic lineages in the developing somite **114**, 339
Oro, A. E., McKeown, M. and Evans, R. M. The *Drosophila* retinoid X receptor homolog *ultraspiracle* functions in both female reproduction and eye morphogenesis **115**, 449
Orr-Urtreger, A. and Lonai, P. Platelet-derived growth factor-A and its receptor are expressed in separate, but adjacent cell layers of the mouse embryo **115**, 1045
Orr-Urtreger, A., Bedford, M. T., Do, M.- S., Eisenbach, L. and Lonai, P. Developmental expression of the α receptor for platelet-derived growth factor A, which is deleted in the embryonic lethal *Patch* mutation **115**, 289
Osborne, H. B. *See* Legagneux, V.
Ott, M.-O. *See* Cereghini, S.
Otte, A. P. *See* McGrew, L. L.
Otte, A. P., McGrew, L. L., Olate, J., Nathanson, N. M. and Moon, R. T. Expression and potential functions of G-protein a subunits in embrys of *Xenopus laevis* **116**, 141
Ovsenek, N., Zorn, A. M. and Krieg, P. A. A maternal factor,

OZ-1, activates embryonic transcription of the *Xenopus laevis* GS17 gene **115**, 649
Owen, D. E. *See* Sumi, Y.

Packert, G. *See* Kuhn, D. T.
Palacios, R. and Nishikawa, S. I. Developmentally regulated cell surface expression and function of c-*kit* receptor during lymphocyte in the embryo and adult mice **115**, 1133
Palis, J. *See* Reynolds, S. D.
Palmiter, R. D. *See* Kapur, R. P.
Pannese, M. *See* Dekker, E.-J.
Panzer, S., Weigel, D. and Beckendorf, S. K. Organogenesis in *Drosophila melanogaster*: embryonic salivary gland determination is controlled by homeotic and dorsoventral patterning genes **114**, 49
Parada, L. F. *See* Tessarollo, L.
Paradies, N. E. *See* Roark, E. F.
Pascall, J. C. *See* Vaughan, T. J.
Patterson, P. H. *See* Rao, M. S.
Patton, B. L. *See* Donoghue, M. J.
Pearce, J. *See* Geada, A. M. C.
Pearce, J. J. H., Singh, P. B., Gaunt, S. J. The mouse has a *Polycomb*-like chromobox gene **114**, 921
Pemberton, L. F. *See* Braga, V. M. M.
Pepinsky, R. B. *See* di Clemente, N.
Perez, S.E. *See* Winberg, M. L.
Perkins, C. P. *See* Lee, J. J.
Perkocha, L. A. *See* Lorenz, H. P.
Perrimon, N. *See* Wieschaus, E.
Peters, G. *See* Tannahill, D.
Peters, K. G., Werner, S., Chen, G. and Williams, L. T. Two FGF receptor genes are differentially expressed in epithelial and mesenchymal tissues during limb formation and organogenesis in the mouse **114**, 233
Peters-van der Sanden, M. J. H. *See* Luider, T. M.
Pieau, C. *See* di Clemente, N.
Pignoni, F., Steingrimsson, E. and Lengyel, J. A. *bicoid* and the terminal system activate *tailess* expression in the early *Drosophila* embryo **115**, 239
Pike, S. H., Melancon, E. F. and Eisen, J. S. Pathfinding by zebrafish motoneurons in the absence of normal pioneer axons **114**, 825
Pina, B. *See* Dominguez, V.
Pinaud, S. *See* Anjard, C.
Pinon, H. *See* Lachaume, P.
Pintar, J. E. *See* Wood, T. L.
Pirrotta, V. *See* Capovilla, M.
Plachov, D. *See* Poleev, A.
Pluck, A. *See* Hopwood, N. D.
Pohlmann, R. *See* Matzner, U.
Poirier, F., Timmons, P. M., Chan, C.-T. J., Guenet, J.-L. and Rigby, P. W. J. Expression of the L14 lectin during mouse embryogenesis suggests multiple roles during pre- and post-implantation development **115**, 143
Poleev, A., Fickenscher, H., Mundlos, S., Winterpacht, A., Zabel, B., Fidler, A., Gruss, P. and Plachov, D. *PAX8*, a human paired box gene: isolation and expression in developing thyroid, kidney and Wilms' tumors **116**, 611
Powell, B., Crocker, L. and Rogers, G. Hair follicle differentiation: expression, structure and evolutionary conservation of the hair type II keratin intermediate filament gene family **114**, 417
Power, S. *See* Cereghini, S.
Price, B. M. J. *See* Dale, L.
Priess, J. R. *See* Bowerman, B.
Pringault, E. *See* Maunoury, R.
Pringle, N. P., Mudhar, H. S., Collarini, E. J. and Richardson, W. D. PDGF receptors in the rat CNS: during late neurogenesis, PDGF alpha-receptor expression appears to be restricted to glial cells of the oligodendrocyte lineage **115**, 535
Prochiantz, A. *See* Lafont, F.
Pruitt, S. C. Expression of a *Pax-3*- and neuroectoderm-inducing activities during differentiation of P19 embryonal carcinoma stem cells **116**, 573
Puelles, L. *See* Martinez, S.
Pumfrey, J. E. *See* Furner, I. J.
Puschel, A. W., Gruss, P. and Westerfield, M. Sequence and expression pattern of *pax-6* are highly conserved between zebrafish and mice **114**, 643

Queva, C., Ness, S. A., Grasser, F. A., Graf, T., Vandenbunder, B. and Stehelin, D. Expression patterns of c-myb and of v-myb induced myeloid-1 (mim-1) gene during the development of the chick embryo **114**, 125

Radice, G. *See* Lee, J. J.
Raff, M. C. *See* Watanabe, T.
Raff, R. A. Evolution of developmental decisions and morphogenesis: the view from two camps **1992 Supplement**, 15
Raff, R. A. *See* Henry, J. J.
Rao, L. V. *See* Aghayan, M.
Rao, M. S., Patterson, P. H. and Landis, S. C. Multiple cholinergic differentiation factors are present in footpad extracts: comparison with known cholinergic factors **116**, 731
Rao, Y., Bodmer, R., Jan, L. Y. and Jan, Y. N. The *big brain* gene of *Drosophila* functions to control the number of neuronal precursors in the peripheral nervous system **116**, 31
Rashbass, P. *See* Beddington, R. S. P.
Raymond, P. A. *See* Braisted, J. E.
Raz, E. and Shilo, B.-Z. Dissection of the *faint little ball (flb)* phenotype: determination of the development of the *Drosophila* central nervous system by early interactions in the ectoderm **114**, 113
Reichardt, L. F. *See* Lefcort, F.
Renkawitz-Pohl, R. *See* Hinz, U.
Reuter, R. *See* Leptin, M.
Revel, J.-P. *See* Yancey, S. B.
Reymond, C. D. *See* Anjard, C.
Reynolds, A. J. and Jahoda, C. A. B. Cultured dermal papilla cells induce follicle formation and hair growth by transdifferentiation of an adult epidermis **115**, 587
Reynolds, S. D., Angerer, L. M., Palis, J., Nasir, A. and Angerer, R. C. Early mRNAs, spatially restricted along the animal-vegetal axis of sea urchin embryos, include one encoding a protein related to tolloid and BMP-1 **114**, 769
Richardson, W. D. *See* Pringle, N. P.
Richardson, W. D. *See* Collarini, E. J.
Richman, J. M. *See* Rowe, A.
Rigby, P. W. J. *See* Poirier, F.
Rijsewijk, F. *See* Noordermeer, J.
Riou, J.-F. *See* Shi, D.-L.
Riou, J.-F. *See* Umbhauer, M.
Risau, W. *See* Flamme, I.
Risau, W. *See* Breier, G.
Risek, B., Klier, F. G. and Gilula, N. B. Multiple gap junction genes are utilized during rat skin and hair development **116**, 639
Roark, E. F., Paradies, N. E., Lagunowich, L. A. and Grunwald, G. B. Evidence for endogenous proteases, mRNA level and insulin as multiple mechanisms of N-cadherin down-regulation during retinal development **114**, 973

Roberts, V. J. *See* Weinmaster, G.
Robine, S. *See* Maunoury, R.
Robinson, K. R. *See* Hotary, K. B.
Roder, L., Vola, C. and Kerridge, S. The role of the *teashirt* gene in trunk segmental identity in *Drosophila* **115**, 1017
Rogers, G. *See* Powell, B.
Rohrer, H. *See* Rudel, C.
Rohrer, H. Cholinergic neuronal differentiation factors: evidence for the presence of both CNTF-like and non-CNTF-like factors in developing rat footpad **114**, 689
Rong, P. M., Teillet, M.-A., Ziller, C. and le Douarin, N. M. The neural tube/notochord complex is necessary for vertebral but not limb and body wall striated muscle differentiation **115**, 657
Ros, M. A., Lyons, G., Kosher, R. A., Upholt, W. B., Coelho, C. N. D. and Fallon, J. F. Apical ridge dependent and independent mesodermal domains of *GHox-7* and *GHox-8* expression in chick limb buds **116**, 811
Rosbash, M. *See* Hasan, G.
Ross, F. P. *See* Shamley, D. R.
Rossant, J. *See* Conlon, R.
Rouaud, T. *See* Gardahaut, M. F.
Rouget, M. *See* Lafont, F.
Rousselet, A. *See* Lafont, F.
Rowe, A., Richman, J. M. and Brickell, P. M. Development of the spatial pattern of retinoic acid receptor-β transcripts in embryonic chick facial primordia **114**, 805
Ruberte, E., Friederich, V., Morriss-Kay, G. and Chambon, P. Differential distribution patterns of CRABP I and CRABP II transcripts during mouse embryogenesis **115**, 973
Rubin, G. M. *See* Fischer-Vize, J. A. (2 papers)
Rubin, G. M. *See* Freeman, M.
Rudel, C. and Rohrer, H. Analysis of glia cell differentiation in the developing chick peripheral nervous system: sensory and sympathetic satellite cells express different cell surface antigens **115**, 519
Rugendorff, A. *See* Hartenstein, A. Y.
Ruiz i Altaba, A. Planar and vertical signals in the induction and patterning of the *Xenopus* nervous system **116**, 67
Ruiz i Altaba, A. and Jessell, T. M. *Pintallavis*, a gene expressed in the organizer and midline cells of frog embryos: involvement in the development of the neural axis **116**, 81
Russell, J., Gennissen, A. and Nusse, R. Isolation and expression of two novel *Wnt/wingless* gene homologues in *Drosophila* **115**, 475
Ruther, U. *See* Schimmang, T.
Rutishauser, U. NCAM and its polysialic acid moiety: a mechanism for pull/push regulation of cell interactions during development? **1992 Supplement**, 99

Sainio, K., Gilbert, S. F., Lehtonen, E., Nishi, M., Kumar, N. M., Gilula, N. B. and Saxen, L. Differential expression of gap junction mRNAs and proteins in the developing murine kidney and in experimentally induced nephric mesenchumes **115**, 827
Saint, R. *See* Hime, G.
Saint-Jeannet, J-P, Levi, G., Girault, J-M, Koteliansky, V. and Thiery, J-P Ventrolateral regionalization of *Xenopus laevis* mesoderm is characterized by the expression of α-smooth muscle actin **115**, 1165
Saito, T. *See* Johnson, J. E.
Sakai, H. *See* Bowman, J. L.
Sakaki, Y. *See* Ueda, T.
Sakonju, S. *See* Cumberledge, S.
Sakonju, S. *See* Lamka, M. L.
Sanchez, S. *See* Delarue, M.
Sanchez-Vives, M. V. *See* Martinez, S.
Sanes, J. R. *See* Donoghue, M. J.
Sanes, J. R. *See* Gray, G. E.
Sanyal, S., Hawkins, R. K., Jansen, H. G. and Zeilmaker, G. H. Compensatory synaptic growth in the rod terminals as a sequel to partial photoreceptor cell loss in the retina of chimaeric mice **114**, 797
Sardet, C., Speksnijder, J., Terasaki, M. and Chang, P. Polarity of the ascidian egg cortex before fertilization **115**, 221
Sargent, M. G. *See* Nieto, M. A.
Sasaki, H. *See* Ueda, T.
Sassoon, D. A. *See* Cserjesi, P.
Saurer, S. *See* Strange, R.
Sawyer, M. *See* Kuhn, D. T.
Saxen, L. *See* Sainio, K.
Schatteman, G. C. *See* Morrison-Graham, K.
Schatteman, G. C., Morrison-Graham, K., van Koppen, A., Weston, J. A. and Bowen-Pope, D. F. Regulation and role of PDGF receptor α-subunit expression during embryogenesis **115**, 123
Schedl, P. *See* Lantz, V.
Schierenberg, E. *See* Bossinger, O.
Schimmang, T., Lemaistre, M., Vortkamp, A. and Ruther, U. Expression of the zinc finger gene *Gli*3 is affected in the morphogenetic mouse mutant *extra-toes (Xt)* **116**, 799
Schimoni, Y. *See* Ziv, T.
Schmidt-Ott, U. and Technau, G. M. Expression of *en* and *wg* in the embryonic head and brain of *Drosophila* indicates a refolded band of seven segment remnants **116**, 111
Schnieke, A. *See* Wu, H.
Schroeder, M. M. and Gard, D. L. Organization and regulation of cortical microtubules during the first cell cycle of *Xenopus* eggs **114**, 699
Schulte-Merker, S., Ho, R. K., Herrmann, B. G. and Nusslein-Volhard, C. The protein product of the zebrafish homologue of the mouse *T* gene is expressed in nuclei of the germ ring and the notochord of the early embryo **116**, 1021
Schupbach, T. *See* Clifford, R.
Seeley, P. J. *See* Sumi, Y.
Sefton, M., Johnson, M. H. and Clayton, L. Synthesis and phosphorylation of uvomorulin during mouse early development **115**, 313
Selleck, M. A. J. *See* Stern, C. D.
Selleck, M. A. J. and Stern, C. D. Commitment of mesoderm cells in Hensen's node of the chick embryo to notochord and somite **114**, 403
Sengel, P. *See* Jahoda, C. A. B.
Serano, T. L. *See* Cheung, H.-K.
Serbedzija, G. N., Bronner-Fraser, M. and Fraser, S. E. Vital dye analysis of cranial neural crest cell migration in the mouse embryo **116**, 297
Serikawa, K. *See* Chang, W. S.
Sewry, C. A. *See* Clerk, A.
Sezaki, M. *See* Kitamura, K.
Shamley, D. R., Opperman, L. A., Buffenstein, R. and Ross, F. P. Ontogeny of calbindin-D_{28k} and calbindin-D_{9k} in the mouse kidney, duodenum, cerebellum and placenta **116**, 491
Shankland, M. *See* Nardelli-Haefliger, D.
Sharpe, C. R. Retinoic acid and the late phase of neural induction **1992 Supplement**, 203
Sharpe, P. T. *See* Geada, A. M. C.
Sharpe, P. T. *See* MacKenzie, A.
Shashidhara, L. S. *See* Brookman, J. J.
Shen, M. M. *See* Leder, A.
Shi, D.-L., Feige, J.-J., Riou, J.-F., DeSimone, D. W. and Boucaut, J.-C. Differential expression and regulation of two distinct fibroblast growth factor receptors during early

development of the urodele amphibian *Pleurodeles waltl* **116**, 261
Shih, J. *See* Keller, R.
Shih, J. and Keller, R. The epithelium of the dorsal marginal zone of *Xenopus* has organizer properties **116**, 887
Shih, J. and Keller, R. Cell motility driving mediolateral intercalation in explants of *Xenopus laevis* **116**, 901
Shih, J. and Keller, R. Patterns of cell motility in the organizer and dorsal mesoderm of *Xenopus laevis* **116**, 915
Shilo, B.-Z. *See* Raz, E.
Shimamura, K. and Takeichi, M. Local and transient expression of E-cadherin involved in mouse embryonic brain morphogenesis **116**, 1011
Shimeld, S. M. *See* Geada, A. M. C.
Simanis, V. *See* Courtot, C.
Simon, A. M., Hoppe, P. and Burden, S. J. Spatial restriction of AChR gene expression to subsynaptic nuclei **114**, 545
Simon, J., Chiang, A. and Bender, W. Ten different *Polycomb* group genes are required for spatial control of the *abdA* and *AbdB* homeotic products **114**, 493
Sjoberg, M., Vennstrom, B. and Forrest, D. Thyroid hormone receptors in chick retinal development: differential expression of mRNAs for α and N-terminal variant β receptors **114**, 39
Skaer, H. and Martinez Arias, A. The *wingless* product is required for cell proliferation in the Malpighian tubule anlage of *Drosophila melanogaster* **116**, 745
Skaper, S. D. *See* Doherty, P.
Skeath, J. B. and Carroll, S. B. Regulation of proneural gene expression and cell fate during neuroblast segregation in the *Drosophila* embryo **114**, 939
Skinner, S. J. M. *See* Klempt, M.
Slack, J. M. W. *See* Tannahill, D.
Slack, J. M. W. *See* Isaacs, H. V.
Slack, J. M. W. and Tannahill, D. Mechanism of anteroposterior axis specificiation in vertebrates: lessons from the amphibians **114**, 285
Slack, J. M. W., Isaacs, H. V., Johnson, G. E., Lettice, L. A., Tannahill, D. and Thompson, J. Specification of the body plan during *Xenopus* gastrulation: dorsoventral and anteroposterior patterning of the mesoderm **1992 Supplement**, 143
Sladek, N. E. *See* McCaffery, P.
Slater, C. R. *See* Brenner, H. R.
Smiley, S. *See* Theurkauf, W. E.
Smith, A. M. *See* Mullen, R. J.
Smith, D. E. *See* Franco del Amo, F.
Smith, D. E. and Gridley, T. Differential screening of a PCR-generated mouse embryo cDNA library: glucose transporters are differentially expressed in early postimplantation mouse embryos **116**, 555
Smith, D. E., Franco del Amo, F. and Gridley, T. Isolation of *Sna*, a mouse gene homologous to the *Drosophila* genes *snail* and *escargot*: its expression pattern suggests multiple roles during postimplantation development **116**, 1033
Smith, H. K. *See* Moffat, K. G.
Smith, J. C. *See* Dale, L.
Smith, J. C. *See* Umbhauer, M.
Smith, J. C. and Howard, J. E. Mesoderm-inducing factors and the control of gastrulation **1992 Supplement**, 127
Smith, L. G., Greene, B., Veit, B. and Hake, S. A dominant mutation in the maize homeobox gene, *Knotted-1*, causes its ectopic expression in leaf cells with altered fates **116**, 21
Smith, R. M. *See* Aghayan, M.
Soll, D. R. *See* Chandrasekhar, A.
Solursh, M. *See* Swiderski, R. E.
Spanakis, E., Lamina, P. and Bennett, D. C. Effects of the developmental colour mutations silver and recessive spotting on proliferation of diploid and immortal mouse melanocytes in culture **114**, 675
Speksnijder, J. *See* Sardet, C.
Sprey, Th. E. *See* Kuhn, D. T.
Spring, J. *See* Umbhauer, M.
Staels, B. and Auwerx, J. Perturbation of developmental gene expression in rat liver by fibric acid derivatives: lipoprotein lipase and α-fetoprotein as models **115**, 1035
Steel, K. P., Davidson, D. R. and Jackson, I. J. TRP-2/DT, a new early melanoblast marker, shows that steel growth factor (c-kit ligand) is a survival factor **115**, 1111
Stehelin, D. *See* Queva, C.
Steinbeisser, H. *See* De Robertis, E. M.
Steingrimsson, E. *See* Pignoni, F.
Steller, H. *See* Winberg, M. L.
Steller, H. *See* Campos, A. R.
Stern, C. D. *See* Selleck, M. A. J.
Stern, C. D. *See* Storey, K. G.
Stern, C. D., Hatada, Y., Selleck, M. A. J. and Storey, K. G. Relationships between mesoderm induction and the embryonic axes in chick and frog embryos **1992 Supplement**, 151
Sterrer, S. *See* Breier, G.
Storey, K. G. *See* Stern, C. D.
Storey, K. G., Crossley, J. M., De Robertis, E. M., Norris, W. E. and Stern, C. D. Neural induction and regionalisation in the chick embryo **114**, 729
Strange, R., Li, F., Saurer, S., Burkhardt, A. and Friis, R. R. Apoptotic cell death and tissue remodelling during mouse mammary gland involution **115**, 49
Streck, R. D. *See* Wood, T. L.
Strome, S. *See* Beanan, M. J.
Strong, P. N. *See* Clerk, A.
Suau, P. *See* Dominguez, V.
Sumi, Y., Dent, M. A. R., Owen, D. E., Seeley, P. J. and Morris, R. J. The expression of tissue and urokinase-type plasminogen activators in neural development suggests different modes of proteolytic involvement in neuronal growth **116**, 625
Sun, F. Z., Hoyland, J., Huang, X., Mason, W. and Moor, R. M. A comparison of intracellular changes in porcine eggs after fertilization and electro activation **115**, 947
Sundin, O. and Eichele, G. An early marker of axial pattern in the chick embryo and its respecification by retinoic acid **114**, 841
Sussex, I. M. *See* Irish, V. F.
Suzuki, R. *See* Ueda, T.
Suzuki, Y. *See* Ueno, K.
Swiatek, P. J. *See* Franco del Amo, F.
Swiderski, R. E. and Solursh, M. Differential co-expression of long and short form type IX collagen transcripts during avian limb chondrogenesis in ovo **115**, 169
Syfrig, J. *See* Duband, J.-L.
Szabad, J. *See* Cumberledge, S.
Szabad, J. and Nothiger, R. Gynandromorphs of *Drosophila* suggest one common primordium for the somatic cells of the female and male gonads in the region of abdominal segments 4 and 5 **115**, 527

Tabin, C. J. Why we have (only) five fingers per hand: Hox genes and the evolution of paired limbs **116**, 289
Tajima, Y. *See* Koshimizu, U.
Takashima, Y. *See* Watanabe, M.
Takeichi, M. *See* Shimamura, K.
Takeuchi, T. *See* Kitamura, K.
Takiguchi-Hayashi, K. *See* Kitamura, K.
Talian, J. C. *See* Harris, L. L.
Tam, P. P. L. and Tan, S-S. The somitogenetic potential of cells

in the primitive streak and the tail bud of the organogenesis-stage mouse embryo **115**, 703
Tan, S-S. *See* Tam, P. P. L.
Tannahill, D. *See* Slack, J. M. W. (2 papers)
Tannahill, D. *See* Isaacs, H. V.
Tannahill, D., Isaacs, H. V., Close, M. J., Peters, G. and Slack, J. M. W. Developmental expression of the *Xenopus int-2* (FGF-3) gene: activation by mesodermal and neural induction **115**, 695
Tax, F. E. *See* Bowerman, B.
Taylor, B. J. and Truman, J. W. Commitment of abdominal neuroblasts in *Drosophila* to a male or female fate is dependent on genes of the sex-determing hierarchy **114**, 625
Technau, G. M. *See* Schmidt-Ott, U.
Technau, G. M. *See* Luer, K.
Teillet, M.-A. *See* Rong, P. M.
Tepass, U. *See* Hartenstein, A. Y.
Terasaki, M. *See* Sardet, C.
Tessarollo, L., Nagarajan, L. and Parada, L. F. c-*ros*: the vertebrate homolog of the *sevenless* tyrosine kinase receptor is tightly regulated during organogenesis in mouse embryonic development **115**, 11
Theurkauf, W. E., Smiley, S., Wong, M. L. and Alberts, B. M. Reorganization of the cytoskeleton during *Drosophila* oogenesis: implications for axis specification and intercellular transport **115**, 923
Thiery, J.-P. *See* Saint-Jeannet, J.-P.
Thiery, J.-P. *See* Duband, J.-L.
Thisse, B. *See* Thisse, C.
Thisse, C. and Thisse, B. Dorsoventral development of the *Drosophila* embryo is controlled by a cascade of transcriptional regulators **1992 Supplement,** 173
Thomas, J. H. *See* Bowerman, B.
Thompson, J. *See* Slack, J. M. W.
Thomson, V. *See* Manson, J.
Thorens, B. *See* Aghayan, M.
Thorp, B. H., Anderson, I. and Jakowlew, S. B. Transforming Growth Factor-β1, -β2 and β3 in cartilage and bone cells during endochondral ossification in the chick **114**, 907
Tibboel, D. *See* Luider, T. M.
Tickle, C. *See* Izpisua-Belmonte, J.-C. (2 papers)
Tilney, L. G., Cotanche, D. A. and Tilney, M. S. Actin filaments, stereocilia and hair cells of the bird cochlea. VI. How the number and arrangement of stereocilia are determined **116**, 213
Tilney, M. S. *See* Tilney, L. G.
Timmermans, A. *See* Dekker, E.-J.
Timmons, P. M. *See* Poirier, F.
Ting, S. *See* Chuong, C. M.
Toosy, A. T. *See* Brookman, J. J.
Torpey, N. *See* Heasman, J.
Tremml, G. and Bienz, M. Induction of *labial* expression in the *Drosophila* endoderm: response elements for *dpp* signalling and for autoregulation **116**, 447
Triller, A. *See* Lafont, F.
Trinkhaus, J. P. The midblastula transition, the YSL transition and the onset of gastrulation in *Fundulus* **1992 Supplement,** 75
Truman, J. W. *See* Taylor, B. J.
Tuohimaa, P. *See* Blauer, M.
Turenchalk, G. *See* Kuhn, D. T.

Ueda, T., Yamazaki, K., Suzuki, R., Fujimoto, H., Sasaki, H., Sakaki, Y. and Higashinakagawa, T. Parental methylation patterns of a transgenic locus in adult somatic tissues are imprinted during gametogenesis **116**, 831
Ueno, K., Hui, C.-C., Fukuta, M. and Suzuki, Y. Molecular analysis of the deletion mutants in the E homeotic complex of the silkworm *Bombyx mori* **114**, 555
Umbhauer, M., Riou, J.-F., Spring, J., Smith, J. C. and Boucaut, J.-C. Expression of tenascin mRNA in mesoderm during *Xenopus laevis* embryogenesis: the potential role of mesoderm patterning in tenascin regionalization **116**, 147
Upholt, W. B. *See* Coelho, C. N. D.
Upholt, W. B. *See* Ros, M. A.
Usui, K. and Kimura, K.-I. Sensory mother cells are selected from among mitotically quiescent cluster of cells in the wing disc of *Drosophila* **116**, 601

Vaisman, N. *See* Brill, G.
Vakaet, L. C. A. *See* Bortier, H.
van der Kamp, A. W. M. *See* Luider, T. M.
van Koppen, A. *See* Schatteman, G. C.
Vandenbunder, B. *See* Queva, C.
Vani, K. *See* Mohler, J.
Vaughan, T. J., James, P. S., Pascall, J. C. and Brown, K. D. Expression of the genes for TGFα, EGF and the EGF receptor during early pig development **116**, 663
Veit, B. *See* Smith, L. G.
Vennstrom, B. *See* Sjoberg, M.
Venstrom, K. *See* Lefcort, F.
Vigier, B. *See* di Clemente, N.
Vilja, P *See* Blauer, M.
Viswanathan, S. *See* Gonczy, P.
Vize, P. D. *See* Fischer-Vize, J. A.
Vocke, C. D. and Cox, E. C. Establishment and maintenance of stable spatial patterns in *lacZ* fusion transformants of *Polysphondylium pallidum* **115**, 59
Vola, C. *See* Roder, L.
Volk, T. A new member of the spectin superfamily may participate in the formation of embryonic muscle attachments in *Drosophila* **116**, 721
von Figura, K. *See* Matzner, U.
Vortkamp, A. *See* Schimmang, T.

Waelsch, S. G. The causal analysis of development in the past half century: a personal history **1992 Supplement,** 1
Wagner, M. A. *See* McCaffery, P.
Wagner, M., Han, B. and Jessell, T. M. Regional differences in retinoid release from embryonic neural tissue detected by an in vitro reporter assay **116**, 55
Walke, W. *See* Chahine, K. G.
Walsh, F. S. *See* Doherty, P.
Wang, R, Clark, R. and Bautch, V. L. Embryonic stem cell-derived cystic embryoid bodies form vascular channels: an in vitro model of blood vessel development **114**, 303
Wang, Y. *See* Cserjesi, P.
Waring, D. A., Wrischnik, L. and Kenyon, C. Cell signals allow the expression of a pre-existent neural pattern in *C. elegans* **116**, 457
Warner, A. *See* Becker, D. L.
Wassarman, P. *See* Kinloch, R.
Wassef, M. *See* Bally-Cuif, L.
Watanabe, D. *See* Koshimizu, U.
Watanabe, M., Kinutani, M., Naito, M., Ochi, O. and Takashima, Y. Distribution analysis of transferred donor cells in avian blastodermal chimeras **114**, 331
Watanabe, T. and Raff, M. C. Diffusible rod-promoting signals in the developing rat retina **114**, 899
Waters, M. J. *See* Garcia-Aragon, J.
Wegner, J. *See* Ekker, M.
Weigel, D. *See* Panzer, S.

Weigel, D. *See* Bowman, J. L.
Weinmaster, G., Roberts, V. J. and Lemke, G. *Notch2*: a second mammalian *Notch* gene **116**, 931
Weisblat, D. A. *See* Nelson, B. H.
Weisshaar, B., Doll, T. and Matus, A. Reorganisation of the microtubular cytoskeleton by embryonic microtubule-associated protein 2 (MAP2c) **116**, 1151
Werb, Z. *See* Behrendtsen, O.
Werner, S. *See* Peters, K. G.
West, J. D. *See* Manson, J.
Westerfield, M. *See* Ekker, M.
Westerfield, M. *See* Puschel, A. W.
Weston, J. A. *See* Schatteman, G. C.
Weston, J. A. *See* Morrison-Graham, K.
Whitaker, M. *See* Ciapa, B.
White, R. A. H. *See* Brookman, J. J.
White, R. A. H. *See* Gould, A. P.
Whittingham, D. G. *See* Moore, T. F.
Widelitz, R. B. *See* Chuong, C. M.
Wieschaus, E., Perrimon, N. and Finkelstein, R. *orthodenticle* activity is required for the development of medial structures in the larval and adult epidermis of *Drosophila* **115**, 801
Wilkinson, D. G. *See* Nieto, M. A. (2 papers)
Williams, L. T. *See* Peters, K. G.
Williams, N. A. *See* Holland, P. W. H.
Wilson, V. *See* Beddington, R. S. P.
Winberg, M. L., Perez, S.E. and Steller, H. Generation and early differentiation of glial cells in the first optic ganglion of *Drosophila melanogaster* **115**, 903
Winterpacht, A. *See* Poleev, A.
Wold, B. J. *See* Miner, J. H.
Wolf, H. K. *See* DeFrances, M. C.
Wolk, A. *See* Hinz, U.
Wolpert, L. *See* Hoyle, C.
Wolpert, L. Gastrulation and the evolution of development **1992 Supplement,** 7
Wong, M. L. *See* Theurkauf, W. E.
Wood, T. L., Streck, R. D. and Pintar, J. E. Expression of the IGFBP-2 gene in post-implantation rat embryos **114**, 59
Wright, C. V. E. *See* Jones, C. M.
Wright, C. V. E. *See* Candia, A. F.
Wright, D. *See* Goode, S.
Wright, N. A. *See* Del Buono, R.
Wrischnik, L. *See* Waring, D. A.
Wu, H., Fassler, R., Schnieke, A., Barker, D., Lee, K.-H., Chapman, V., Francke, U. and Jaenisch, R. An X-linked human collagen transgene escapes X inactivation in a subset of cells **116**, 687
Wylie, C. *See* Heasman, J.

Xu, T., Caron, L. A., Fehon, R. G. and Artavanis-Tsakonas, S. The involvement of the *Notch* locus in *Drosophila* oogenesis **115**, 913

Yamagata, A. *See* Maeda, H.
Yamamoto, H. *See* Kitamura, K.
Yamazaki, K. *See* Ueda, T.
Yanai, N. *See* Ohneda, O.
Yancey, S. B., Biswal, S. and Revel, J.-P. Spatial and temporal patterns of distribution of the gap junction protein connexin43 during mouse gastrulation and organogenesis **114**, 203
Yoshinaga, K. *See* Maeda, H.
Yost, C. *See* Kapur, R. P.
Yuan, J. and Horvitz, H. R. The *Caenorhabditis elegans* cell death gene *ced-4* encodes a novel protein and is expressed during the period of extensive programmed cell death **116**, 309

Zabel, B. *See* Poleev, A.
Zarneger, R. *See* DeFrances, M. C.
Zeilmaker, G. H. *See* Sanyal, S.
Zelenka, P. S. *See* Harris, L. L.
Ziller, C. *See* Rong, P. M.
Zimmer, A. *See* Zimmer, A.
Zimmer, A. and Zimmer, A. Induction of a RARβ2-lacZ transgene by retinoic acid reflects the neuromeric organization of the central nervous system **116**, 977
Zimmerman, K. *See* Johnson, J. E.
Zinn, K. *See* McAllister, L.
Ziomek, C. A. *See* Narisawa, S.
Ziv, T., Schimoni, Y. and Mitrani, E. Activin can generate ectopic axial structures in chick blastoderm explants **115**, 689
Zorn, A. M. *See* Ovsenek, N.

Subject Index

abd-4
abdominal-A and gonad formation in *Drosophila*: CUMBERLEDGE, SZABAD AND SAKONJU **115**, 395.

Abdominal neuroblast
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625.

abdominal-A
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555.

Abdominal-B
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555.
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.

Abelson tyrosine kinase
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.

Ablation
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681.

Acetylcholine
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545.
electrical regulation of nAChR δ-promoter activity: CHAHINE, WALKE AND GOLDMAN **115**, 213.

Acetylcholine receptor
AChR gene expression in regenerated muscle: BRENNER, HERCZEG AND SLATER **116**, 41.
synapse-specific gene expression: JO AND BURDEN **115**, 673.

achaete-scute
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
neurogenesis in *Drosophila*: CABRERA **115**, 893.

Actin
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.

Actin filament
determination of number and arrangement of stereocilia: TILNEY, COTANCHE AND TILNEY **116**, 213.

α-actinin
a *Drosophila* muscle-specific protein: VOLK **116**, 721.

Activation
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.

Activin
activin promotes expression of neural markers: BOLCE, HEMMATI-BRIVANLOU, KUSHNER AND HARLAND **115**, 681.
BMP-4 and mesoderm induction in *Xenopus*: DALE, HOWES, PRICE AND SMITH **115**, 573.
can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
DVR-4 in *Xenopus* mesoderm induction: JONES, LYONS, LAPAN, WRIGHT AND HOGAN **115**, 639.
inhibin subunits in the chicken embryo: BLAUER, KOHONEN, LEIVONEN, VILJA AND TUOHIMAA **115**, 1079.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.

Activin A
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.

Activin B
Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.

Adenosine 3′ 5′-cyclic monophosphate
mouse melanoblast proliferation in culture: HIROBE **114**, 435.

Adherens junction
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173.

Adhesion
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17.
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
embryonic expression of fasciclin I: MCALLISTER, GOODMAN AND ZINN **115**, 267.

Adhesive preferences
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.

Aldehyde dehydrogenase
retinoic acid synthesis in the mouse retina: MCCAFFERY, LEE, WAGNER, SLADEK AND DRAGER **115**, 371.

Alkaline phosphatase
alkaline phosphatase expression in mouse embryo: NARISAWA, HOFMANN, ZIOMEK AND MILLAN **116**, 159.

Allelic exclusion
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.

cAMP
Dd PK2 overexpression in *Dictyostelium*: ANJARD, PINAUD, KAY AND REYMOND **115**, 785.

Amphibia
origin of hypophysis in *Bufo japonicus*: KAWAMURA AND KIKUYAMA **115**, 1.

Amphibian
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.

Amphibian egg
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.

Amphibian embryo
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.

Amphioxus
Amphioxus homeobox gene: HOLLAND, HOLLAND, WILLIAMS AND HOLLAND **116**, 653.

Androgenone
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.

Angiogenesis
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521.

Animal-vegetal axis
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.

Antennal expression
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.
Antennapedia
mab-5 expression in *Caenorhabditis* embryo: COWING AND KENYON **116**, 481.
Anterior splanchnic mesodermal plate
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
Anteroposterior axis
gene regulation in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493.
Anteroposterior patterning
induction of *Hox-2* genes by retinoic acid: DEKKER, PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
Anteroposterior polarity
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959.
Anteroposterior specification
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711.
Anther
maize anther development: DAWE AND FREELING **116**, 1077.
Antisense oligos
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
Apical ectodermal ridge
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.
Apical meristem
cell fate in *Arabidopsis*: FURNER AND PUMFREY **115**, 755.
fate mapping in *Arabidopsis:* IRISH AND SUSSEX **115**, 745.
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.
Apoptosis
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
APRT
imprinting of phosphoribosyltransferases: MOORE AND WHITTINGHAM **115**, 1011.
Arabidopsis
cell fate in *Arabidopsis*: FURNER AND PUMFREY **115**, 755.
fate mapping in *Arabidopsis:* IRISH AND SUSSEX **115**, 745.
light-regulated development in *Arabidopsis*: CHORY **115**, 337.
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.
SUPERMAN, a regulator of floral homeotic genes in *Arabidopsis*: BOWMAN, SAKAI, JACK, WEIGEL, MAYER AND MEYEROWITZ **114**, 599.
Archenteron
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
Area pellucida
origin of hypoblast and PS in the chick: EYAL-GILADI, DEBBY AND HAREL **116**, 819.
Aromatase
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721.
Ascidian development
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.
Ascidian egg
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.
Ascidian embryogenesis
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.
Asymmetry
directional development in chick heart: HOYLE, BROWN AND WOLPERT **115**, 1071.
Autofluorescence
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
Autonomous transcription
localized expression of a *Xenopus* POU gene: FRANK AND HARLAND **115**, 439.
Autoregulation
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
Avian embryo
α1 integrin expression in avian development: DUBAND, BELKIN, SYFRIG, THIERY AND KOTELIANSKY **116**, 585.
axial organs and muscle differentiation: RONG, TEILLET, ZILLER AND LE DOUARIN **115**, 657.
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
Avian limb
co-expression of different collagen transcripts in ovo: SWIDERSKI AND SOLURSH **115**, 169.
Axial gradient
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.
Axial mesoderm
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.
Axial structure
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
Axis
gene regulation in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.
Axis formation
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
Axis orientation
RA gradient alters feather axial orientation: CHUONG, TING,

WIDELITZ AND LEE **115**, 839.
Axis specification
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493.
Axon guidance
embryonic expression of fasciclin I: MCALLISTER, GOODMAN AND ZINN **115**, 267.
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
molecular gradient cues for pioneer axon growth: NORBECK, FENG AND DENBURG **116**, 467.
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815.
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
Axon outgrowth
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.
Axonal pathfinding
development of thalamocortical connections: GOTZ, NOVAK, BASTMEYER AND BOLZ **116**, 507.
Azaserine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.

Basal body
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
Basal lamina
AChR gene expression in regenerated muscle: BRENNER, HERCZEG AND SLATER **116**, 41.
molecular gradient cues for pioneer axon growth: NORBECK, FENG AND DENBURG **116**, 467.
Basement membrane
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
Basic fibroblast growth factor
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261.
mouse melanoblast proliferation in culture: HIROBE **114**, 435.
Basic helix-loop-helix
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
β-cell
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.
BHK-21(baby hamster kidney cell)
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
Bicaudal
mitochondrial activity in *Drosophila* embryos: AKIYAMA AND OKADA **115**, 1175.
bicoid
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
big brain (bib)
controls peripheral neuronal precursor number: RAO, BODMER, JAN AND JAN **116**, 31.
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
Bilateral symmetry
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
Binding protein
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869.
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
Bithorax complex
abdominal-A and gonad formation in *Drosophila*: CUMBERLEDGE, SZABAD AND SAKONJU **115**, 395.
Drosophila caudal segment development: KUHN, SAWYER, PACKERT, TURENCHALK, MACK, SPREY, GUSTAVSON AND KORNBERG **116**, 11.
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493.
Blastocyst
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.
Blastoderm
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331.
Blastomere
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.
Blastula
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.
Blood vessel
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303.
BMP-1
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
BMP-4
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
Bombyx mori
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555.
Bone
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Bone morphogenetic protein-4
BMP-4 and mesoderm induction in *Xenopus*: DALE, HOWES, PRICE AND SMITH **115**, 573.
Boundary formation
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.

Bovine embryo
PDGF effects on bovine embryos: LARSON, IGNOTZ AND CURRIE **115**, 821.
Brachydanio
cell fate in the zebrafish: HO **1992 Supplement,** 65.
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.
Brachyury
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.
Brain
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.
expression of *Xwnt-4* during early *Xenopus* development: MCGREW, OTTE AND MOON **115**, 463.
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521.
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.
Brain development
embryonic development of *Drosophila* head: SCHMIDT-OTT AND TECHNAU **116**, 111.
brainiac
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
Brown alga
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.
BUdR
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913.
Butterfly wing
development of butterfly eyespots: FRENCH AND BRAKEFIELD **116**, 103.

Cadherin
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533.
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173.
E-cadherin
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.
N-cadherin
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973.
Caenorhabditis
cell death gene *ced-4*: YUAN AND HORVITZ **116**, 309.
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
germ-line proliferation mutation: BEANAN AND STROME **116**, 755.
mab-5 expression in *Caenorhabditis* embryo: COWING AND KENYON **116**, 481.
permissive signalling in *Caenorhabditis* development: WARING, WRISCHNIK AND KENYON **116**, 457.
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
Calbindin
in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
Calcium
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.
polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.
Calcium oscillation
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.
Carboxyfluorescein
palate mesenchyme traced by TEM marker: GRIFFITH AND HAY **116**, 1087.
Carcinoma
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
Cartilage
co-expression of different collagen transcripts in ovo: SWIDERSKI AND SOLURSH **115**, 169.
inhibin subunits in the chicken embryo: BLAUER, KOHONEN, LEIVONEN, VILJA AND TUOHIMAA **115**, 1079.
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
cdc25
twine, a meiotic *Drosophila* cdc25 phosphatase: COURTOT, FRANKHAUSER, SIMANIS AND LEHNER **116**, 405.
CDF/LIF
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.
ced-4
Caenorhabditis cell death gene *ced-4*: YUAN AND HORVITZ **116**, 309.
Cell ablation
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681.
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
specification of mesoderm and ectoderm in leech: NELSON AND WEISBLAT **115**, 103.
Cell adhesion
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173.
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
control of avian crest cell emigration: DELANNET AND DUBAND **116**, 275.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
HNK-1 antigens and avian enteric neural crest: LUIDER, PETERS-VAN DER SANDEN, MOLENAAR, TIBBOEL, VAN DER KAMP AND MEIJERS **115**, 561.
integrins on cranial and trunk neural crest cells: LALLIER, LEBLANC, ARTINGER AND BRONNER-FRASER **116**, 531.

regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973.
Cell alignment
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
Cell commitment
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
Cell communication
E(spl) in *Drosophila* eye development: FISCHER-VIZE, VIZE AND RUBIN **115**, 89.
Cell culture
adult rat hair follicle induction: REYNOLDS AND JAHODA **115**, 587.
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17.
Cell cycle
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
PDGF effects on bovine embryos: LARSON, IGNOTZ AND CURRIE **115**, 821.
Cell cycle reinitiation
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.
Cell death
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
Caenorhabditis cell death gene *ced-4*: YUAN AND HORVITZ **116**, 309.
multiple roles for *torpedo* in *Drosophila* embryogenesis: CLIFFORD AND SCHUPBACH **115**, 853.
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
Cell determination
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
Cell differentiation
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
Cell division
wingless requirement in cell division: SKAER AND MARTINEZ ARIAS **116**, 745.
Cell fate
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939.
cell fate in the zebrafish: HO **1992 Supplement,** 65.
cell fate in *Arabidopsis*: FURNER AND PUMFREY **115**, 755.
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899.
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
Cell fusion
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.
Cell interaction
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
neurogenesis in *Drosophila*: CABRERA **115**, 893.
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
wingless requirement in cell division: SKAER AND MARTINEZ ARIAS **116**, 745.
Cell intercalation
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
Cell lineage
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
Drosophila embryonic neuroblast maps: DOE **116**, 855.
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
maize anther development: DAWE AND FREELING **116**, 1077.
ming expression and function in CNS: CUI AND DOE **116**, 943.
neurogenesis in *Drosophila*: CABRERA **115**, 893.
segmental expression of *Lox 2* RNA in leech: NARDELLI-HAEFLIGER AND SHANKLAND **116**, 697.
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.
Cell migration
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367.
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.
control of avian crest cell emigration: DELANNET AND DUBAND **116**, 275.
cranial neural crest migration: SERBEDZIJA, BRONNER-FRASER AND FRASER **116**, 297.
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
transgenic model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
Cell motility
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
Cell movement
cell fate in the zebrafish: HO **1992 Supplement,** 65.
origin of hypoblast and PS in the chick: EYAL-GILADI, DEBBY AND HAREL **116**, 819.
Cell polarity
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.

Cell signalling
permissive signalling in *Caenorhabditis* development: WARING, WRISCHNIK AND KENYON **116**, 457.
Cell sorting
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.
Cell surface
distribution of α_6 integrin in avian embryos: BRONNER-FRASER, ARTINGER, MUSCHLER AND HORWITZ **115**, 197.
role of *c*-kit/SF in lymphocyte development: PALACIOS AND NISHIKAWA **115**, 1133.
Cell surface antigen
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
Cell tracer
palate mesenchyme traced by TEM marker: GRIFFITH AND HAY **116**, 1087.
Cell type
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
Cell-cell communication
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
ultraspiracle in the eye and ovary of *Drosophila*: ORO, MCKEOWN AND EVANS **115**, 449.
Cell-cell interaction
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.
Notch expression in oogenesis: XU, CARON, FEHON AND ARTAVANIS-TSAKONAS **115**, 913.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
Cell-cell signalling
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
Cell-matrix interaction
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.
Cellular retinoic acid binding protein
CRABPI and II expression in mouse embryos: RUBERTE, FRIEDERICH, MORRISS-KAY AND CHAMBON **115**, 973.
Cellular slime mold
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.
Central nervous system
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
Cephalic mesoderm
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.
c-erbA
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39.
Cerebellum
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
Cerebral cortex
development of thalamocortical connections: GOTZ, NOVAK, BASTMEYER AND BOLZ **116**, 507.
histone H1 subtype synthesis in rats: DOMINGUEZ, PINA AND SUAU **115**, 181.
CFUe inhibition
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213.
Chick
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF, ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367.
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841.
cell coupling at segmental limits: MARTINEZ, GEIJO, SANCHEZ-VIVES, PUELLES AND GALLEGO **116**, 1069.
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
determination of number and arrangement of stereocilia: TILNEY, COTANCHE AND TILNEY **116**, 213.
directional development in chick heart: HOYLE, BROWN AND WOLPERT **115**, 1071.
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331.
expression of fibronectin in chick peripheral nerve: LEFCORT, VENSTROM, MCDONALD AND REICHARDT **116**, 767.
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
inhibin subunits in the chicken embryo: BLAUER, KOHONEN, LEIVONEN, VILJA AND TUOHIMAA **115**, 1079.
integrins on cranial and trunk neural crest cells: LALLIER, LEBLANC, ARTINGER AND BRONNER-FRASER **116**, 531.
lineage of chick radial glia: GRAY AND SANES **114**, 271.
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
c-*myc* and N-*myc* mRNA in chick lens: HARRIS, TALIAN AND ZELENKA **115**, 813.
origin of hypoblast and PS in the chick: EYAL-GILADI, DEBBY AND HAREL **116**, 819.
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815.
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959.
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.
short-circuiting development: HOTARY AND ROBINSON **114**, 985.

TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Chick-quail
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.
Chick/quail chimera
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.
Chicken blastoderm
fate map with time-lapse videography: BORTIER AND VAKAET **1992 Supplement,** 93.
Chimera
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF, ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.
abdominal-A and gonad formation in *Drosophila*: CUMBERLEDGE, SZABAD AND SAKONJU **115**, 395.
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.
parthenogenetic stem cells in mouse: JAGERBAUER, FRASER, HERBST, KOTHARY AND FUNDELE **116**, 95.
Chimeric analysis
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
Chimerism
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331.
Chloroplast development
light-regulated development in *Arabidopsis*: CHORY **115**, 337.
Cholinergic factor
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.
Cholinergic neuronal differentiation
CNTF expression in rat footpad: ROHRER **114**, 689.
Chondrocyte
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Chondrogenesis
co-expression of different collagen transcripts in ovo: SWIDERSKI AND SOLURSH **115**, 169.
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
Chromaffin
NPY and development of coexpression for neurons and chromaffin: GARCIA-ARRARAS, LUGO-CHINCHILLA AND CHEVERE-COLON **115**, 617.
Chromatin
histone H1 in preimplantation mouse embryos: CLARKE, OBLIN AND BUSTIN **115**, 791.
Chromobox
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.
Chromosome 2q
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
Cingulin
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
c-Kit
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245.
c-kit ligand
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
c-kit
c-*kit* function in intestinal pacemaker: MAEDA, YAMAGATA, NISHIKAWA, YOSHINAGA, KOBAYASHI, NISHI AND NISHIKAWA **116**, 369.
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861.
Clavatal
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.
Cleavage
β_1-integrin in *Xenopus* embryogenesis: GAWANTKA, ELLINGER-ZIEGELBAUER AND HAUSEN **115**, 595.
Cleavage arrest
specification of mesoderm and ectoderm in leech: NELSON AND WEISBLAT **115**, 103.
Cleavage pattern
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
Clonal analysis
fate mapping in *Arabidopsis:* IRISH AND SUSSEX **115**, 745.
maize anther development: DAWE AND FREELING **116**, 1077.
Clox
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
c-myb
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125.
CNS
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
Drosophila wnt/wingless gene family: RUSSELL, GENNISSEN AND NUSSE **115**, 475.
Drosophila embryonic neuroblast maps: DOE **116**, 855.
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
peripheral induction of central neurons: BECKER AND MACAGNO **116**, 427.
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.
CNTF
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.
CNTF expression in rat footpad: ROHRER **114**, 689.
Coat colour
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.
Cochlea
determination of number and arrangement of stereocilia: TILNEY, COTANCHE AND TILNEY **116**, 213.

Cockroach
molecular gradient cues for pioneer axon growth: NORBECK, FENG AND DENBURG **116**, 467.
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.
Collagen
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.
a transgene escapes X inactivation: WU, FASSLER, SCHNIEKE, BARKER, LEE, CHAPMAN, FRANCKE AND JAENISCH **116**, 687.
α1 integrin expression in avian development: DUBAND, BELKIN, SYFRIG, THIERY AND KOTELIANSKY **116**, 585.
co-expression of different collagen transcripts in ovo: SWIDERSKI AND SOLURSH **115**, 169.
integrins on cranial and trunk neural crest cells: LALLIER, LEBLANC, ARTINGER AND BRONNER-FRASER **116**, 531.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67.
Collagen gel culture
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
Commissural neuron
notochord does not prevent neural crest formation: ARTINGER AND BRONNER-FRASER **116**, 877.
Commitment
cell fate in the zebrafish: HO **1992 Supplement,** 65.
Communication compartment
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389.
Compaction
gap junctions in the mouse embryo: BECKER, LECLERC-DAVID AND WARNER **1992 Supplement,** 113.
uvomorulin in early mouse embryos: SEFTON, JOHNSON AND CLAYTON **115**, 313.
Comparative embryology
Amphioxus homeobox gene: HOLLAND, HOLLAND, WILLIAMS AND HOLLAND **116**, 653.
Compartment
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.
Confocal laser scanning miscroscopy
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379.
Confocal microscopy
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699.
Connexin
gap junction genes and skin development: RISEK, KLIER AND GILULA **116**, 639.
Connexin 43
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203.
gap junctions in the mouse embryo: BECKER, LECLERC-DAVID AND WARNER **1992 Supplement,** 113.
Convergence
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
Coordinate early gene expression
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.
Cornea
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.
Cortex
development of thalamocortical connections: GOTZ, NOVAK, BASTMEYER AND BOLZ **116**, 507.
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
Cortical microtubule
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699.
CRABPI
CRABPI and II expression in mouse embryos: RUBERTE, FRIEDERICH, MORRISS-KAY AND CHAMBON **115**, 973.
Cranial
cranial neural crest migration: SERBEDZIJA, BRONNER-FRASER AND FRASER **116**, 297.
Cranial nerve
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
Craniofacial development
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
c-*ros*
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.
Cross-regulation
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99.
cut
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
Cyclin B
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.
transcript localization: DALBY AND GLOVER **115**, 989.
Cystic embryoid body
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303.
Cytochrome P-450 aromatase
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721.
Cytokeratin
CK expression and gonad differentiation in rats: FRIDMACHER, LOCQUET AND MAGRE **115**, 503.
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
Cytokinesis
Drosophila pebble gene: HIME AND SAINT **114**, 165.
Cytoplasmic determinant
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
Cytoplasmic microinjection
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.
Cytoplasmic transfer
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.

Cytoskeleton
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.
MAP2 and microtubule organisation: WEISSHAAR, DOLL AND MATUS **116**, 1151.
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.

***Dd* PK2**
Dd PK2 overexpression in *Dictyostelium*: ANJARD, PINAUD, KAY AND REYMOND **115**, 785.
decapentaplegic
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583.
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.
Decapod crustacean
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
Dedifferentiation
dedifferentiation in *Dictyostelium*: CHANDRASEKHAR, ENNIS AND SOLL **116**, 417.
Deformed
activation and phenotypic expression of *Dfd*: GONZALEZ-REYES, MACIAS AND MORATA **116**, 1059.
Degradation
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.
Delta
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
DER
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
Dermal papilla
adult rat hair follicle induction: REYNOLDS AND JAHODA **115**, 587.
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
Dermal sheath
hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
Dermal-epidermal interaction
adult rat hair follicle induction: REYNOLDS AND JAHODA **115**, 587.
hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.
Dermis origin
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.
Desmosome
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
Determination
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.
Development in vitro
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
Development of slime mould
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.
Developmental genetics
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003.
Dictyostelium
Dd PK2 overexpression in *Dictyostelium*: ANJARD, PINAUD, KAY AND REYMOND **115**, 785.
dedifferentiation in *Dictyostelium*: CHANDRASEKHAR, ENNIS AND SOLL **116**, 417.
Diencephalon
zebrafish *wnt*-related genes: KRAUSS, KORZH, FJOSE AND JOHANSEN **116**, 249.
Differentiation
lineage of chick radial glia: GRAY AND SANES **114**, 271.
Digestive system
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.
Digit
Hox genes and limb evolution: TABIN **116**, 289.
DiI
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379.
cranial neural crest migration: SERBEDZIJA, BRONNER-FRASER AND FRASER **116**, 297.
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
Diphtheria toxin
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787.
diplopodia
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
disabled
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.
Division plane
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.
cDNA
glucose transporter expression in mouse embryos: SMITH AND GRIDLEY **116**, 555.
cDNA cloning
Notch2: a second mammalian Notch gene: WEINMASTER, ROBERTS AND LEMKE **116**, 931.
DNA fragmentation
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
DNA synthesis
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
DNA binding
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481.
DNA-binding protein
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
NeuN: a neuronal nuclear protein: MULLEN, BUCK AND SMITH **116**, 201.
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON

AND PIRROTTA **114**, 99.
Dorsal axis formation
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
Dorsal root ganglion
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
notochord does not prevent neural crest formation: ARTINGER AND BRONNER-FRASER **116**, 877.
dorsal
control of *Drosophila* dorsoventral development: THISSE AND THISSE **1992 Supplement,** 173.
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.
Dorsalization
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711.
Dorsoventral axis
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.
$NiCl_2$ and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.
retinoic acid synthesis in the mouse retina: MCCAFFERY, LEE, WAGNER, SLADEK AND DRAGER **115**, 371.
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
Dorsoventral differentiaion
control of *Drosophila* dorsoventral development: THISSE AND THISSE **1992 Supplement,** 173.
Dorsoventral pattern formation
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583.
Dorsoventral polarity
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.
Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.
Dorsoventral specification
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
dpp
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
Drosophila
abl expression: BENNETT AND HOFFMAN **116**, 953.
abdominal-A and gonad formation in *Drosophila*: CUMBERLEDGE, SZABAD AND SAKONJU **115**, 395.
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939.
activation and phenotypic expression of *Dfd*: GONZALEZ-REYES, MACIAS AND MORATA **116**, 1059.
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003.
big brain controls peripheral neuronal precursor number: RAO, BODMER, JAN AND JAN **116**, 31.
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
caudal segment development: KUHN, SAWYER, PACKERT, TURENCHALK, MACK, SPREY, GUSTAVSON AND KORNBERG **116**, 11.
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625.
cyclin B transcript localization: DALBY AND GLOVER **115**, 989.
early *Drosophila* mesoderm formation: LEPTIN, CASAL, GRUNEWALD AND REUTER **1992 Supplement,** 23.
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
effects of uniform *wingless* expression: NOORDERMEER, JOHNSTON, RIJSEWIJK, NUSSE AND LAWRENCE **116**, 711.
embryonic development of *Drosophila* head: SCHMIDT-OTT AND TECHNAU **116**, 111.
embryonic expression of fasciclin I: MCALLISTER, GOODMAN AND ZINN **115**, 267.
embryonic neuroblast maps: DOE **116**, 855.
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
expression of the I factor during oogensis: LACHAUME, BOUHIDEL, MESURE AND PINON **115**, 729.
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.
E(spl) in *Drosophila* eye development: FISCHER-VIZE, VIZE AND RUBIN **115**, 89.
fat facets gene: FISCHER-VIZE, RUBIN AND LEHMANN **116**, 985.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
gene regulation in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.
germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481.
gonadal mesoderm: BROOKMAN, TOOSY, SHASHIDHARA AND WHITE **116**, 1185.
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
homeotic genes influence development of PNS: HEUER AND KAUFMAN **115**, 35.
homeotic target gene: GOULD AND WHITE **116**, 1163.
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681.
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.
maternal control of *tailless* expression in *Drosophila*:

PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
ming expression and function in CNS: CUI AND DOE **116**, 943.
mitochondrial activity in *Drosophila* embryos: AKIYAMA AND OKADA **115**, 1175.
multiple roles for *torpedo* in *Drosophila* embryogenesis: CLIFFORD AND SCHUPBACH **115**, 853.
muscle-specific protein: VOLK **116**, 721.
neurogenesis in *Drosophila*: CABRERA **115**, 893.
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
Notch expression in oogenesis: XU, CARON, FEHON AND ARTAVANIS-TSAKONAS **115**, 913.
orthodenticle and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.
pebble gene: HIME AND SAINT **114**, 165.*Polycomb* group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493.
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.
PS2 integrin: BUNCH AND BROWER **116**, 239.
pumilio gene: MACDONALD **114**, 221.regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583.
repression of *engrailed* by *Pc* group genes: MOAZED AND O'FARRELL **116**, 805.
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89.
teashirt homeotic gene: RODER, VOLA AND KERRIDGE **115**, 1017.
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787.
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99.
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
twine, a meiotic *Drosophila* cdc25 phosphatase: COURTOT, FRANKHAUSER, SIMANIS AND LEHNER **116**, 405.
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877.
ultraspiracle in the eye and ovary of *Drosophila*: ORO, MCKEOWN AND EVANS **115**, 449.
wingless requirement in cell division: SKAER AND MARTINEZ ARIAS **116**, 745.
wnt/wingless gene family: RUSSELL, GENNISSEN AND NUSSE **115**, 475.

Duodenum
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.

DVR-4
DVR-4 in *Xenopus* mesoderm induction: JONES, LYONS, LAPAN, WRIGHT AND HOGAN **115**, 639.

Dye-injection
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389.

Dystrophin
a *Drosophila* muscle-specific protein: VOLK **116**, 721.
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395.

E complex
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555.

E-cadherin
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.

Ear
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.

easter
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.

Ecdysone
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

Ecdysone-inducible polypeptide
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

Ectoderm
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457.
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.

Ectoderm prepatterning
activin promotes expression of neural markers: BOLCE, HEMMATI-BRIVANLOU, KUSHNER AND HARLAND **115**, 681.

Ectodermal determinant
specification of mesoderm and ectoderm in leech: NELSON AND WEISBLAT **115**, 103.

Ectopic expression
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
effects of uniform *wingless* expression: NOORDERMEER, JOHNSTON, RIJSEWIJK, NUSSE AND LAWRENCE **116**, 711.
homeotic genes influence development of PNS: HEUER AND KAUFMAN **115**, 35.

EGF
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.

EGF receptor
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.

Egg
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.

polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
Egg cytoplasm
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.
Eip28/29
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Eip40
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Electrical activity
electrical regulation of nAChR δ-promoter activity: CHAHINE, WALKE AND GOLDMAN **115**, 213.
Electrical coupling
cell coupling at segmental limits: MARTINEZ, GEIJO, SANCHEZ-VIVES, PUELLES AND GALLEGO **116**, 1069.
Electrical field
short-circuiting development: HOTARY AND ROBINSON **114**, 985.
Electron microscopy
palate mesenchyme traced by TEM marker: GRIFFITH AND HAY **116**, 1087.
Electrostimulation
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.
Embryogenesis
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.
Embryonal carcinoma
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
Embryonal carcinoma cell
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
Embryonic axis
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
Embryonic development
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
Embryonic stem cell
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
the neuroregulatory factor MK: NURCOMBE, FRASER, HERLAAR AND HEATH **116**, 1175.
En-2
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF, ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.
Endochondral ossification
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Endoderm
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
Endoderm differentiation
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.
Endogenous current
short-circuiting development: HOTARY AND ROBINSON **114**, 985.
Endoplasmic reticulum
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.
Endothelial cell
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303.
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521.
engrailed
embryonic development of *Drosophila* head: SCHMIDT-OTT AND TECHNAU **116**, 111.
expression in wing blade of *Drosophila*: BLAIR **115**, 21.
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
repression of *engrailed* by *Pc* group genes: MOAZED AND O'FARRELL **116**, 805.
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.
Enhancer detector
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89.
Enhancer of split
E(spl) in *Drosophila* eye development: FISCHER-VIZE, VIZE AND RUBIN **115**, 89.
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
Enhancer trap
enhancer trap in zebrafish: BAYER AND CAMPOS-ORTEGA **115**, 421.
ming expression and function in CNS: CUI AND DOE **116**, 943.
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.
Enteric nervous system
HNK-1 antigens and avian enteric neural crest: LUIDER, PETERS-VAN DER SANDEN, MOLENAAR, TIBBOEL, VAN DER KAMP AND MEIJERS **115**, 561.
transgenic model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
En
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.
Epiblast
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
Epidermal differentiation
adult rat hair follicle induction: REYNOLDS AND JAHODA **115**, 587.
Epidermal growth factor receptor
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.

Epidermis
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
orthodenticle and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Epithelial cell
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379.
Epithelial polarization
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
Epithelial-mesenchymal interaction
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
epithelial control of *Xenopus* morphogenesis: SHIH AND KELLER **116**, 887.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67.
Epithelial-mesenchymal transformation
palate mesenchyme traced by TEM marker: GRIFFITH AND HAY **116**, 1087.
Epithelium
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
Equivalence groups
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
Erythrocyte
embryonic and adult α globin genes: LEDER, KUO, SHEN AND LEDER **116**, 1041.
Erythroid colony formation
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213.
Erythroid lineage
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.
Erythroid progenitor cell
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245.
Erythropoiesis
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.
Erythropoietin
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245.
ES cell
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303.
escargot
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
Evolution
Amphioxus homeobox gene: HOLLAND, HOLLAND, WILLIAMS AND HOLLAND **116**, 653.
evolution of developmental decisions and morphogenesis: RAFF **1992 Supplement,** 15.
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
Hox genes and limb evolution: TABIN **116**, 289.
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.
Evolutionary conservation
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417.
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.
Excretory system
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.
Exogastrula
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
Explant
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
Expression
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
Drosophila wnt/wingless gene family: RUSSELL, GENNISSEN AND NUSSE **115**, 475.
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
expression of the I factor during oogensis: LACHAUME, BOUHIDEL, MESURE AND PINON **115**, 729.
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
maternal factor, OZ-1, activates *Xenopus* embryonic transcription: OVSENEK, ZORN AND KRIEG **115**, 649.
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261.
mouse preimplantation glucose transporter molecules: AGHAYAN, RAO, SMITH, JARETT, CHARRON, THORENS AND HEYNER **115**, 305.
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF, ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.
Extension
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
extra-toes (Xt)
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.
Extracellular matrix
co-expression of different collagen transcripts in ovo:

SWIDERSKI AND SOLURSH **115**, 169.
distribution of α_6 integrin in avian embryos: BRONNER-FRASER, ARTINGER, MUSCHLER AND HORWITZ **115**, 197.
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
synapse-specific gene expression: JO AND BURDEN **115**, 673.
the neuroregulatory factor MK: NURCOMBE, FRASER, HERLAAR AND HEATH **116**, 1175.
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.

Extraembryonic fate
cell fate in the zebrafish: HO **1992 Supplement,** 65.

Eye
Drosophila fat facets gene: FISCHER-VIZE, RUBIN AND LEHMANN **116**, 985.
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.
E(spl) in *Drosophila* eye development: FISCHER-VIZE, VIZE AND RUBIN **115**, 89.
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
ultraspiracle in the eye and ovary of *Drosophila*: ORO, MCKEOWN AND EVANS **115**, 449.

Eyespot
development of butterfly eyespots: FRENCH AND BRAKEFIELD **116**, 103.

Facial nerve development
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815.

Facial primordia
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805.

Fasciata 1
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.

Fasciata 2
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.

Fasciation
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.

Fat body
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

fat facets
Drosophila fat facets gene: FISCHER-VIZE, RUBIN AND LEHMANN **116**, 985.

Fate determination
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.

Fate map
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003.
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
cell fate in the zebrafish: HO **1992 Supplement,** 65.
cell fate in *Arabidopsis*: FURNER AND PUMFREY **115**, 755.
fate map with time-lapse videography: BORTIER AND VAKAET **1992 Supplement,** 93.
fate mapping in *Arabidopsis:* IRISH AND SUSSEX **115**, 745.
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135.
retinoic acid and the late phase of neural induction: SHARPE **1992 Supplement,** 203.

Feather bud
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.

Fertilization
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.
polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.

Fetal development
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395.

Fetal pancreas
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.

Fetal spleen
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213.

Fetal wound healing
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.

α-fetoprotein
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.

bFGF
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.

FGF-3
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.

Fgf-4
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.

Fibrate
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.

Fibroblast
hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.

Fibroblast growth factor
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743.
BMP-4 and mesoderm induction in *Xenopus*: DALE, HOWES, PRICE AND SMITH **115**, 573.
control of proliferation in the rat retina: LILLIEN AND CEPKO **115**, 253.
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711.
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.

FGFR-2 in *Xenopus* development: FRIESEL AND BROWN **116**, 1051.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261.
mouse melanoblast proliferation in culture: HIROBE **114**, 435.
receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.

Fibroblast growth factor receptor
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
FGFR-2 in *Xenopus* development: FRIESEL AND BROWN **116**, 1051.

Fibronectin
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.
expression of fibronectin in chick peripheral nerve: LEFCORT, VENSTROM, MCDONALD AND REICHARDT **116**, 767.
integrins on cranial and trunk neural crest cells: LALLIER, LEBLANC, ARTINGER AND BRONNER-FRASER **116**, 531.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.

Fin bud
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.

Floor plate
expression of *Xwnt-4* during early *Xenopus* development: MCGREW, OTTE AND MOON **115**, 463.
plasminogen activators in nerve: SUMI, DENT, OWEN, SEELEY AND MORRIS **116**, 625.
retinoid release from embryonic neural tissue: WAGNER, HAN AND JESSELL **116**, 55.

Flower development
SUPERMAN, a regulator of floral homeotic genes in *Arabidopsis*: BOWMAN, SAKAI, JACK, WEIGEL, MAYER AND MEYEROWITZ **114**, 599.

Follicle
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.

Follicle cell
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533.

Follicle neogenesis
adult rat hair follicle induction: REYNOLDS AND JAHODA **115**, 587.

Footpad
CNTF expression in rat footpad: ROHRER **114**, 689.

fork head
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.

Functional hierachy
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.

Fundulus
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.

G protein
Gα proteins in *Xenopus* development: OTTE, MCGREW, OLATE, NATHANSON AND MOON **116**, 141.

β-Galactosidase
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.

Gametogenesis
imprinting of transgene methylation: UEDA, YAMAZAKI, SUZUKI, FUJIMOTO, SASAKI, SAKAKI AND HIGASHINAKAGAWA **116**, 831.

Ganglion
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
peripheral induction of central neurons: BECKER AND MACAGNO **116**, 427.

Ganglion cell
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743.

Ganglion mother cell
Drosophila embryonic neuroblast maps: DOE **116**, 855.

Gap gene
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
orthodenticle and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.

Gap junction
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389.
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203.
gap junction genes and skin development: RISEK, KLIER AND GILULA **116**, 639.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
gap junctions in the mouse embryo: BECKER, LECLERC-DAVID AND WARNER **1992 Supplement,** 113.

Gastrula
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841.
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135.
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.

Gastrulation
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
epithelial control of *Xenopus* morphogenesis: SHIH AND KELLER **116**, 887.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203.
Fgf expression during mouse embryogenesis: NISWANDER

AND MARTIN **114**, 755.
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.

Gastrulation center
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.

GATA-1
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.

Gelatinase
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.

Gene expression
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939.
electrical regulation of nAChR δ-promoter activity: CHAHINE, WALKE AND GOLDMAN **115**, 213.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
ming expression and function in CNS: CUI AND DOE **116**, 943.
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.
respecification of vertebrae by retinoic acid: KESSEL **115**, 487.
retinoic acid effects on CNS segmentation: ZIMMER AND ZIMMER **116**, 977.
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.
synapse-specific gene expression: JO AND BURDEN **115**, 673.
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.

Gene expression Expression
FGFR-2 in *Xenopus* development: FRIESEL AND BROWN **116**, 1051.

Gene function
evolution of developmental decisions and morphogenesis: RAFF **1992 Supplement,** 15.

Gene regulation
dedifferentiation in *Dictyostelium*: CHANDRASEKHAR, ENNIS AND SOLL **116**, 417.
in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.

Genetic mosaic
fate mapping in *Arabidopsis:* IRISH AND SUSSEX **115**, 745.
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.

Genetics
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.

Germ band extension
early *Drosophila* mesoderm formation: LEPTIN, CASAL, GRUNEWALD AND REUTER **1992 Supplement,** 23.

Germ cell
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861.

Germ ring
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.

Germ-line proliferation
germ-line proliferation mutation: BEANAN AND STROME **116**, 755.

Germination
dedifferentiation in *Dictyostelium*: CHANDRASEKHAR, ENNIS AND SOLL **116**, 417.

Germline
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.

GHox-4.6
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.

GHox-7
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.

GHox-8
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.

Gli3
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.

Glia
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.

Glial cell
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.

Globin
embryonic and adult α globin genes: LEDER, KUO, SHEN AND LEDER **116**, 1041.

ρ-globin
switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.

glp-1
germ-line proliferation mutation: BEANAN AND STROME **116**, 755.

Glucagon
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.

Glucose transporter
glucose transporter expression in mouse embryos: SMITH AND GRIDLEY **116**, 555.
mouse preimplantation glucose transporter molecules: AGHAYAN, RAO, SMITH, JARETT, CHARRON, THORENS AND HEYNER **115**, 305.
Glucose utilization
glucose transporter expression in mouse embryos: SMITH AND GRIDLEY **116**, 555.
Glycoaminoglycan
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17.
Glycoprotein
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
Glycosyl-phosphatidylinositol
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
Goldfish retinal regeneration
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913.
Gonad
abdominal-A and gonad formation in *Drosophila*: CUMBERLEDGE, SZABAD AND SAKONJU **115**, 395.
Drosophila gonadal mesoderm: BROOKMAN, TOOSY, SHASHIDHARA AND WHITE **116**, 1185.
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.
Gonadal sex differentiation
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721.
goosecoid
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.
Gradient
development of butterfly eyespots: FRENCH AND BRAKEFIELD **116**, 103.
molecular gradient cues for pioneer axon growth: NORBECK, FENG AND DENBURG **116**, 467.
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.
Graft
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
notochord does not prevent neural crest formation: ARTINGER AND BRONNER-FRASER **116**, 877.
Granulopoiesis
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125.
Greig Cephalopolysyndactyly Syndrome
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.
Growth
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.
Growth cone
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
Growth factor
appositional localization of PDGF-A and its receptor: ORR-URTREGER AND LONAI **115**, 1045.
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
expression of Pdgfra and the *Ph* phenotype in mouse: ORR-URTREGER, BEDFORD, DO, EISENBACH AND LONAI **115**, 289.
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
PDGF effects on bovine embryos: LARSON, IGNOTZ AND CURRIE **115**, 821.
PDGF receptor α-subunit expression in mouse development: SCHATTEMAN, MORRISON-GRAHAM, VAN KOPPEN, WESTON AND BOWEN-POPE **115**, 123.
role of *c*-kit/SF in lymphocyte development: PALACIOS AND NISHIKAWA **115**, 1133.
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.
the neuroregulatory factor MK: NURCOMBE, FRASER, HERLAAR AND HEATH **116**, 1175.
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
Growth factor-like signal
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
Growth hormone receptor
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869.
GS17
maternal factor, OZ-1, activates *Xenopus* embryonic transcription: OVSENEK, ZORN AND KRIEG **115**, 649.
Gut
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.
Gut development
c-*kit* function in intestinal pacemaker: MAEDA, YAMAGATA, NISHIKAWA, YOSHINAGA, KOBAYASHI, NISHI AND NISHIKAWA **116**, 369.
Gut differentiation
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
Gynadromorph
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.

Hβ58
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.
H1 subtype
histone H1 subtype synthesis in rats: DOMINGUEZ, PINA AND SUAU **115**, 181.
Haemopoiesis
role of *c*-kit/SF in lymphocyte development: PALACIOS AND NISHIKAWA **115**, 1133.
Hair
gap junction genes and skin development: RISEK, KLIER AND GILULA **116**, 639.
lower vibrissa follicle regeneration: JAHODA, HORNE,

MAUGER, BARD AND SENGEL **114**, 887.
Hair cell
determination of number and arrangement of stereocilia: TILNEY, COTANCHE AND TILNEY **116**, 213.
Hair follicle
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389.
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
Hair growth
adult rat hair follicle induction: REYNOLDS AND JAHODA **115**, 587.
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.
Halocynthia
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.
Hamster
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
Hamster kidney cell
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
Handedness
directional development in chick heart: HOYLE, BROWN AND WOLPERT **115**, 1071.
Head
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.
Head segmentation
embryonic development of *Drosophila* head: SCHMIDT-OTT AND TECHNAU **116**, 111.
Heart
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.
Heart tube
directional development in chick heart: HOYLE, BROWN AND WOLPERT **115**, 1071.
Heat shock
activation and phenotypic expression of *Dfd*: GONZALEZ-REYES, MACIAS AND MORATA **116**, 1059.
hedgehog
expression and sequence: MOHLER AND VANI **115**, 957.
Heliocidaris
evolution of developmental decisions and morphogenesis: RAFF **1992 Supplement,** 15.
Helix-loop-helix protein
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
Helobdella robusta
specification of mesoderm and ectoderm in leech: NELSON AND WEISBLAT **115**, 103.
Hemacyte
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Hematopoiesis
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
Hematopoietic cell
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
Hematopoietic lineage
embryonic and adult α globin genes: LEDER, KUO, SHEN AND LEDER **116**, 1041.
Hemoglobin
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.
Hensen's node
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.
Heparin
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
the neuroregulatory factor MK: NURCOMBE, FRASER, HERLAAR AND HEATH **116**, 1175.
Hepatocyte growth factor
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
HGF
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
Hindbrain
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
pathfinding by facial motoneurons in chick: CHANG, FAN AND NAYAK **114**, 815.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.
Hippocampus
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
Hirschsprung disease
transgenic model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
Histone H1
histone H1 in preimplantation mouse embryos: CLARKE, OBLIN AND BUSTIN **115**, 791.
histone H1 subtype synthesis in rats: DOMINGUEZ, PINA AND SUAU **115**, 181.
HNF
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
HNK-1
HNK-1 antigens and avian enteric neural crest: LUIDER, PETERS-VAN DER SANDEN, MOLENAAR, TIBBOEL, VAN DER KAMP AND MEIJERS **115**, 561.
Homeobox
Amphioxus homeobox gene: HOLLAND, HOLLAND, WILLIAMS AND HOLLAND **116**, 653.
anteroposterior axis specification in vertebrates: SLACK AND

TANNAHILL **114**, 285.
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841.
expression of mouse *Hox-3.5* gene: GEADA, GAUNT, AZZAWI, SHIMELD, PEARCE AND SHARPE **116**, 497.
homeotic target gene: GOULD AND WHITE **116**, 1163.
Hox genes and limb evolution: TABIN **116**, 289.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
mab-5 expression in *Caenorhabditis* embryo: COWING AND KENYON **116**, 481.
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.

Homeobox gene
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
expression of maize homeobox gene *knotted-1*: SMITH, GREENE, VEIT AND HAKE **116**, 21.
segmental expression of *Lox 2* RNA in leech: NARDELLI-HAEFLIGER AND SHANKLAND **116**, 697.

Homeobox-containing gene
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.

Homeodomain
MHox: a muscle homeodomain protein: CSERJESI, LILLY, BRYSON, WANG, SASSOON AND OLSON **115**, 1087.
orthodenticle and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.

Homeodomain protein
permissive signalling in *Caenorhabditis* development: WARING, WRISCHNIK AND KENYON **116**, 457.

Homeoprotein
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.

Homeoprotein gradient
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.

Homeotic gene
activation and phenotypic expression of *Dfd*: GONZALEZ-REYES, MACIAS AND MORATA **116**, 1059.
Drosophila gonadal mesoderm: BROOKMAN, TOOSY, SHASHIDHARA AND WHITE **116**, 1185.
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555.
homeotic genes influence development of PNS: HEUER AND KAUFMAN **115**, 35.
homeotic target gene: GOULD AND WHITE **116**, 1163.
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
mab-5 expression in *Caenorhabditis* embryo: COWING AND KENYON **116**, 481.
Polycomb group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493.
repression of *engrailed* by *Pc* group genes: MOAZED AND O'FARRELL **116**, 805.
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.
SUPERMAN, a regulator of floral homeotic genes in *Arabidopsis*: BOWMAN, SAKAI, JACK, WEIGEL, MAYER AND MEYEROWITZ **114**, 599.
teashirt homeotic gene: RODER, VOLA AND KERRIDGE **115**, 1017.
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877.

Homeotic mutant
Drosophila caudal segment development: KUHN, SAWYER, PACKERT, TURENCHALK, MACK, SPREY, GUSTAVSON AND KORNBERG **116**, 11.
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.

Hormone
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39.

Hox
expression of mouse *Hox-3.5* gene: GEADA, GAUNT, AZZAWI, SHIMELD, PEARCE AND SHARPE **116**, 497.
Hox genes and limb evolution: TABIN **116**, 289.
induction of *Hox-2* genes by retinoic acid: DEKKER, PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.
retinoic acid induces genes: CONLON AND ROSSANT **116**, 357.
respecification of vertebrae by retinoic acid: KESSEL **115**, 487.

Hox-2
retinoic acid induces genes: CONLON AND ROSSANT **116**, 357.

Hox-3.5
expression of mouse *Hox-3.5* gene: GEADA, GAUNT, AZZAWI, SHIMELD, PEARCE AND SHARPE **116**, 497.

Hox-4
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.

Hox-4
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959.

Hox-7
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.

Hox-8
and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.

HP1
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.

HPLC
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.

HPRT
imprinting of phosphoribosyltransferases: MOORE AND WHITTINGHAM **115**, 1011.

Hprt$^{b\text{-}m3}$
imprinting of phosphoribosyltransferases: MOORE AND

WHITTINGHAM **115**, 1011.

hst-1
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.

Human
a transgene escapes X inactivation: WU, FASSLER, SCHNIEKE, BARKER, LEE, CHAPMAN, FRANCKE AND JAENISCH **116**, 687.
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389.
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395.
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.

Human fetal skin
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.

Human growth hormone
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545.

Hybrid embryo
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.

6-Hydroxydopamine
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913.

Hypoblast
origin of hypoblast and PS in the chick: EYAL-GILADI, DEBBY AND HAREL **116**, 819.

Hypophysis
origin of hypophysis in *Bufo japonicus*: KAWAMURA AND KIKUYAMA **115**, 1.

Hypoxanthine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.

I factor
expression of the I factor during oogensis: LACHAUME, BOUHIDEL, MESURE AND PINON **115**, 729.

iab-4
abdominal-A and gonad formation in *Drosophila*: CUMBERLEDGE, SZABAD AND SAKONJU **115**, 395.

Identified vertebrate neuron
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.

IGF
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.

IGF binding protein
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.

IGF-II
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.

Imaginal disc
orthodenticle and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877.

Immunocytochemistry
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913.
RA and TGF β in mouse embryogenesis: MAHMOOD, FLANDERS AND MORRISS-KAY **115**, 67.

Immunohistochemistry
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.

Immunolocalization
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.

Implantation
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.

Imprinting
of phosphoribosyltransferases: MOORE AND WHITTINGHAM **115**, 1011.
of transgene methylation: UEDA, YAMAZAKI, SUZUKI, FUJIMOTO, SASAKI, SAKAKI AND HIGASHINAKAGAWA **116**, 831.
repression of *engrailed* by *Pc* group genes: MOAZED AND O'FARRELL **116**, 805.

In situ
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.

In situ hybridization
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125.
CRABPI and II expression in mouse embryos: RUBERTE, FRIEDERICH, MORRISS-KAY AND CHAMBON **115**, 973.
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965.
expression of Pdgfra and the *Ph* phenotype in mouse: ORR-URTREGER, BEDFORD, DO, EISENBACH AND LONAI **115**, 289.
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417.
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
Notch2: a second mammalian Notch gene: WEINMASTER, ROBERTS AND LEMKE **116**, 931.
PDGF receptor α-subunit expression in mouse development: SCHATTEMAN, MORRISON-GRAHAM, VAN KOPPEN, WESTON AND BOWEN-POPE **115**, 123.
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
PrP gene expression in mouse embryos: MANSON, WEST, THOMSON, MCBRIDE, KAUFMAN AND HOPE **115**, 117.
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39.

In vitro
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743.
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379.
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.

In vitro culture
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.

In vitro differentiation
vascular channels in murine cystic embryoid bodies: WANG,

CLARK AND BAUTCH **114**, 303.
Inactivation
a transgene escapes X inactivation: WU, FASSLER, SCHNIEKE, BARKER, LEE, CHAPMAN, FRANCKE AND JAENISCH **116**, 687.
Inducible toxins
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787.
Induction
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
activin promotes expression of neural markers: BOLCE, HEMMATI-BRIVANLOU, KUSHNER AND HARLAND **115**, 681.
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
BMP-4 and mesoderm induction in *Xenopus*: DALE, HOWES, PRICE AND SMITH **115**, 573.
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
DVR-4 in *Xenopus* mesoderm induction: JONES, LYONS, LAPAN, WRIGHT AND HOGAN **115**, 639.
epithelial control of *Xenopus* morphogenesis: SHIH AND KELLER **116**, 887.
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711.
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.
Gα proteins in *Xenopus* development: OTTE, MCGREW, OLATE, NATHANSON AND MOON **116**, 141.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.
localized expression of a *Xenopus* POU gene: FRANK AND HARLAND **115**, 439.
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261.
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
peripheral induction of central neurons: BECKER AND MACAGNO **116**, 427.
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
wingless protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.
Inductive interaction site
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203.
Infundibulum
origin of hypophysis in *Bufo japonicus*: KAWAMURA AND KIKUYAMA **115**, 1.
Inhibin
inhibin subunits in the chicken embryo: BLAUER, KOHONEN, LEIVONEN, VILJA AND TUOHIMAA **115**, 1079.
Inner cell mass
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
Inositol
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.
Insect
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.
Insertional mutation
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.
Insulin
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973.
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.
Insulin-like growth factor
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
***int-2* (FGF-3)**
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.
Integrin
a *Drosophila* muscle-specific protein: VOLK **116**, 721.
α1 integrin expression in avian development: DUBAND, BELKIN, SYFRIG, THIERY AND KOTELIANSKY **116**, 585.
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.
expression of fibronectin in chick peripheral nerve: LEFCORT, VENSTROM, MCDONALD AND REICHARDT **116**, 767.
β_1-integrin in *Xenopus* embryogenesis: GAWANTKA, ELLINGER-ZIEGELBAUER AND HAUSEN **115**, 595.
integrins on cranial and trunk neural crest cells: LALLIER, LEBLANC, ARTINGER AND BRONNER-FRASER **116**, 531.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
Interaction
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.
epithelial control of *Xenopus* morphogenesis: SHIH AND KELLER **116**, 887.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
wingless requirement in cell division: SKAER AND MARTINEZ ARIAS **116**, 745.
xenograft model of fetal intestine development: DEL BUONO,

FLEMING, MOREY, HALL AND WRIGHT **114**, 67.
Intercalation
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
Intercellular communication
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
Intercellular junction
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
Intercellular transport
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.
Intermediate filament
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
Interrhombomeric boundary
cell coupling at segmental limits: MARTINEZ, GEIJO, SANCHEZ-VIVES, PUELLES AND GALLEGO **116**, 1069.
Intestinal development
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67.
Intestinal pacemaker
c-*kit* function in intestinal pacemaker: MAEDA, YAMAGATA, NISHIKAWA, YOSHINAGA, KOBAYASHI, NISHI AND NISHIKAWA **116**, 369.
Intestine
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.
Intracellular free calcium
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.
Invagination
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
Involution
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
IP3 receptor
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.

Jaw muscle
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.
Junctional permeability
cell coupling at segmental limits: MARTINEZ, GEIJO, SANCHEZ-VIVES, PUELLES AND GALLEGO **116**, 1069.

***K10* gene**
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.
Keller explants
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
Keratin type II IF gene sequence
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417.
Keratinocyte
mouse melanoblast proliferation in culture: HIROBE **114**, 435.
kFGF
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.
Kidney
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
KII-9
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417.
kin241
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
Knotted-1
expression of maize homeobox gene *Knotted-1*: SMITH, GREENE, VEIT AND HAKE **116**, 21.
Kruppel
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.

L14 lectin
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
labial
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.
Lactose
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
lacZ
retinoic acid effects on CNS segmentation: ZIMMER AND ZIMMER **116**, 977.
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.
Laminin
α1 integrin expression in avian development: DUBAND, BELKIN, SYFRIG, THIERY AND KOTELIANSKY **116**, 585.
integrins on cranial and trunk neural crest cells: LALLIER, LEBLANC, ARTINGER AND BRONNER-FRASER **116**, 531.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
Larval cuticle
Drosophila caudal segment development: KUHN, SAWYER, PACKERT, TURENCHALK, MACK, SPREY, GUSTAVSON AND KORNBERG **116**, 11.
Late 3rd transition
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Lateral signalling
the intestinal valve cells in *Caenorhabditis*: BOWERMAN, TAX, THOMAS AND PRIESS **116**, 1113.

Leaf development
light-regulated development in *Arabidopsis*: CHORY **115**, 337.
Lectin
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
Leech
peripheral induction of central neurons: BECKER AND MACAGNO **116**, 427.
segmental expression of *Lox 2* RNA in leech: NARDELLI-HAEFLIGER AND SHANKLAND **116**, 697.
Lens
c-*myc* and N-*myc* mRNA in chick lens: HARRIS, TALIAN AND ZELENKA **115**, 813.
Leucine zipper
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99.
Leucine-rich repeat
homeotic target gene: GOULD AND WHITE **116**, 1163.
LFB1
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
Light perception
light-regulated development in *Arabidopsis*: CHORY **115**, 337.
Limb bud
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.
Limb development
Drosophila wnt/wingless gene family: RUSSELL, GENNISSEN AND NUSSE **115**, 475.
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
ridge removal: *GHox-7* and *GHox-8* expression: ROS, LYONS, KOSHER, UPHOLT, COELHO AND FALLON **116**, 811.
Limb evolution
Hox genes and limb evolution: TABIN **116**, 289.
Limb formation
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
Limb muscle
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.
LINE
expression of the I factor during oogensis: LACHAUME, BOUHIDEL, MESURE AND PINON **115**, 729.
Lineage analysis
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
of chick radial glia: GRAY AND SANES **114**, 271.
of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.
Lipoprotein lipase
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.
Liver
embryonic and adult α globin genes: LEDER, KUO, SHEN AND LEDER **116**, 1041.
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213.
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
Localization
appositional localization of PDGF-A and its receptor: ORR-URTREGER AND LONAI **115**, 1045.
mouse preimplantation glucose transporter molecules: AGHAYAN, RAO, SMITH, JARETT, CHARRON, THORENS AND HEYNER **115**, 305.
Long-range repression
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877.
Lucifer Yellow
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
Lung
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
Lymph gland
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Lymphocyte
role of *c*-kit/SF in lymphocyte development: PALACIOS AND NISHIKAWA **115**, 1133.
Lytechinus
$NiCl_2$ and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.

M-phase
alkaline phosphatase expression in mouse embryo: NARISAWA, HOFMANN, ZIOMEK AND MILLAN **116**, 159.
M33
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.
mab-5
mab-5 expression in *Caenorhabditis* embryo: COWING AND KENYON **116**, 481.
Macrophage
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
Maintenance
repression of *engrailed* by *Pc* group genes: MOAZED AND O'FARRELL **116**, 805.
Maintenance factor
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
Maize
expression of maize homeobox gene *knotted-1*: SMITH, GREENE, VEIT AND HAKE **116**, 21.
maize anther development: DAWE AND FREELING **116**, 1077.
Malpighian tubule
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

wingless requirement in cell division: SKAER AND MARTINEZ ARIAS **116**, 745.

Mammal
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.

Mammalian fertilization
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.

Mammary epithelium
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.

Mannose 6-phosphate receptor
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965.

Margin cell
cell fate in the zebrafish: HO **1992 Supplement,** 65.

Marginal zone
origin of hypoblast and PS in the chick: EYAL-GILADI, DEBBY AND HAREL **116**, 819.

MASH
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.

Mast cell growth factor
TRP-2/DT, a new early melanoblast marker: STEEL, DAVIDSON AND JACKSON **115**, 1111.

mastermind
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.

Maternal morphogen
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.

Maternal mRNA
β_1-integrin in *Xenopus* embryogenesis: GAWANTKA, ELLINGER-ZIEGELBAUER AND HAUSEN **115**, 595.
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
Xenopus maternal mRNA binding proteins: LEGAGNEUX, BOUVET, OMILLI, CHEVALIER AND OSBORNE **116**, 1193.

Maternal transcription factor
maternal factor, OZ-1, activates *Xenopus* embryonic transcription: OVSENEK, ZORN AND KRIEG **115**, 649.

Maternal-embryonic transition
PDGF effects on bovine embryos: LARSON, IGNOTZ AND CURRIE **115**, 821.

Matrix organization
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.

Maxillary primordia
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805.

Medial edge epithelial cell
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379.

Meiosis
alkaline phosphatase expression in mouse embryo: NARISAWA, HOFMANN, ZIOMEK AND MILLAN **116**, 159.
twine, a meiotic *Drosophila* cdc25 phosphatase: COURTOT, FRANKHAUSER, SIMANIS AND LEHNER **116**, 405.

Melanoblast
mouse melanoblast proliferation in culture: HIROBE **114**, 435.

Melanocyte
mouse melanoblast proliferation in culture: HIROBE **114**, 435.
TRP-2/DT, a new early melanoblast marker: STEEL, DAVIDSON AND JACKSON **115**, 1111.

Melanocyte culture
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.

Melanogenesis
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367.

Meristem
cell fate in *Arabidopsis*: FURNER AND PUMFREY **115**, 755.
expression of maize homeobox gene *knotted-1*: SMITH, GREENE, VEIT AND HAKE **116**, 21.
fate mapping in *Arabidopsis:* IRISH AND SUSSEX **115**, 745.
meristem mutants in *Arabidopsis*: LEYSER AND FURNER **116**, 397.

Mesenchyme
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.
$NiCl_2$ and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.

Mesoderm
BMP-4 and mesoderm induction in *Xenopus*: DALE, HOWES, PRICE AND SMITH **115**, 573.
cell fate in the zebrafish: HO **1992 Supplement,** 65.
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
Drosophila gonadal mesoderm: BROOKMAN, TOOSY, SHASHIDHARA AND WHITE **116**, 1185.
DVR-4 in *Xenopus* mesoderm induction: JONES, LYONS, LAPAN, WRIGHT AND HOGAN **115**, 639.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.
formation in early *Drosophila*: LEPTIN, CASAL, GRUNEWALD AND REUTER **1992 Supplement,** 23.
gene regulation in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.

neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.
specification of mesoderm and ectoderm in leech: NELSON AND WEISBLAT **115**, 103.
wingless protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.

Mesoderm induction
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261.
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711.
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.
in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.

Mesodermal derivative
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135.

Mesodermal expression
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.

Met-mesencephalic development
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF, ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.

Metalloendoprotease
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.

Metalloprotease
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.

Metalloproteinase
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.

Metalloprotien
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.

Metallothionein-I gene
imprinting of transgene methylation: UEDA, YAMAZAKI, SUZUKI, FUJIMOTO, SASAKI, SAKAKI AND HIGASHINAKAGAWA **116**, 831.

Metanephric duct
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.

Metanephric mesenchyme
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.

Metanephros
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.

Methylation
imprinting of transgene methylation: UEDA, YAMAZAKI, SUZUKI, FUJIMOTO, SASAKI, SAKAKI AND HIGASHINAKAGAWA **116**, 831.
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.

Microfilament
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.

Microinjection
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.

Microtubule
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
MAP2 and microtubule organisation: WEISSHAAR, DOLL AND MATUS **116**, 1151.
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699.

Microtubule-associated protein
MAP2 and microtubule organisation: WEISSHAAR, DOLL AND MATUS **116**, 1151.

Microtubule-organizing centre
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.

Midblastula transition
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.

Midbrain
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.
zebrafish *wnt*-related genes: KRAUSS, KORZH, FJOSE AND JOHANSEN **116**, 249.

Midgut
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

Midline
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.

mim-1
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125.
ming
ming expression and function in CNS: CUI AND DOE **116**, 943.
Mitochondria
mitochondrial activity in *Drosophila* embryos: AKIYAMA AND OKADA **115**, 1175.
Mitogenesis
multiple roles for *torpedo* in *Drosophila* embryogenesis: CLIFFORD AND SCHUPBACH **115**, 853.
Mitosis
Drosophila pebble gene: HIME AND SAINT **114**, 165.
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
Mitotic domain
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003.
Mitotically quiesecent clusters(MQC)
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
Molecular gradient
molecular gradient cues for pioneer axon growth: NORBECK, FENG AND DENBURG **116**, 467.
Monoclonal antibody
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
NeuN: a neuronal nuclear protein: MULLEN, BUCK AND SMITH **116**, 201.
Morphogen
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
Morphogenesis
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
Mosaic
fate mapping in *Arabidopsis*: IRISH AND SUSSEX **115**, 745.
Motch
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.
Motility
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
Motor neuron
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
Mouse
appositional localization of PDGF-A and its receptor: ORR-URTREGER AND LONAI **115**, 1045.
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245.
c-*kit* function in intestinal pacemaker: MAEDA, YAMAGATA, NISHIKAWA, YOSHINAGA, KOBAYASHI, NISHI AND NISHIKAWA **116**, 369.
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
CRABPI and II expression in mouse embryos: RUBERTE, FRIEDERICH, MORRISS-KAY AND CHAMBON **115**, 973.
cranial neural crest migration: SERBEDZIJA, BRONNER-FRASER AND FRASER **116**, 297.
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.
embryonic and adult α globin genes: LEDER, KUO, SHEN AND LEDER **116**, 1041.
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203.
expression of mouse *Hox-3.5* gene: GEADA, GAUNT, AZZAWI, SHIMELD, PEARCE AND SHARPE **116**, 497.
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965.
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.
glucose transporter expression in mouse embryos: SMITH AND GRIDLEY **116**, 555.

histone H1 in preimplantation mouse embryos: CLARKE, OBLIN AND BUSTIN **115**, 791.
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.
imprinting of phosphoribosyltransferases: MOORE AND WHITTINGHAM **115**, 1011.
imprinting of transgene methylation: UEDA, YAMAZAKI, SUZUKI, FUJIMOTO, SASAKI, SAKAKI AND HIGASHINAKAGAWA **116**, 831.
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.
melanoblast proliferation in culture: HIROBE **114**, 435.
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.
mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.
NeuN: a neuronal nuclear protein: MULLEN, BUCK AND SMITH **116**, 201.
Notch2: a second mammalian Notch gene: WEINMASTER, ROBERTS AND LEMKE **116**, 931.
parthenogenetic stem cells in mouse: JAGERBAUER, FRASER, HERBST, KOTHARY AND FUNDELE **116**, 95.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
PDGF receptor α-subunit expression in mouse development: SCHATTEMAN, MORRISON-GRAHAM, VAN KOPPEN, WESTON AND BOWEN-POPE **115**, 123.
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.
preimplantation glucose transporter molecules: AGHAYAN, RAO, SMITH, JARETT, CHARRON, THORENS AND HEYNER **115**, 305.
PrP gene expression in mouse embryos: MANSON, WEST, THOMSON, MCBRIDE, KAUFMAN AND HOPE **115**, 117.
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.
RA and TGF β in mouse embryogenesis: MAHMOOD, FLANDERS AND MORRISS-KAY **115**, 67.
retinoic acid effects on CNS segmentation: ZIMMER AND ZIMMER **116**, 977.
retinoic acid induces genes: CONLON AND ROSSANT **116**, 357.
retinoic acid synthesis in the mouse retina: MCCAFFERY, LEE, WAGNER, SLADEK AND DRAGER **115**, 371.
role of *c*-kit/SF in lymphocyte development: PALACIOS AND NISHIKAWA **115**, 1133.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861.
synapse-specific gene expression: JO AND BURDEN **115**, 673.
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797.
the neuroregulatory factor MK: NURCOMBE, FRASER, HERLAAR AND HEATH **116**, 1175.
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.
transgenic model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
uvomorulin in early mouse embryos: SEFTON, JOHNSON AND CLAYTON **115**, 313.
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521.
villin in mouse development: MAUNOURY, ROBINE, PRINGAULT, LEONARD, GAILLARD AND LOUVARD **115**, 717.
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF, ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.
xenograft model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67.
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.

Mouse embryo
alkaline phosphatase expression in mouse embryo: NARISAWA, HOFMANN, ZIOMEK AND MILLAN **116**, 159.
gap junctions in the mouse embryo: BECKER, LECLERC-DAVID AND WARNER **1992 Supplement,** 113.

Mouse/chicken graft
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.

Mox-1
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.

MPF
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699.

MPR300
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965.

MPR46
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965.

mRNA
β_1-integrin in *Xenopus* embryogenesis: GAWANTKA, ELLINGER-ZIEGELBAUER AND HAUSEN **115**, 595.
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973.
uvomorulin in early mouse embryos: SEFTON, JOHNSON AND CLAYTON **115**, 313.

mRNA distribution
CRABPI and II expression in mouse embryos: RUBERTE, FRIEDERICH, MORRISS-KAY AND CHAMBON **115**, 973.

mRNA localization
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.

msh-like gene
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.

Muc-1
developmental expression of Muc-1 mucin in the mouse:

BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.

Mucin
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.

Mullerian-inhibiting substance
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721.

Murine ES cell
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303.

Muscle
a *Drosophila* muscle-specific protein: VOLK **116**, 721.
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.
electrical regulation of nAChR δ-promoter activity: CHAHINE, WALKE AND GOLDMAN **115**, 213.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
myosin expression control by thyroid hormone in birds: GARDAHAUT, FONTAINE-PERUS, ROUAUD, BANDMAN AND FERRAND **115**, 1121.
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.

Muscle attachment
a *Drosophila* muscle-specific protein: VOLK **116**, 721.

Muscle creatine kinase
MHox: a muscle homeodomain protein: CSERJESI, LILLY, BRYSON, WANG, SASSOON AND OLSON **115**, 1087.

Muscle differentiation
ascidian egg cytoplasmic determinants: NISHIDA **116**, 521.
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.

Muscle gene
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.

Muscle marker
axial organs and muscle differentiation: RONG, TEILLET, ZILLER AND LE DOUARIN **115**, 657.

Muscle origin
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.

Muscle pioneer
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.

Muscle regeneration
AChR gene expression in regenerated muscle: BRENNER, HERCZEG AND SLATER **116**, 41.

Muscle-specific transcription
MHox: a muscle homeodomain protein: CSERJESI, LILLY, BRYSON, WANG, SASSOON AND OLSON **115**, 1087.

Mutant
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.

Mutant mouse
imprinting of phosphoribosyltransferases: MOORE AND WHITTINGHAM **115**, 1011.

Mutation
cell fate in the zebrafish: HO **1992 Supplement,** 65.
E(spl) in *Drosophila* eye development: FISCHER-VIZE, VIZE AND RUBIN **115**, 89.
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.

c-*myc*
c-*myc* and N-*myc* mRNA in chick lens: HARRIS, TALIAN AND ZELENKA **115**, 813.

N-*myc*
c-*myc* and N-*myc* mRNA in chick lens: HARRIS, TALIAN AND ZELENKA **115**, 813.

Myfkins
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.

Myoblast
distribution of α_6 integrin in avian embryos: BRONNER-FRASER, ARTINGER, MUSCHLER AND HORWITZ **115**, 197.

MyoD
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.

Myofibrillogenesis
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173.

Myogenesis
α1 integrin expression in avian development: DUBAND, BELKIN, SYFRIG, THIERY AND KOTELIANSKY **116**, 585.
axial organs and muscle differentiation: RONG, TEILLET, ZILLER AND LE DOUARIN **115**, 657.
cadherin in cultured cardiac myocytes: GONCHAROVA, KAM AND GEIGER **114**, 173.
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.
inhibin subunits in the chicken embryo: BLAUER, KOHONEN, LEIVONEN, VILJA AND TUOHIMAA **115**, 1079.

Myogenin
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.

Myosin isoform
myosin expression control by thyroid hormone in birds: GARDAHAUT, FONTAINE-PERUS, ROUAUD, BANDMAN AND FERRAND **115**, 1121.

Myosin light chain
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.

Myotome
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.

NCAM
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
maternal factor, OZ-1, activates *Xenopus* embryonic transcription: OVSENEK, ZORN AND KRIEG **115**, 649.
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.
Nematode
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
Nervous system
distribution of α_6 integrin in avian embryos: BRONNER-FRASER, ARTINGER, MUSCHLER AND HORWITZ **115**, 197.
Drosophila abl expression: BENNETT AND HOFFMAN **116**, 953.
L14 lectin in mouse embryogenesis: POIRIER, TIMMONS, CHAN, GUENET AND RIGBY **115**, 143.
Neural cell adhesion molecule
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.
Neural crest
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367.
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.
control of avian crest cell emigration: DELANNET AND DUBAND **116**, 275.
cranial neural crest migration: SERBEDZIJA, BRONNER-FRASER AND FRASER **116**, 297.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
HNK-1 antigens and avian enteric neural crest: LUIDER, PETERS-VAN DER SANDEN, MOLENAAR, TIBBOEL, VAN DER KAMP AND MEIJERS **115**, 561.
notochord does not prevent neural crest formation: ARTINGER AND BRONNER-FRASER **116**, 877.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
transgenic model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
TRP-2/DT, a new early melanoblast marker: STEEL, DAVIDSON AND JACKSON **115**, 1111.
Neural development
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625.
embryonic expression of fasciclin I: MCALLISTER, GOODMAN AND ZINN **115**, 267.
Neural differentiation
expression of *Xwnt-4* during early *Xenopus* development: MCGREW, OTTE AND MOON **115**, 463.
Neural induction
activin promotes expression of neural markers: BOLCE, HEMMATI-BRIVANLOU, KUSHNER AND HARLAND **115**, 681.
and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.
Gα proteins in *Xenopus* development: OTTE, MCGREW, OLATE, NATHANSON AND MOON **116**, 141.
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
retinoic acid and the late phase of neural induction: SHARPE **1992 Supplement,** 203.
Neural pattern
permissive signalling in *Caenorhabditis* development: WARING, WRISCHNIK AND KENYON **116**, 457.
Neural patterning
retinoid release from embryonic neural tissue: WAGNER, HAN AND JESSELL **116**, 55.
Neural retina development
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743.
Neural ridge
origin of hypophysis in *Bufo japonicus*: KAWAMURA AND KIKUYAMA **115**, 1.
Neural tube
avian melanogenic crest cells: KITAMURA, TAKIGUCHI-HAYASHI, SEZAKI, YAMAMOTO AND TAKEUCHI **114**, 367.
axial organs and muscle differentiation: RONG, TEILLET, ZILLER AND LE DOUARIN **115**, 657.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
neuralized
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
Neurite outgrowth
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
Neuroblast
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939.
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625.
Drosophila embryonic neuroblast maps: DOE **116**, 855.
histone H1 subtype synthesis in rats: DOMINGUEZ, PINA AND SUAU **115**, 181.
ming expression and function in CNS: CUI AND DOE **116**, 943.
transgenic model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
Neuroectoderm induction
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
Neurogenesis
α1 integrin expression in avian development: DUBAND, BELKIN, SYFRIG, THIERY AND KOTELIANSKY **116**, 585.
big brain controls peripheral neuronal precursor number: RAO, BODMER, JAN AND JAN **116**, 31.

brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
Drosophila fat facets gene: FISCHER-VIZE, RUBIN AND LEHMANN **116**, 985.
E(spl) in *Drosophila* eye development: FISCHER-VIZE, VIZE AND RUBIN **115**, 89.
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.
neurogenesis in *Drosophila*: CABRERA **115**, 893.
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
peripheral induction of central neurons: BECKER AND MACAGNO **116**, 427.
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.

Neurogenic gene
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939.
big brain controls peripheral neuronal precursor number: RAO, BODMER, JAN AND JAN **116**, 31.
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.

Neuromuscular junction
AChR gene expression in regenerated muscle: BRENNER, HERCZEG AND SLATER **116**, 41.

Neuromuscular synapse
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545.
synapse-specific gene expression: JO AND BURDEN **115**, 673.

Neuron
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17.
enhancer trap in zebrafish: BAYER AND CAMPOS-ORTEGA **115**, 421.
histone H1 subtype synthesis in rats: DOMINGUEZ, PINA AND SUAU **115**, 181.
MAP2 and microtubule organisation: WEISSHAAR, DOLL AND MATUS **116**, 1151.
NPY and development of coexpression for neurons and chromaffin: GARCIA-ARRARAS, LUGO-CHINCHILLA AND CHEVERE-COLON **115**, 617.
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.

Neuronal development
plasminogen activators in nerve: SUMI, DENT, OWEN, SEELEY AND MORRIS **116**, 625.

Neuronal differentiation
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.

Neuronal nuclei
NeuN: a neuronal nuclear protein: MULLEN, BUCK AND SMITH **116**, 201.

Neuropeptide
NPY and development of coexpression for neurons and chromaffin: GARCIA-ARRARAS, LUGO-CHINCHILLA AND CHEVERE-COLON **115**, 617.

Neurotransmitter plasticity
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.

Neurotrophic factor
the neuroregulatory factor MK: NURCOMBE, FRASER, HERLAAR AND HEATH **116**, 1175.

Neurulation
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.

Nickel
$NiCl_2$ and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.

$NiCl_2$
and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.

Nicotinic acetylcholine receptor
electrical regulation of nAChR δ-promoter activity: CHAHINE, WALKE AND GOLDMAN **115**, 213.

noggin
Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.

Notch protein
Notch expression in oogenesis: XU, CARON, FEHON AND ARTAVANIS-TSAKONAS **115**, 913.

Notch
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.
neurogenic gene function in embryogenesis: HARTENSTEIN, RUGENDORFF, TEPASS AND HARTENSTEIN **116**, 1203.
Notch2: a second mammalian Notch gene: WEINMASTER, ROBERTS AND LEMKE **116**, 931.

Notochord
axial organs and muscle differentiation: RONG, TEILLET, ZILLER AND LE DOUARIN **115**, 657.
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
retinoid release from embryonic neural tissue: WAGNER, HAN AND JESSELL **116**, 55.

Notoplate
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.

NPY
NPY and development of coexpression for neurons and chromaffin: GARCIA-ARRARAS, LUGO-CHINCHILLA AND CHEVERE-COLON **115**, 617.

Nuclear rotation
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.

Nude mouse
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.

Oligodendrocyte
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.

Oligos
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
Ontogeny
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869.
Oocyte
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.
histone H1 in preimplantation mouse embryos: CLARKE, OBLIN AND BUSTIN **115**, 791.
wingless protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.
Oocyte maturation
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533.
Oogenesis
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
cyclin B transcript localization: DALBY AND GLOVER **115**, 989.
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
Drosophila fat facets gene: FISCHER-VIZE, RUBIN AND LEHMANN **116**, 985.
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481.
expression of the I factor during oogensis: LACHAUME, BOUHIDEL, MESURE AND PINON **115**, 729.
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.
Notch expression in oogenesis: XU, CARON, FEHON AND ARTAVANIS-TSAKONAS **115**, 913.
Ooplasmic separation
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.
Ooplasmic streaming
cytoskeletal organization during oocyte development: THEURKAUF, SMILEY, WONG AND ALBERTS **115**, 923.
Optic ganglion
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
Optic lobe
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
Optic tectum
lineage of chick radial glia: GRAY AND SANES **114**, 271.
orb
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
Organ culture
E-cadherin in mouse embryonic brain: SHIMAMURA AND TAKEICHI **116**, 1011.
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573.
Organizer
epithelial control of *Xenopus* morphogenesis: SHIH AND KELLER **116**, 887.
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.
Organogenesis
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
FGF receptor distribution in mouse embryos: PETERS, WERNER, CHEN AND WILLIAMS **114**, 233.
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
orthodenticle
and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.
Ossification
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Osteoblast
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Osteoclast
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Ovarian follicle
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
Ovary
anti-Mullerian hormone and ovarian aromatase assay: DI CLEMENTE, GHAFFARI, PEPINSKY, PIEAU, JOSSO, CATE AND VIGIER **114**, 721.
CK expression and gonad differentiation in rats: FRIDMACHER, LOCQUET AND MAGRE **115**, 503.
ultraspiracle in the eye and ovary of *Drosophila*: ORO, MCKEOWN AND EVANS **115**, 449.
Overexpression
Dd PK2 overexpression in *Dictyostelium*: ANJARD, PINAUD, KAY AND REYMOND **115**, 785.
Ovis aries
expression of the hair type II keratin gene family in sheep wool: POWELL, CROCKER AND ROGERS **114**, 417.
OZ-1
maternal factor, OZ-1, activates *Xenopus* embryonic transcription: OVSENEK, ZORN AND KRIEG **115**, 649.

P-element enhancer detector
spermatogenesis in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89.
P-element transformation
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481.
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.
P19 cell
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
NeuN: a neuronal nuclear protein: MULLEN, BUCK AND SMITH **116**, 201.

P19 embryonal carcinoma
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
p53
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
Paired box
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
Paired-box
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.
Palatal fusion
confocal microscopy of mouse palatal cultures: CARETTE AND FERGUSON **114**, 379.
Palate mesenchyme
palate mesenchyme traced by TEM marker: GRIFFITH AND HAY **116**, 1087.
Pancreas
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.
Paramecium
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
Parasegment
Drosophila caudal segment development: KUHN, SAWYER, PACKERT, TURENCHALK, MACK, SPREY, GUSTAVSON AND KORNBERG **116**, 11.
Parthenogenesis
parthenogenetic stem cells in mouse: JAGERBAUER, FRASER, HERBST, KOTHARY AND FUNDELE **116**, 95.
Patch
expression of Pdgfra and the *Ph* phenotype in mouse: ORR-URTREGER, BEDFORD, DO, EISENBACH AND LONAI **115**, 289.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
PDGF receptor α-subunit expression in mouse development: SCHATTEMAN, MORRISON-GRAHAM, VAN KOPPEN, WESTON AND BOWEN-POPE **115**, 123.
Pathfinding
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
Pattern formation
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
altered mitotic domains in mutant *Drosophila* embryos: ARORA AND NUSSLEIN-VOLHARD **114**, 1003.
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841.
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
development of butterfly eyespots: FRENCH AND BRAKEFIELD **116**, 103.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
Hox genes and limb evolution: TABIN **116**, 289.
Hox-4 expression in mouse/chick grafts to limb buds: IZPISUA-BELMONTE, BROWN, CRAWLEY, DUBOULE AND TICKLE **115**, 553.
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.
maize anther development: DAWE AND FREELING **116**, 1077.
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
orthodenticle and medial cell fates: WIESCHAUS, PERRIMON AND FINKELSTEIN **115**, 801.
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
permissive signalling in *Caenorhabditis* development: WARING, WRISCHNIK AND KENYON **116**, 457.
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583.
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.
Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.
Patterning
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.
Pax-3
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
PAX8
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
PCR
glucose transporter expression in mouse embryos: SMITH AND GRIDLEY **116**, 555.
PDGF
effects on bovine embryos: LARSON, IGNOTZ AND CURRIE **115**, 821.
PDGF receptor
α-subunit expression in mouse development: SCHATTEMAN, MORRISON-GRAHAM, VAN KOPPEN, WESTON AND BOWEN-POPE **115**, 123.
expression of Pdgfra and the *Ph* phenotype in mouse: ORR-URTREGER, BEDFORD, DO, EISENBACH AND LONAI **115**, 289.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
PDGF-A
appositional localization of PDGF-A and its receptor: ORR-URTREGER AND LONAI **115**, 1045.

Pdgfra
appositional localization of PDGF-A and its receptor: ORR-URTREGER AND LONAI **115**, 1045.
pebble
Drosophila pebble gene: HIME AND SAINT **114**, 165.
Pelvetia
nuclear rotation and division plane: ALLEN AND KROPF **115**, 873.
PEM
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
Peripheral nervous system
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
big brain controls peripheral neuronal precursor number: RAO, BODMER, JAN AND JAN **116**, 31.
expression of fibronectin in chick peripheral nerve: LEFCORT, VENSTROM, MCDONALD AND REICHARDT **116**, 767.
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
homeotic genes influence development of PNS: HEUER AND KAUFMAN **115**, 35.
Periplaneta
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.
PFR1
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
PFR4
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
***Ph* mutation**
expression of Pdgfra and the *Ph* phenotype in mouse: ORR-URTREGER, BEDFORD, DO, EISENBACH AND LONAI **115**, 289.
Phenotypic suppression
activation and phenotypic expression of *Dfd*: GONZALEZ-REYES, MACIAS AND MORATA **116**, 1059.
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
Phosphatase
twine, a meiotic *Drosophila* cdc25 phosphatase: COURTOT, FRANKHAUSER, SIMANIS AND LEHNER **116**, 405.
Phosphoinositidase C
polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
Phosphoinositide
polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
Phosphorylation
uvomorulin in early mouse embryos: SEFTON, JOHNSON AND CLAYTON **115**, 313.
Photoreceptor
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797.
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
Physiological polyspermic fertilization
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.
PI kinase
polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
PI-PLC
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
Pig
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.
Pigmented epithelium
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743.
Pintallavis
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.
Pioneer axon
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
Pituitary
origin of hypophysis in *Bufo japonicus*: KAWAMURA AND KIKUYAMA **115**, 1.
Placenta
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
Placode
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
Planar induction
planar signals in neural patterning: DONIACH **1992 Supplement**, 183.
Planar signal
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
Plasma membrane
β_1-integrin in *Xenopus* embryogenesis: GAWANTKA, ELLINGER-ZIEGELBAUER AND HAUSEN **115**, 595.
Plasminogen
plasminogen activators in nerve: SUMI, DENT, OWEN, SEELEY AND MORRIS **116**, 625.
Platelet-derived growth factor (PDGF)
effects on bovine embryos: LARSON, IGNOTZ AND CURRIE **115**, 821.
Patch affects non-neuronal neural crest cells in mouse: MORRISON-GRAHAM, SCHATTEMAN, BORK, BOWEN-POPE AND WESTON **115**, 133.
receptor α-subunit expression in mouse development: SCHATTEMAN, MORRISON-GRAHAM, VAN KOPPEN, WESTON AND BOWEN-POPE **115**, 123.
Pleurodeles
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
mesodermal fate map in *Pleurodeles* gastrula: DELARUE, SANCHEZ, JOHNSON, DARRIBERE AND BOUCAUT **114**, 135.
Polar plasm
mitochondrial activity in *Drosophila* embryos: AKIYAMA AND OKADA **115**, 1175.
Polarity
activation and phenotypic expression of *Dfd*: GONZALEZ-REYES, MACIAS AND MORATA **116**, 1059.

control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17.
maize anther development: DAWE AND FREELING **116**, 1077.
polarity of ascidian egg cortex: SARDET, SPEKSNIJDER, TERASAKI AND CHANG **115**, 221.
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959.
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.

Polarization
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.

Pole cell
mitochondrial activity in *Drosophila* embryos: AKIYAMA AND OKADA **115**, 1175.

Polycomb
group control of BX-C in *Drosophila*: SIMON, CHIANG AND BENDER **114**, 493.
M33: a murine *Pc*-like chromobox gene: PEARCE, SINGH AND GAUNT **114**, 921.
repression of *engrailed* by *Pc* group genes: MOAZED AND O'FARRELL **116**, 805.

Polypeptide
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

Polysialic acid
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.

Polyspermy
polyspermy in urodele amphibians: GRANDIN AND CHARBONNEAU **114**, 617.

Polysphondylium pallidum
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.

Positional information
molecular gradient cues for pioneer axon growth: NORBECK, FENG AND DENBURG **116**, 467.
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.

Post-transcriptional control
Xenopus maternal mRNA binding proteins: LEGAGNEUX, BOUVET, OMILLI, CHEVALIER AND OSBORNE **116**, 1193.

Posterior body plan
Drosophila pumilio gene: MACDONALD **114**, 221.

Posterior mutant
mitochondrial activity in *Drosophila* embryos: AKIYAMA AND OKADA **115**, 1175.

Posterior pole
cyclin B transcript localization: DALBY AND GLOVER **115**, 989.

Posteriorization
DVR-4 in *Xenopus* mesoderm induction: JONES, LYONS, LAPAN, WRIGHT AND HOGAN **115**, 639.

Postimplantation mouse
glucose transporter expression in mouse embryos: SMITH AND GRIDLEY **116**, 555.

Posttranscriptional control
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.

Posttranscriptional regulation
in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457.

POU
localized expression of a *Xenopus* POU gene: FRANK AND HARLAND **115**, 439.

POU transcription factor
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.

PPAR
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.

Precardiac mesoderm
directional development in chick heart: HOYLE, BROWN AND WOLPERT **115**, 1071.

Preimplantation embryo
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.
gap junctions in the mouse embryo: BECKER, LECLERC-DAVID AND WARNER **1992 Supplement,** 113.
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
mouse preimplantation glucose transporter molecules: AGHAYAN, RAO, SMITH, JARETT, CHARRON, THORENS AND HEYNER **115**, 305.
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.

Prenatal expression
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869.

Presumptive ectoderm
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.

Primary mesenchyme cell(PMC)
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.

Primary sensory neuron
enhancer trap in zebrafish: BAYER AND CAMPOS-ORTEGA **115**, 421.

Primitive streak
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.
origin of hypoblast and PS in the chick: EYAL-GILADI, DEBBY AND HAREL **116**, 819.
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.

Prion protein gene
PrP gene expression in mouse embryos: MANSON, WEST, THOMSON, MCBRIDE, KAUFMAN AND HOPE **115**, 117.

Programmed cell death
Caenorhabditis cell death gene *ced-4*: YUAN AND HORVITZ **116**, 309.

Proliferation
control of proliferation in the rat retina: LILLIEN AND CEPKO **115**, 253.
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
parthenogenetic stem cells in mouse: JAGERBAUER, FRASER, HERBST, KOTHARY AND FUNDELE **116**, 95.

Promoter
electrical regulation of nAChR δ-promoter activity: CHAHINE, WALKE AND GOLDMAN **115**, 213.

Promoter-*lacZ* fusion
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.
Proneural gene
achaete expression and neuroblast formation: SKEATH AND CARROLL **114**, 939.
Protease
plasminogen activators in nerve: SUMI, DENT, OWEN, SEELEY AND MORRIS **116**, 625.
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973.
Protein
Caenorhabditis cell death gene *ced-4*: YUAN AND HORVITZ **116**, 309.
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
Drosophila pumilio gene: MACDONALD **114**, 221.
expression of Cx43 in mouse development: YANCEY, BISWAL AND REVEL **114**, 203.
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
Gα proteins in *Xenopus* development: OTTE, MCGREW, OLATE, NATHANSON AND MOON **116**, 141.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
NeuN: a neuronal nuclear protein: MULLEN, BUCK AND SMITH **116**, 201.
permissive signalling in *Caenorhabditis* development: WARING, WRISCHNIK AND KENYON **116**, 457.
Xenopus maternal mRNA binding proteins: LEGAGNEUX, BOUVET, OMILLI, CHEVALIER AND OSBORNE **116**, 1193.
Protein kinase
Dd PK2 overexpression in *Dictyostelium*: ANJARD, PINAUD, KAY AND REYMOND **115**, 785.
Protein localization
Drosophila fat facets gene: FISCHER-VIZE, RUBIN AND LEHMANN **116**, 985.
Protein phosporylation
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99.
Protein synthesis
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
Proteoglycan
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.
Proteoglycan-collagen interaction
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.
Proto-oncogene
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.
c-*myc* and N-*myc* mRNA in chick lens: HARRIS, TALIAN AND ZELENKA **115**, 813.
Protozoa
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
Protrusive activity
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
Proventriculus
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.
Prp gene
PrP gene expression in mouse embryos: MANSON, WEST, THOMSON, MCBRIDE, KAUFMAN AND HOPE **115**, 117.
PS2 integrin
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.
***pumilio* gene**
Drosophila pumilio gene: MACDONALD **114**, 221.
Purine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.

Quail
control of avian crest cell emigration: DELANNET AND DUBAND **116**, 275.
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
Quail-chick chimera
donor cell distribution in blastodermal chimeras: WATANABE, KINUTANI, NAITO, OCHI AND TAKASHIMA **114**, 331.
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
mapping cephalic mesoderm in birds: COULY, COLTEY AND LE DOUARIN **114**, 1.

Radial glia
lineage of chick radial glia: GRAY AND SANES **114**, 271.
RAR-β
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805.
Rat
AChR gene expression in regenerated muscle: BRENNER, HERCZEG AND SLATER **116**, 41.
CAMs, development and neurite outgrowth: DOHERTY, SKAPER, MOORE, LEON AND WALSH **115**, 885.
cell-cell communications in rat and human hair follicles: KAM AND HODGINS **114**, 389.
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.
CK expression and gonad differentiation in rats: FRIDMACHER, LOCQUET AND MAGRE **115**, 503.
CNTF expression in rat footpad: ROHRER **114**, 689.
control of neuronal polarity by glycosaminoglycans: LAFONT, ROUGET, TRILLER, PROCHIANTZ AND ROUSSELET **114**, 17.
control of proliferation in the rat retina: LILLIEN AND CEPKO **115**, 253.
development of thalamocortical connections: GOTZ, NOVAK, BASTMEYER AND BOLZ **116**, 507.
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.
GH receptor/binding protein during embryogenesis: GARCIA-ARAGON, LOBIE, MUSCAT, GOBIUS, NORSTEDT AND WATERS **114**, 869.
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.

hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.
HGF localization in the developing rat: DEFRANCES, WOLF, MICHALOPOULOS AND ZARNEGER **116**, 387.
histone H1 subtype synthesis in rats: DOMINGUEZ, PINA AND SUAU **115**, 181.
IGFs and BP-2 in fetal rat lung: KLEMPT, HUTCHINS, GLUCKMAN AND SKINNER **115**, 765.
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
PDGF receptor mRNA in the developing CNS of rat: PRINGLE, MUDHAR, COLLARINI AND RICHARDSON **115**, 535.
plasminogen activators in nerve: SUMI, DENT, OWEN, SEELEY AND MORRIS **116**, 625.
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899.
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573.

Reaggregate culture
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899.

Receptor
distribution of α_6 integrin in avian embryos: BRONNER-FRASER, ARTINGER, MUSCHLER AND HORWITZ **115**, 197.
expression of MPR46 and MPR300: MATZNER, VON FIGURA AND POHLMANN **114**, 965.
expression of Pdgfra and the *Ph* phenotype in mouse: ORR-URTREGER, BEDFORD, DO, EISENBACH AND LONAI **115**, 289.
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39.

Receptor tyrosine kinase
CNS development on *flb Drosophila* embryos: RAZ AND SHILO **114**, 113.
multiple roles for *torpedo* in *Drosophila* embryogenesis: CLIFFORD AND SCHUPBACH **115**, 853.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.

Receptor-ligand interaction
appositional localization of PDGF-A and its receptor: ORR-URTREGER AND LONAI **115**, 1045.

Recessive spotting
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.

Regeneration
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.

Regional neural induction
activin promotes expression of neural markers: BOLCE, HEMMATI-BRIVANLOU, KUSHNER AND HARLAND **115**, 681.

Regionalization
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.

Regulation
dedifferentiation in *Dictyostelium*: CHANDRASEKHAR, ENNIS AND SOLL **116**, 417.
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

Regulator
regulation of cell interactions: RUTISHAUSER **1992 Supplement,** 99.

Regulatory element
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481.

Renal development
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.

Repression
MASH expression during P19 neuronal differentiation: JOHNSON, ZIMMERMAN, SAITO AND ANDERSON **114**, 75.
Ultrabithorax minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877.

Respecification
respecification of vertebrae by retinoic acid: KESSEL **115**, 487.

Retina
acidic FGF in vitro retinal development: GUILLEMOT AND CEPKO **114**, 743.
control of proliferation in the rat retina: LILLIEN AND CEPKO **115**, 253.
goldfish retinal regeneration: BRAISTED AND RAYMOND **114**, 913.
regulation of retinal N-cadherin: ROARK, PARADIES, LAGUNOWICH AND GRUNWALD **114**, 973.
retinoic acid synthesis in the mouse retina: MCCAFFERY, LEE, WAGNER, SLADEK AND DRAGER **115**, 371.
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899.
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797.

Retinal degeneration
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.

Retinal development
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39.

Retinoic acid
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
axial pattern in the chick embryo: SUNDIN AND EICHELE **114**, 841.
CRABPI and II expression in mouse embryos: RUBERTE, FRIEDERICH, MORRISS-KAY AND CHAMBON **115**, 973.
retinoic acid induces genes: CONLON AND ROSSANT **116**, 357.
induction of *Hox-2* genes by retinoic acid: DEKKER,

PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.
Pax-3/neuroectoderm induction: PRUITT **116**, 573.
RA and TGF β in mouse embryogenesis: MAHMOOD, FLANDERS AND MORRISS-KAY **115**, 67.
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.
respecification of vertebrae by retinoic acid: KESSEL **115**, 487.
retinoic acid and the late phase of neural induction: SHARPE **1992 Supplement,** 203.
retinoic acid effects on CNS segmentation: ZIMMER AND ZIMMER **116**, 977.
retinoic acid synthesis in the mouse retina: MCCAFFERY, LEE, WAGNER, SLADEK AND DRAGER **115**, 371.

Retinoic acid receptor
RAR-β in developing chick facial primordia: ROWE, RICHMAN AND BRICKELL **114**, 805.

Retinoid
retinoid release from embryonic neural tissue: WAGNER, HAN AND JESSELL **116**, 55.

Retinoid X receptor
ultraspiracle in the eye and ovary of *Drosophila*: ORO, MCKEOWN AND EVANS **115**, 449.

Retrotransposon
Drosophila gonadal mesoderm: BROOKMAN, TOOSY, SHASHIDHARA AND WHITE **116**, 1185.

Retrovirus
lineage of chick radial glia: GRAY AND SANES **114**, 271.

RGD
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.

Rhabditis dolichura
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.

Rhodamine
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.

rhomboid
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.

Rhombomere
cell coupling at segmental limits: MARTINEZ, GEIJO, SANCHEZ-VIVES, PUELLES AND GALLEGO **116**, 1069.
expression of mouse *Hox-3.5* gene: GEADA, GAUNT, AZZAWI, SHIMELD, PEARCE AND SHARPE **116**, 497.
motor neuron pathfinding in chick embryo: GUTHRIE AND LUMSDEN **114**, 663.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.

Ricin
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681.

mRNA
AChR gene expression in regenerated muscle: BRENNER, HERCZEG AND SLATER **116**, 41.
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
c-*myc* and N-*myc* mRNA in chick lens: HARRIS, TALIAN AND ZELENKA **115**, 813.
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.
Xenopus maternal mRNA binding proteins: LEGAGNEUX, BOUVET, OMILLI, CHEVALIER AND OSBORNE **116**, 1193.

RNA isolation
induction of *Hox-2* genes by retinoic acid: DEKKER, PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.

RNA localization
cyclin B transcript localization: DALBY AND GLOVER **115**, 989.
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.

RNA transport
KIO RNA transport and localization: CHEUNG, SERANO AND COHEN **114**, 653.

RNA-binding protein
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
Xenopus maternal mRNA binding proteins: LEGAGNEUX, BOUVET, OMILLI, CHEVALIER AND OSBORNE **116**, 1193.

Rod photoreceptor cell
rod photoreceptor development in vitro: ALTSHULER AND CEPKO **114**, 947.
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899.

Rod synapse
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797.

Rostrocaudal gradient
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.

rough
rhomboid and eye development: FREEMAN, KIMMEL AND RUBIN **116**, 335.

rp49
tissue-specific ecdysone regulation: ANDRES AND CHERBAS **116**, 865.

Rumpless mutant
short-circuiting development: HOTARY AND ROBINSON **114**, 985.

Rumplessness
short-circuiting development: HOTARY AND ROBINSON **114**, 985.

Ryanodine receptor
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.

Salivary gland
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.

Satellite cell
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.

Scale
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.

Scarless wound repair
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.
Schistocerca americana
grasshopper pioneer growth cone guidance in vivo: CHANG, SERIKAWA, ALLEN AND BENTLEY **114**, 507.
Schwann cell
CNTF expression in rat footpad: ROHRER **114**, 689.
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
SCIP
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
Sclerotome
chick-quail somitic muscle lineages: ORDAHL AND LE DOUARIN **114**, 339.
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.
Sea urchin
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
evolution of developmental decisions and morphogenesis: RAFF **1992 Supplement,** 15.
evolutionary dissociation in sea urchin embryos: HENRY, KLUEG AND RAFF **114**, 931.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
$NiCl_2$ and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
polyphosphoinositide turnover at fertilization in sea urchin: CIAPA, BORG AND WHITAKER **115**, 187.
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457.
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.
very early blastula-specific genes in sea urchin: REYNOLDS, ANGERER, PALIS, NASIR AND ANGERER **114**, 769.
Second mammalian *Notch*
Notch2: a second mammalian Notch gene: WEINMASTER, ROBERTS AND LEMKE **116**, 931.
Secondary mesenchyme cell(SMC)
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
Secretory property
wingless protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.
Sector 1
cell fate in *Arabidopsis*: FURNER AND PUMFREY **115**, 755.
Segment
cell coupling at segmental limits: MARTINEZ, GEIJO, SANCHEZ-VIVES, PUELLES AND GALLEGO **116**, 1069.
Segment identity
segmental expression of *Lox 2* RNA in leech: NARDELLI-HAEFLIGER AND SHANKLAND **116**, 697.
Segment polarity gene
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
Segmental ganlia
peripheral induction of central neurons: BECKER AND MACAGNO **116**, 427.
Segmental identity
teashirt homeotic gene: RODER, VOLA AND KERRIDGE **115**, 1017.
Segmentation
effects of uniform *wingless* expression: NOORDERMEER, JOHNSTON, RIJSEWIJK, NUSSE AND LAWRENCE **116**, 711.
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
retinoic acid effects on CNS segmentation: ZIMMER AND ZIMMER **116**, 977.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
Segmentation gap gene
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99.
Selection
evolution of developmental decisions and morphogenesis: RAFF **1992 Supplement,** 15.
gastrulation and the evolution of development: WOLPERT **1992 Supplement,** 7.
Sense organ
Drosophila caudal segment development: KUHN, SAWYER, PACKERT, TURENCHALK, MACK, SPREY, GUSTAVSON AND KORNBERG **116**, 11.
Sensory cell
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
Sensory mother cell(SMC)
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
Sensory neuron
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.
Sensory organ
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.
homeotic genes influence development of PNS: HEUER AND KAUFMAN **115**, 35.
Serine protease
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.
Serum-free culture
mouse melanoblast proliferation in culture: HIROBE **114**, 435.
sevenless
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.
inducible cell ablation in *Drosophila*: MOFFAT, GOULD, SMITH AND O'KANE **114**, 681.
sex combs reduced
salivary gland determination in *Drosophila*: PANZER, WEIGEL AND BECKENDORF **114**, 49.
Sex determination
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.

Sex differentiation
commitment of sex-specific neuroblasts: TAYLOR AND TRUMAN **114**, 625.
Sexual differentiation
CK expression and gonad differentiation in rats: FRIDMACHER, LOCQUET AND MAGRE **115**, 503.
Sexual dimorphism
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.
SGP-2
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
Shoot development
expression of maize homeobox gene *knotted-1*: SMITH, GREENE, VEIT AND HAKE **116**, 21.
Sicyonia
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
Signal transduction
Gα proteins in *Xenopus* development: OTTE, MCGREW, OLATE, NATHANSON AND MOON **116**, 141.
Signaling competence
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
Silver
mouse mutations and melanocyte growth: SPANAKIS, LAMINA AND BENNETT **114**, 675.
Single cell ablation
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
Single cell column
primary culture of *Drosophila* ectodermal cells: LUER AND TECHNAU **116**, 377.
Sink model
development of butterfly eyespots: FRENCH AND BRAKEFIELD **116**, 103.
Skeletal morphogenesis
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
Skeletal muscle
dystrophin in developing human muscle: CLERK, STRONG AND SEWRY **114**, 395.
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.
myosin expression control by thyroid hormone in birds: GARDAHAUT, FONTAINE-PERUS, ROUAUD, BANDMAN AND FERRAND **115**, 1121.
Skeletogenesis
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
Skeleton
$NiCl_2$ and commitment in sea urchin embryo: HARDIN, COFFMAN, BLACK AND MCCLAY **116**, 671.
Skin
gap junction genes and skin development: RISEK, KLIER AND GILULA **116**, 639.
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.
RA gradient alters feather axial orientation: CHUONG, TING, WIDELITZ AND LEE **115**, 839.
Slice cultures
development of thalamocortical connections: GOTZ, NOVAK, BASTMEYER AND BOLZ **116**, 507.
Slime mold
stable spatial patterns in *lacZ* fusion transformants: VOCKE AND COX **115**, 59.
Smooth muscle
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.
snail
early *Drosophila* mesoderm formation: LEPTIN, CASAL, GRUNEWALD AND REUTER **1992 Supplement,** 23.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
Sna
expression of mouse *Sna* gene: NIETO, BENNETT, SARGENT AND WILKINSON **116**, 227.
Soma
brainiac and DER cooperation in oogenesis: GOODE, WRIGHT AND MAHOWALD **116**, 177.
Somatic cell
gynandromorphs and gonadal development in *Drosophila*: SZABAD AND NOTHIGER **115**, 527.
Somatostatin
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.
Somite
axial organs and muscle differentiation: RONG, TEILLET, ZILLER AND LE DOUARIN **115**, 657.
mesoderm commitment in chick Hensen's node: SELLECK AND STERN **114**, 403.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
zebrafish *engrailed* genes: EKKER, WEGNER, AKIMENKO AND WESTERFIELD **116**, 1001.
Somitogenesis
mesoderm/mesenchyme homeobox genes: CANDIA, HU, CROSBY, LALLEY, NODEN, NADEAU AND WRIGHT **116**, 1123.
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.
Source model
development of butterfly eyespots: FRENCH AND BRAKEFIELD **116**, 103.
Sp1
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.
spadetail
cell fate in the zebrafish: HO **1992 Supplement,** 65.
Spatial colinearity
induction of *Hox-2* genes by retinoic acid: DEKKER, PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.
Spatial control
surface patterning in the *Paramecium* mutant *kin241*: JERKA-DZIADOSZ, GARREAU DE LOUBRESSE AND BEISSON **115**, 319.
Spatial expression
expression of the I factor during oogensis: LACHAUME, BOUHIDEL, MESURE AND PINON **115**, 729.
Spatial information
pattern formation in sea urchin gastrulation: MCCLAY, ARMSTRONG AND HARDIN **1992 Supplement,** 33.
Spec1 gene
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.

Specification
Drosophila pumilio gene: MACDONALD **114**, 221.
Spemann organizer
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.
Sperm
intracellular changes in porcine eggs following activation: SUN, HOYLAND, HUANG, MASON AND MOOR **115**, 947.
Sperm aster
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699.
Sperm receptor gene
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
Spermatogenesis
in *Drosophila*: GONCZY, VISWANATHAN AND DINARDO **114**, 89.
in W^r mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861.
localized *orb* ovarian RNA in *Drosophila*: LANTZ, AMBROSIO AND SCHEDL **115**, 75.
Spermatogenic cell
alkaline phosphatase expression in mouse embryo: NARISAWA, HOFMANN, ZIOMEK AND MILLAN **116**, 159.
Spiculogenesis
cell interations in the sea urchin embryo: ETTENSOHN **1992 Supplement,** 43.
Spinal cord
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.
zebrafish *wnt*-related genes: KRAUSS, KORZH, FJOSE AND JOHANSEN **116**, 249.
Spiral cleavage
gastrulation in the shrimp: HERTZLER AND CLARK **116**, 127.
Splanchnic mesdoermal plate
expression of rat IGFBP-2 gene: WOOD, STRECK AND PINTAR **114**, 59.
Spleen
inhibition of in vitro CFUe by a spleen extract: NAGEL AND NAGEL **114**, 213.
Spore
dedifferentiation in *Dictyostelium*: CHANDRASEKHAR, ENNIS AND SOLL **116**, 417.
Steel factor
c-*kit* function in intestinal pacemaker: MAEDA, YAMAGATA, NISHIKAWA, YOSHINAGA, KOBAYASHI, NISHI AND NISHIKAWA **116**, 369.
TRP-2/DT, a new early melanoblast marker: STEEL, DAVIDSON AND JACKSON **115**, 1111.
***Steel-dickie* mutant**
TRP-2/DT, a new early melanoblast marker: STEEL, DAVIDSON AND JACKSON **115**, 1111.
Stem cell
chick and frog mesoderm induction and axis formation: STERN, HATADA, SELLECK AND STOREY **1992 Supplement,** 151.
lineage analysis of metanephric mesenchyme: HERZLINGER, KOSEKI, MIKAWA AND AL-AWQATI **114**, 565.
parthenogenetic stem cells in mouse: JAGERBAUER, FRASER, HERBST, KOTHARY AND FUNDELE **116**, 95.
segmental expression of *Lox 2* RNA in leech: NARDELLI-HAEFLIGER AND SHANKLAND **116**, 697.
Stem cell factor
TRP-2/DT, a new early melanoblast marker: STEEL, DAVIDSON AND JACKSON **115**, 1111.
Stereocilia
determination of number and arrangement of stereocilia: TILNEY, COTANCHE AND TILNEY **116**, 213.
Steroid hormone receptor
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.
Stomach
developmental expression of Muc-1 mucin in the mouse: BRAGA, PEMBERTON, DUHIG AND GENDLER **115**, 427.
string
twine, a meiotic *Drosophila* cdc25 phosphatase: COURTOT, FRANKHAUSER, SIMANIS AND LEHNER **116**, 405.
Stroma
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.
Stromal cell
role of *c*-kit/SF in lymphocyte development: PALACIOS AND NISHIKAWA **115**, 1133.
Strongylocentrotus purpuratus
Spec1 gene expression in hybrid embryos: NISSON, GAUDETTE, BRANDHORST AND CRAIN **114**, 193.
su(w^a) suppression
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
Sweat gland
CNTF expression in rat footpad: ROHRER **114**, 689.
Sympathetic cell
glial cell differentiation in chick PNS: RUDEL AND ROHRER **115**, 519.
Sympathetic ganglion
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
Sympathetic neuron
cholinergic neuronal differentiation factors: RAO, PATTERSON AND LANDIS **116**, 731.
CNTF expression in rat footpad: ROHRER **114**, 689.
Sympathoadrenal system
NPY and development of coexpression for neurons and chromaffin: GARCIA-ARRARAS, LUGO-CHINCHILLA AND CHEVERE-COLON **115**, 617.
Synapse
synapse-specific gene expression: JO AND BURDEN **115**, 673.
Synaptic competition
synaptic competition in the insect CNS: BACON AND BLAGBURN **115**, 773.
Synaptic development
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545.
Synaptic plasticity
synaptic plasticity in rod terminals: SANYAL, HAWKINS, JANSEN AND ZEILMAKER **114**, 797.

***T/T* cell**
Brachyury affect on mouse gastrulation and organogenesis: BEDDINGTON, RASHBASS AND WILSON **1992 Supplement,** 157.
Tail bud
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.
zebrafish *wnt*-related genes: KRAUSS, KORZH, FJOSE AND JOHANSEN **116**, 249.

Tail development
short-circuiting development: HOTARY AND ROBINSON **114**, 985.
tailless
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
talpid
homeobox genes and avian limb development: COELHO, UPHOLT AND KOSHER **115**, 629.
***talpid*^{3}**
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959.
***teashirt* gene**
teashirt homeotic gene: RODER, VOLA AND KERRIDGE **115**, 1017.
Temperature sensitivity
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787.
Temporal colinearity
induction of *Hox-2* genes by retinoic acid: DEKKER, PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.
Tenascin
regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.
Terminal domain
maternal control of *tailless* expression in *Drosophila*: PIGNONI, STEINGRIMSSON AND LENGYEL **115**, 239.
Testis
CK expression and gonad differentiation in rats: FRIDMACHER, LOCQUET AND MAGRE **115**, 503.
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861.
TGF-α
control of proliferation in the rat retina: LILLIEN AND CEPKO **115**, 253.
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.
in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.
TGF-β
apoptosis during mouse mammary gland involution: STRANGE, LI, SAURER, BURKHARDT AND FRIIS **115**, 49.
RA and TGF β in mouse embryogenesis: MAHMOOD, FLANDERS AND MORRISS-KAY **115**, 67.
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583.
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Thalamic innervation
development of thalamocortical connections: GOTZ, NOVAK, BASTMEYER AND BOLZ **116**, 507.
Thyroid
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
myosin expression control by thyroid hormone in birds: GARDAHAUT, FONTAINE-PERUS, ROUAUD, BANDMAN AND FERRAND **115**, 1121.
Thyroid hormone receptor
thyroid hormone receptors in chick retinal development: SJOBERG, VENNSTROM AND FORREST **114**, 39.
Tight junctions
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
Time-lapse videography
fate map with time-lapse videography: BORTIER AND VAKAET **1992 Supplement,** 93.
TIMP
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.
Tissue differentiation
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
Tissue specificity
posttranscriptional regulation in sea urchin gastrulae: GAGNON, ANGERER AND ANGERER **114**, 457.
Tissue spreading
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573.
tolloid
regulation of *decapentaplegic* activity in *Drosophila*: FERGUSON AND ANDERSON **114**, 583.
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
Tooth
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
Tooth bud
Fgf expression during mouse embryogenesis: NISWANDER AND MARTIN **114**, 755.
Tooth shape
Hox-8 and tooth shape in the mouse: MACKENZIE, FERGUSON AND SHARPE **115**, 403.
torpedo
multiple roles for *torpedo* in *Drosophila* embryogenesis: CLIFFORD AND SCHUPBACH **115**, 853.
Trans-acting factor
LFB1 and LFB3 in rat kidney development: LAZZARO, DE SIMONE, DE MAGISTRIS, LEHTONEN AND CORTESE **114**, 469.
Transcription
Drosophila germ line transcriptional control elements: FRANK, CHEUNG AND COHEN **114**, 481.
ρ-globin switching: MINIE, KIMURA AND FELSENFELD **115**, 1149.
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
synapse-specific gene expression: JO AND BURDEN **115**, 673.
Transcription factor
c-myb and *mim-1* expression in chick embryos: QUEVA, NESS, GRASSER, GRAF, VANDENBUNDER AND STEHELIN **114**, 125.
Clox, a mammalian *cut* homolog: ANDRES, NADAL-GINARD AND MAHDAVI **116**, 321.
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
gene regulation by fibric acid derivatives: STAELS AND AUWERX **115**, 1035.
localized expression of a *Xenopus* POU gene: FRANK AND HARLAND **115**, 439.
Transcription unit
Drosophila pumilio gene: MACDONALD **114**, 221.
Transcriptional induction
induction of *labial* expression in the midgut: TREMML AND BIENZ **116**, 447.

Transcriptional regulation
control of *Drosophila* dorsoventral development: THISSE AND THISSE **1992 Supplement,** 173.
Transfection
MAP2 and microtubule organisation: WEISSHAAR, DOLL AND MATUS **116**, 1151.
Transfilter culture
rod-promoting signals in the rat retina: WATANABE AND RAFF **114**, 899.
Transfilter induction
gap junction proteins in developing kidney: SAINIO, GILBERT, LEHTONEN, NISHI, KUMAR, GILULA AND SAXEN **115**, 827.
Transforming growth factor
TGF-α in human fetal pancreas: MIETTINEN AND HEIKINHEIMO **114**, 833.
Transforming growth factor alpha
growth factor expression during pig development: VAUGHAN, JAMES, PASCALL AND BROWN **116**, 663.
Transforming growth factor-β
control of avian crest cell emigration: DELANNET AND DUBAND **116**, 275.
Transgene
positionally graded transgene methylation: DONOGHUE, PATTON, SANES AND MERLIE **116**, 1101.
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.
Transgenic mouse
ACLR gene expression in transgenic mice: SIMON, HOPPE AND BURDEN **114**, 545.
a transgene escapes X inactivation: WU, FASSLER, SCHNIEKE, BARKER, LEE, CHAPMAN, FRANCKE AND JAENISCH **116**, 687.
ectopic MyoD in transgenic mice: MINER, MILLER AND WOLD **114**, 853.
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
identification of gene at mouse *Hβ58* locus: LEE, RADICE, PERKINS AND COSTANTINI **115**, 277.
model of enteric nervous system development: KAPUR, YOST AND PALMITER **116**, 167.
retinoic acid effects on CNS segmentation: ZIMMER AND ZIMMER **116**, 977.
synapse-specific gene expression: JO AND BURDEN **115**, 673.
Transmembrane protein
hedgehog expression and sequence: MOHLER AND VANI **115**, 957.
Transplantation
somitogenesis in mouse embryos: TAM AND TAN **115**, 703.
Trophectoderm
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
Trophic factor
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
Trophic interaction
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
Trophoblast
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.
Trophoblastic giant cell
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
TRP-1
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
TRP-2/DT
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
Tst-1
SCIP in oligodendrocyte differentiation: COLLARINI, KUHN, MARSHALL, MONUKI, LEMKE AND RICHARDSON **116**, 193.
Tubular muscle
Drosophila Ca^{2+}-release channel genes: HASAN AND ROSBASH **116**, 967.
β3 Tubulin gene *Drosophila*
gene regulation in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.
twine
twine, a meiotic *Drosophila* cdc25 phosphatase: COURTOT, FRANKHAUSER, SIMANIS AND LEHNER **116**, 405.
twist
control of *Drosophila* dorsoventral development: THISSE AND THISSE **1992 Supplement,** 173.
early *Drosophila* mesoderm formation: LEPTIN, CASAL, GRUNEWALD AND REUTER **1992 Supplement,** 23.
expression of a mouse homolog of *snail*: SMITH, FRANCO DEL AMO AND GRIDLEY **116**, 1033.
Type I collagen
a transgene escapes X inactivation: WU, FASSLER, SCHNIEKE, BARKER, LEE, CHAPMAN, FRANCKE AND JAENISCH **116**, 687.
Type II collagen
TGF-β localization in cartilage and bone: THORP, ANDERSON AND JAKOWLEW **114**, 907.
Type IV
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
Type IX collagen
co-expression of different collagen transcripts in ovo: SWIDERSKI AND SOLURSH **115**, 169.
Tyrosinase
TRP-2/DT, a new early melanoblast marker: STEEL **115**, 1111.
Tyrosine kinase
amphibian FGF receptors: SHI, FEIGE, RIOU, DESIMONE AND BOUCAUT **116**, 261.
embryonic expression of c-*ros* in mouse: TESSAROLLO, NAGARAJAN AND PARADA **115**, 11.
FGFR-2 in *Xenopus* development: FRIESEL AND BROWN **116**, 1051.
segmental expression of a receptor tyrosine kinase: NIETO, GILARDI-HEBENSTREIT, CHARNAY AND WILKINSON **116**, 1137.
T
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.
Ubx
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
Ultrabithorax
ectopic expression of UBX and ABD-B: LAMKA, BOULET AND SAKONJU **116**, 841.
E homeotic complex in *Bombyx mori*: UENO, HUI, FUKUTA AND SUZUKI **114**, 555.
gene regulation in the *Drosophila* mesoderm: HINZ, WOLK AND RENKAWITZ-POHL **116**, 543.

homeotic target gene: GOULD AND WHITE **116**, 1163.
minigene in imaginal cells: CASTELLI-GAIR, MULLER AND BIENZ **114**, 877.
ultraspiracle
in the eye and ovary of *Drosophila*: ORO, MCKEOWN AND EVANS **115**, 449.
Uniparental
blastocyst formation from murine androgenones: HAGEMANN AND FIRST **114**, 997.
Urokinase
plasminogen activators in nerve: SUMI, DENT, OWEN, SEELEY AND MORRIS **116**, 625.
tissue inhibitor of metalloproteinases (TIMP) regulates development: BEHRENDTSEN, ALEXANDER AND WERB **114**, 447.
UV irradiation
a gastrulation center in the ascidian egg: JEFFERY **1992 Supplement,** 53.
Uvomorulin
uvomorulin in early mouse embryos: SEFTON, JOHNSON AND CLAYTON **115**, 313.

Vascular development
vascular channels in murine cystic embryoid bodies: WANG, CLARK AND BAUTCH **114**, 303.
Vascular endothelial growth factor
bFGF and neural crest differentiation: BRILL, VAISMAN, NEUFELD AND KALCHEIM **115**, 1059.
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521.
Vascular permeability factor
VEGF expression in murine embryonic angiogenesis: BREIER, ALBRECHT, STERRER AND RISAU **114**, 521.
Vasculogenesis
vasculogenesis and hematopoiesis induction: FLAMME AND RISAU **116**, 435.
Ventral furrow formation
early *Drosophila* mesoderm formation: LEPTIN, CASAL, GRUNEWALD AND REUTER **1992 Supplement,** 23.
Ventral root
notochord does not prevent neural crest formation: ARTINGER AND BRONNER-FRASER **116**, 877.
Vertebra
respecification of vertebrae by retinoic acid: KESSEL **115**, 487.
Vertebral development
half somite grafts and vertebrate development: GOLDSTEIN AND KALCHEIM **116**, 441.
Vertebrate
anteroposterior axis specification in vertebrates: SLACK AND TANNAHILL **114**, 285.
Vertebrate evolution
Amphioxus homeobox gene: HOLLAND, HOLLAND, WILLIAMS AND HOLLAND **116**, 653.
Vertebrate neuron
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
Vertical induction
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
Vertical signal
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
Vibrissa
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.
hair growth stimulation by dermal sheath: HORNE AND JAHODA **116**, 563.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
Video enhancement
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
Visceral endoderm
expression patterns of HNF1 homeoproteins in mouse embryo: CEREGHINI, OTT, POWER AND MAURY **116**, 783.
Visual system
lamina glia in *Drosophila*: WINBERG, PEREZ AND STELLER **115**, 903.
trophic interactions in the *Drosophila* eye: CAMPOS, FISCHBACH AND STELLER **114**, 355.
Vital dye
cranial neural crest migration: SERBEDZIJA, BRONNER-FRASER AND FRASER **116**, 297.
Vitamin D
calbindins in embryonic mouse tissues: SHAMLEY, OPPERMAN, BUFFENSTEIN AND ROSS **116**, 491.
Vitronectin
Drosophila PS2 integrin: BUNCH AND BROWER **116**, 239.

W (c-*kit*) gene
spermatogenesis in W^f mutant mice: KOSHIMIZU, WATANABE, TAJIMA AND NISHIMUNE **114**, 861.
W mutation
c-Kit action on erythropoiesis: OHNEDA, YANAI AND OBINATA **114**, 245.
Wilms' tumor
analysis of human PAX8 gene: POLEEV, FICKENSCHER, MUNDLOS, WINTERPACHT, ZABEL, FIDLER, GRUSS AND PLACHOV **116**, 611.
Wing development
posterior *Hox-4* genes in *talpid* mutant chick wings: IZPISUA-BELMONTE, EDE, TICKLE AND DUBOULE **114**, 959.
Wing disc
engrailed expression in wing blade of *Drosophila*: BLAIR **115**, 21.
sensory mother cell formation and mitotic activity in *Drosophila*: USUI AND KIMURA **116**, 601.
wingless
effects of uniform *wingless* expression: NOORDERMEER, JOHNSTON, RIJSEWIJK, NUSSE AND LAWRENCE **116**, 711.
embryonic development of *Drosophila* head: SCHMIDT-OTT AND TECHNAU **116**, 111.
protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.
wingless requirement in cell division: SKAER AND MARTINEZ ARIAS **116**, 745.
Wnt
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.

Xenopus mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.
Wnt
expression of *Xwnt-4* during early *Xenopus* development: MCGREW, OTTE AND MOON **115**, 463.
Wnt-1
wingless protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.
Wnt-1
Wnt-1 and *En-2* in met-mesencephalon: BALLY-CUIF,

ALVARADO-MALLART, DARNELL AND WASSEF **115**, 999.

wnt-related genes
zebrafish *wnt*-related genes: KRAUSS, KORZH, FJOSE AND JOHANSEN **116**, 249.

Wnt/wingless gene family
Drosophila wnt/wingless gene family: RUSSELL, GENNISSEN AND NUSSE **115**, 475.

Wound closure
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573.

Wound healing
human fetal skin repair: LORENZ, LONGAKER, PERKOCHA, JENNINGS, HARRISON AND ADZICK **114**, 253.
lower vibrissa follicle regeneration: JAHODA, HORNE, MAUGER, BARD AND SENGEL **114**, 887.
wound healing in foetal rat skin: IHARA AND MOTOBAYASHI **114**, 573.

Wounding
hair follicle induction in adult skin wounds: JAHODA **115**, 1103.

X chromosome
a transgene escapes X inactivation: WU, FASSLER, SCHNIEKE, BARKER, LEE, CHAPMAN, FRANCKE AND JAENISCH **116**, 687.

Xanthine
purine metabolism in mouse embryos: ALEXIOU AND LEESE **114**, 185.

Xenograft
fate map with time-lapse videography: BORTIER AND VAKAET **1992 Supplement,** 93.
model of fetal intestine development: DEL BUONO, FLEMING, MOREY, HALL AND WRIGHT **114**, 67.

Xenopus
activin can generate ectopic axial structures: ZIV, SCHIMONI AND MITRANI **115**, 689.
activin promotes expression of neural markers: BOLCE, HEMMATI-BRIVANLOU, KUSHNER AND HARLAND **115**, 681.
β_1-integrin in *Xenopus* embryogenesis: GAWANTKA, ELLINGER-ZIEGELBAUER AND HAUSEN **115**, 595.
BMP-4 and mesoderm induction in *Xenopus*: DALE, HOWES, PRICE AND SMITH **115**, 573.
U-cadherin in *Xenopus* oocyte maturation: MULLER, ANGRES AND HAUSEN **114**, 533.
convergence and extension in *Xenopus*: KELLER, SHIH AND DOMINGO **1992 Supplement,** 81.
cytokeratin in *Xenopus* gastrulation: HEASMAN, TORPEY AND WYLIE **1992 Supplement,** 119.
dorsoventral and anteroposterior pattering of *Xenopus* mesoderm: SLACK, ISAACS, JOHNSON, LETTICE, TANNAHILL AND THOMPSON **1992 Supplement,** 143.
DVR-4 in *Xenopus* mesoderm induction: JONES, LYONS, LAPAN, WRIGHT AND HOGAN **115**, 639.
epithelial control of *Xenopus* morphogenesis: SHIH AND KELLER **116**, 887.
expression of *Xenopus* embryonic FGF: ISAACS, TANNAHILL AND SLACK **114**, 711.
expression of *Xenopus int-2*: TANNAHILL, ISAACS, CLOSE, PETERS AND SLACK **115**, 695.
expression of *Xwnt-4* during early *Xenopus* development: MCGREW, OTTE AND MOON **115**, 463.
expression of XMyoD protein in early *Xenopus* embryos: HOPWOOD, PLUCK, GURDON AND DILWORTH **114**, 31.
FGFR-2 in *Xenopus* development: FRIESEL AND BROWN **116**, 1051.
Gα proteins in *Xenopus* development: OTTE, MCGREW, OLATE, NATHANSON AND MOON **116**, 141.
induction of *Hox-2* genes by retinoic acid: DEKKER, PANNESE, HOUTZAGER, TIMMERMANS, BONCINELLI AND DURSTON **1992 Supplement,** 195.
localized expression of a *Xenopus* POU gene: FRANK AND HARLAND **115**, 439.
maternal factor, OZ-1, activates *Xenopus* embryonic transcription: OVSENEK, ZORN AND KRIEG **115**, 649.
maternal mRNA binding proteins: LEGAGNEUX, BOUVET, OMILLI, CHEVALIER AND OSBORNE **116**, 1193.
maternal RNAs induce a secondary axis: HAINSKI AND MOODY **116**, 347.
mesoderm induction: KIMELMAN, CHRISTIAN AND MOON **116**, 1.
mesoderm induction and gastrulation: SMITH AND HOWARD **1992 Supplement,** 127.
XIOU AND LEESE **114**, 185.
mesoderm induction by *Xenopus* bFGF: KIMELMAN AND MAAS **114**, 261.
mesoderm induction in *Xenopus*: GURDON, KAO, KATO AND HOPWOOD **1992 Supplement,** 137.
motility driving cell intercalation in *Xenopus*: SHIH AND KELLER **116**, 901.
neural induction and patterning in *Xenopus*: RUIZ I ALTABA **116**, 67.
patterned cell behaviour in *Xenopus* organizer: SHIH AND KELLER **116**, 915.
Pintallavis function in neural induction: RUIZ I ALTABA AND JESSELL **116**, 81.
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
regulation of microtubules in *Xenopus* eggs: SCHROEDER AND GARD **114**, 699.
retinoic acid and the late phase of neural induction: SHARPE **1992 Supplement,** 203.
role of *goosecoid* in gastrulation: DE ROBERTIS, BLUM, NIEHRS AND STEINBEISSER **1992 Supplement,** 167.
α-smooth muscle actin expression: SAINT-JEANNET, LEVI, GIRAULT, KOTELIANSKY AND THIERY **115**, 1165.
tenascin regionalization in *Xenopus* embryo: UMBHAUER, RIOU, SPRING, SMITH AND BOUCAUT **116**, 147.
wingless protein in oocytes and embryos: CHAKRABARTI, MATTHEWS, COLMAN AND DALE **115**, 355.

XlHbox1
neural induction and regionalisation in chick embryo: STOREY, CROSSLEY, DE ROBERTIS, NORRIS AND STERN **114**, 729.
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.

XlHbox6
planar signals in neural patterning: DONIACH **1992 Supplement,** 183.
retinoic acid and the late phase of neural induction: SHARPE **1992 Supplement,** 203.

Xotch
expression of *Motch*, a mouse *Notch* homolog: FRANCO DEL AMO, SMITH, SWIATEK, GENDRON-MAGUIRE, GREENSPAN, MCMAHON AND GRIDLEY **115**, 737.

β-D xyloside
β-D xyloside affects avian corneal stromal development: HAHN AND BIRK **115**, 383.

Yeast
temperature-sensitive diphtheria toxins: BELLEN, D'EVELYN, HARVEY AND ELLEDGE **114**, 787.
Yolk
cytoplasmic transfer in nematode embryos: BOSSINGER AND SCHIERENBERG **114**, 317.
Yolk sac
embryonic and adult α globin genes: LEDER, KUO, SHEN AND LEDER **116**, 1041.
macrophages in early avian embryo: CUADROS, COLTEY, NIETO AND MARTIN **115**, 157.
Yolk syncytial layer
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.
YSL transition
gastrulation in *Fundulus*: TRINKHAUS **1992 Supplement,** 75.

Zebrafish
cell fate in the zebrafish: HO **1992 Supplement,** 65.
enhancer trap in zebrafish: BAYER AND CAMPOS-ORTEGA **115**, 421.
expression of *Zf-T* in zebrafish embryos: SCHULTE-MERKER, HO, HERRMANN AND NUSSLEIN-VOLHARD **116**, 1021.
pathfinding by zebrafish motoneurons: PIKE, MELANCON AND EISEN **114**, 825.
zebrafish *pax-6* gene: PUSCHEL, GRUSS AND WESTERFIELD **114**, 643.
zebrafish *wnt*-related genes: KRAUSS, KORZH, FJOSE AND JOHANSEN **116**, 249.
Zinc finger gene
GLi3 gene expression is reduced in *Xt* mice: SCHIMMANG, LEMAISTRE, VORTKAMP AND RUTHER **116**, 799.
Zipper motif
the *giant* b-ZIP protein in *Drosophila*: CAPOVILLA, ELDON AND PIRROTTA **114**, 99.
ZO-1
mouse early embryo differentiation: FLEMING, JAVED AND HAY **1992 Supplement,** 105.
Zona pellucida
foreign sperm receptors in mouse: KINLOCH, MORTILLO AND WASSARMAN **115**, 937.
Zone of polarizing activity
retinoid release from embryonic neural tissue: WAGNER, HAN AND JESSELL **116**, 55.
Zygotic expression
Drosophila pebble gene: HIME AND SAINT **114**, 165.
Zygotic gene
control of *Drosophila* dorsoventral development: THISSE AND THISSE **1992 Supplement,** 173.
sea urchin blastula regulatory protease: LEPAGE, GHIGLIONE AND GACHE **114**, 147.
Zymogen
regulated *easter* zymogen activation in *Drosophila*: CHASAN, JIN AND ANDERSON **115**, 607.